P- value for the two tailed test is

Select the correct option

○	Two tailed Test: P-value = $1 - NORM.S.DIST(\|z_a\|, TRUE)$
○	Two tailed Test: P-value = $2(1 - NORM.S.DIST(\|z_a\|, TRUE)$ ✓



CamScanner

=NORM.S.DIST function. Returns the

Select the correct option

- ○ Standard normal distribution
- ○ Chi distribution
- ○ Normal distribution ✓
- ○ Poisson distribution



CamScanner

If the sample size is large (n>30) and the standard deviation is unknown then we will apply

Select the correct option

○	Z- test
○	F-test

Type here to search

CamScanner

Question # 7 of 8 (Start time: 11:09:51 AM, 08 January 2024)

When p value is less then alpha then we will

Select the correct option

- Reject the Null Hypothesis ✓
- Don't Reject the Null Hypothesis



CamScanner

F test is used for

Select the correct option

- ○ Singles or two mean testing
- ○ Three and more than three means testing ✓



CamScanner

Question # 1 of 8 (Start time: 11:06:40 AM, 08 January 2024)

A ___ can only be used if the population standard deviation is known

Select the correct option

- ○ Z- test
- ○ T-test

Type here to search

CamScanner

Question # 8 of 8 (Start time: 11:10:19 AM, 08 January 2024)

QQ plot is used to check

Select the correct option

- ○ Normality ✓
- ○ Mean

Type here to search

CamScanner

Alternative hypothesis is denoted by

Select the correct option

○	H_1
○	H_0

Type here to search

CamScanner

Quiz Start Time: 04:07 PM, 07 January 2024

Question # 1 of 8 (Start time: 04:07:22 PM, 07 January 2024)

Total Marks: 1

If the sample size is large (n>30) and the standard deviation is unknown then we will apply

Select the correct option

Reload Math Equations

- Z- test
- t-test

Click to Save Answer & Move to next Question

CamScanner

CamScanner

Time Left 82 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 04:07 PM, 07 January 2024

Question # 2 of 8 (Start time: 04:07:57 PM, 07 January 2024)

Total Marks:

QQ plot is used to check

Select the correct option

Reload Math Equations

- Normality
- Mean

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 04:07 PM, 07 January 2024

Question # 3 of 8 (Start time: 04:08:26 PM, 07 January 2024)

Total Marks:

Alternative hypothesis is denoted by

Select the correct option

- H_1 ✓
- H_0

Reload Math Equations

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 04:07 PM, 07 January 2024

Question # 4 of 8 (Start time: 04:08:50 PM, 07 January 2024)

Total Marks: 1

A ___ can only be used if the population standard deviation is known

Select the correct option

Reload Math Equations

- T-test
- Z- test

Click to Save Answer & Move to Next Question

CamScanner

Quiz Start Time: 04:07 PM, 07 January 2024

Question # 5 of 8 (Start time: 04:09:20 PM, 07 January 2024)

Total Marks:

Do not rejecting the null hypothesis when it's actually false is

Select the correct option

Reload Math Equations

- Power of a test
- Type I error
- Type II error
- Level of significance

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 04:07 PM, 07 January 2024

Question # 6 of 8 (Start time: 04:09:49 PM, 07 January 2024)

Total Marks:

P- value for the left tail test is

Select the correct option

Reload Math Equations

Left tailed Test: P-value =NORM.S.DIST(z_α, TRUE)

Left tailed Test: P-value =1 - NORM.S.DIST(z_α, TRUE)

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3) Quiz Start Time: 04:07 PM, 07 Janu

Question # 8 of 8 (Start time: 04:10:53 PM, 07 January 2024) Tota

Null hypothesis is denoted by

Select the correct option

Reload Math Eq

- H_1
- H_0

Click to Save Answer & Move to Next

CamScanner

16:51 71%

Quiz
vulms.vu.edu.pk

BC220416107: MEHAK SHAFIQ

STA641 - Statistical Packages and its Applications (Quiz 3)


Question # 6 of 8 (Start time: 04:51:38 PM, 07 January 2024)

P- value for the left tail test is

Select the correct option

- Left tailed Test: P-value =NORM.S.DIST(z_α, TRUE) ✓
- Left tailed Test: P-value =1 - NORM.S.DIST(z_α, TRUE)

CamScanner


8:17
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left 89 sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 8 of 8 (Start time: 08:17:16 PM, 07 January 2024)
Total Marks:
If the data is not normal, we will go for the
Select the correct option
Reload Math Equations
Non-Parametric Procedures
Rayleigh distribution
Parametric Procedures
Chi Square
Click to Save Answer & Move to Next Question

CamScanner

Question # 7 of 8 (Start time: 04:10:17 PM, 07 January 2024)

Total Marks:

If the sample size is less then 30 and the standard deviation is unknown then we will apply

Select the correct option

Reload Math Equations

- F-test
- Z- test
- T-test
- Both a and b

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 1 of 8 (Start time: 05:43:05 PM, 07 January 2024)

If the sample size is less then 30 and the standard deviation is unknown then we will apply

Select the correct option

- ○ Z- test
- ○ Both a and b
- ○ F-test
- ○ T-test ✓

CamScanner

Question # 2 of 8 (Start time: 11:09:11 AM, 08 January 2024) Total Marks:

If Many of the Observation lies on the line or closest to the line

Select the correct option

Reload Math Equations

- Doesn't follows the Normal distribution
- Follows the Normal distribution ✓

Click to Save Answer & Move to Next Question





CamScanner

16:47 72%

Quiz
vulms.vu.edu.pk

BC220416107: MEHAK SHAFIQ

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 1 of 8 (Start time: 04:47:05 PM, 07 January 2024)

Z-test and T-test are used for

Select the correct option

- ○ Singles or two mean testing ✓
- ○ Three and more then three means

CamScanner

16:50 71%

Quiz
vulms.vu.edu.pk

BC220416107: MEHAK SHAFIQ

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 5 of 8 (Start time: 04:50:50 PM, 07 January 2024)

Standard normal distribution has a mean ..... and a standard deviation .....

Select the correct option

- ○ One, Two
- ○ Zero, Two
- ○ Zero, One ✓
- ○ One, Zero

CamScanner

16:55 71%

Quiz
vulms.vu.edu.pk

BC220418019: AASIA BANO

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 1 of 8 (Start time: 04:55:01 PM, 07 January 2024)

Function to generate random numbers from normal distribution is

Select the correct option

- ○ =NORM.S.DIST(rand(), mean, variance)
- ○ =NORM.INV(rand(), standard deviation, mean)
- ○ =NORM.INV(rand(), mean, standard deviation) ✓
- ○ =NORM.INV(rand(), mean, median)

CamScanner

17:00 70%

Quiz
vulms.vu.edu.pk


Question # 7 of 8 (Start time: 05:00:48 PM, 07 January 2024)

Test statistics for Z-test is


Select the correct option

○	$z = \frac{\bar{x}-x}{\frac{\sigma}{\sqrt{n}}}$
○	$z = \frac{\bar{x}+\mu}{\frac{\sigma}{\sqrt{n}}}$
○	$z = \frac{\mu-\bar{x}}{\frac{\sigma}{\sqrt{n}}}$
○	$z = \frac{\bar{x}-\mu}{\frac{\sigma}{\sqrt{n}}}$ ✓


CamScanner


8:14
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left
88
sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 3 of 8 (Start time: 08:14:49 PM, 07 January 2024)
Total Marks:
QQ plot is used to check
Select the correct option
Reload Math Equations
Normality
Mean
Click to Save Answer & Move to Next Question

CamScanner


8:16
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left 89 sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 6 of 8 (Start time: 08:16:15 PM, 07 January 2024)
Total Marks:
Rejecting the null hypothesis when it's actually true is
Select the correct option
Reload Math Equations
Power of a test
Type II error
Type I error
Level of significance
Click to Save Answer & Move to Next Question

CamScanner


8:15
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left 89 sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 5 of 8 (Start time: 08:15:50 PM, 07 January 2024)
Total Marks:
A ___ can only be used if the population standard deviation is known
Select the correct option
Reload Math Equations
T-test
Z- test
Click to Save Answer & Move to Next Question

CamScanner

16:55 71%

Quiz
vulms.vu.edu.pk

BC220418019: AASIA BANO

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 2 of 8 (Start time: 04:55:43 PM, 07 January 2024)

if Many of the Observation lies on the line or closest to the line

Select the correct option

- ○ Doesn't follows the Normal distribution
- ○ Follows the Normal distribution ✓

CamScanner

16:49 72%

Quiz
vulms.vu.edu.pk

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 4 of 8 (Start time: 04:48:56 PM, 07 January 2024)

Function to generate random numbers from normal distribution i

Select the correct option

○	=NORM.INV(rand(), mean, median)
○	=NORM.S.DIST(rand(), mean, variance)
○	=NORM.INV(rand(), mean, standard deviation) ✓
○	=NORM.INV(rand(), standard deviation, mean)

CamScanner

16:52 71%

Quiz
vulms.vu.edu.pk

BC220416107: MEHAK SHAFIQ

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 7 of 8 (Start time: 04:52:19 PM, 07 January 2024)

Alternative hypothesis is denoted by

Select the correct option

- ○ H_0
- ○ H_1 ✓

CamScanner

16:59 70%

Quiz
vulms.vu.edu.pk

STA641 - Statistical Packages and its Applications (Quiz 3)


Question # 5 of 8 (Start time: 04:59:52 PM, 07 January 2024)

Do not rejecting the null hypothesis when it's actually false is


Select the correct option

- ○ Power of a test
- ○ Level of significance
- ○ Type I error
- ○ Type II error ✓

CamScanner


8:15
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left
89
sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 4 of 8 (Start time: 08:15:23 PM, 07 January 2024)
Total Marks:
When p value is less then alpha then we will
Select the correct option
Reload Math Equations
Dont Reject the Null Hypothesis
Reject the Null Hypothesis
Click to Save Answer & Move to Next Question

CamScanner


8:13
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left 87 sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 1 of 8 (Start time: 08:13:33 PM, 07 January 2024)
Total Marks:
If the sample size is less then 30 and the standard deviation is unknown then we will apply
Select the correct option
Reload Math Equations
Z- test
F-test
T-test
both a and b
Click to Save Answer & Move to Next Question

CamScanner

16:47 72%

Quiz
vulms.vu.edu.pk

Question # 2 of 8 (Start time: 04:47:44 PM, 07 January 2024)

Null hypothesis is denoted by

Select the correct option

- ○ H_0 ✓
- ○ H_1

CamScanner

16:58 70%

Quiz
vulms.vu.edu.pk

Question # 3 of 8 (Start time: 04:58:43 PM, 07 January 2024)

If the data is not normal, we will go for the

Select the correct option

- ○ Parametric Procedures ✓
- ○ Chi Square
- ○ Rayleigh distribution
- ○ Non-Parametric Procedures

CamScanner

17:01 70%

Quiz
vulms.vu.edu.pk

BC220418019: AASIA BANO

STA641 - Statistical Packages and its Applications (Quiz 3) Quiz St

Question # 8 of 8 (Start time: 05:01:28 PM, 07 January 2024)

F test is used for

Select the correct option

- Three and more than three means testing ✓
- Singles or two mean testing

Click to Save

CamScanner

16:48 72%

Quiz
vulms.vu.edu.pk

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 3 of 8 (Start time: 04:48:12 PM, 07 January 2024)

There are basically .... types of errors

Select the correct option

○	Two ✓
○	Five
○	Four
○	Three

CamScanner

16:53 71%

Quiz
vulms.vu.edu.pk

BC220416107: MEHAK SHAFIQ

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 8 of 8 (Start time: 04:52:59 PM, 07 January 2024)

A ..... can only be used if the population standard deviation is known

Select the correct option

- (●) Z- test ✓
- ( ) T-test

CamScanner

17:00 70%

Quiz
vulms.vu.edu.pk

BC220418019: AASIA BANO

STA641 - Statistical Packages and its Applications (Quiz 3)


Question # 6 of 8 (Start time: 05:00:18 PM, 07 January 2024)

Rejecting the null hypothesis when it's actually true is


Select the correct option

- ○ Type II error
- ○ Type I error ✓
- ○ Level of significance
- ○ Power of a test

CamScanner


8:16
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left 87 sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 202
Question # 7 of 8 (Start time: 08:16:41 PM, 07 January 2024)
Total Marks:
Null hypothesis is denoted by
Select the correct option
Reload Math Equations
H_1
H_0
Click to Save Answer & Move to Next Question

CamScanner


8:14
Quiz
vulms.vu.edu.pk
BC220412393: SAMARIA AMAN
Time Left 88 sec(s)
STA641 - Statistical Packages and its Applications (Quiz 3)
Quiz Start Time: 08:13 PM, 07 January 2024
Question # 2 of 8 (Start time: 08:14:16 PM, 07 January 2024)
Total Marks:
Standard normal distribution has a mean ... and a standard deviation ....
Select the correct option
Reload Math Equations
Zero, Two
One, Zero
One, Two
Zero, One
Click to Save Answer & Move to Next Question

CamScanner

Question # 8 of 8 (Start time: 11:13:05 AM, 08 January 2024) Total Marks:

Formula which is used to multiply a matrix is

Select the correct option

Reload Math Equations

- =MMULT(array+1array2)
- =MMULT(array*1array2)
- =MMULT(array1, array2) ✓
- =MUL(array1, array2)

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3) Quiz Start Time: 06:09 PM, 07 January 2024

Question # 5 of 8 (Start time: 11:11:12 AM, 08 January 2024) Total Marks:

When p value is less then alpha then we will

Select the correct option

Reload Math Equations

- Don't Reject the Null Hypothesis
- Reject the Null Hypothesis ✓

Click to Save Answer & Move to Next Question





CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3) Quiz Start Time: 06:09 PM, 07 January 202

Question # 3 of 8 (Start time: 11:09:51 AM, 08 January 2024) Total Marks:

Test statistics for Z-test is

Select the correct option

Reload Math Equations

- $z = \frac{\bar{x} - \mu}{\frac{\sigma}{\sqrt{n}}}$ ✓
- $z = \frac{\bar{x} + \mu}{\frac{\sigma}{\sqrt{n}}}$
- $z = \frac{\mu - \bar{x}}{\frac{\sigma}{\sqrt{n}}}$
- $z = \frac{\bar{x} - \sigma}{\frac{\mu}{\sqrt{n}}}$

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3) Quiz Start Time: 06:09 PM, 07 January 2024

Question # 4 of 8 (Start time: 11:10:35 AM, 08 January 2024) Total Marks:

Do not rejecting the null hypothesis when it's actually false is

Select the correct option

Reload Math Equations

- Power of a test
- Level of significance
- Type I error
- Type II error ✓

Click to Save Answer & Move to Next Question

CamScanner

Question # 6 of 8 (Start time: 11:11:51 AM, 08 January 2024) Total Marks:

If the sample size is large (n>30) and the standard deviation is unknown then we will apply

Select the correct option

Reload Math Equations

- F-test
- Z- test ✓

Click to Save Answer & Move to Next Question

CamScanner

STA641 - Statistical Packages and its Applications (Quiz 3) Quiz Start Time: 06:09 PM, 07 January 2024

Question # 7 of 8 (Start time: 11:12:29 AM, 08 January 2024) Total Marks:

F test is used for

Select the correct option

Reload Math Equations

- Singles or two mean testing
- Three and more than three means testing ✓

Click to Save Answer & Move to Next Question

CamScanner



vulms.vu.edu.pk/

BC220401128: TAYYBA MUQADDAS

Time Left

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 08:28 PM, 07 Janu

Question # 8 of 8 (Start time: 08:29:38 PM, 07 January 2024)

Tota

Formula which is used to multiply a matrix is

Select the correct option

Reload Math Eq

- =MMULT(array1, array2) ✓
- =MMULT{array*1array2}
- =MMULT{array+1array2}
- =MUL(array1, array2)

Click to Save Answer & Move to Next Que

CamScanner

20:28

vulms.vu.edu.pk/

BC220401128: TAYYBA MUQADDAS

Time Left 87 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 08:28 PM, 07 January 2024

Question # 2 of 8 (Start time: 08:28:29 PM, 07 January 2024)

Total Marks:

=NORM.S.DIST function. Returns the

Select the correct option

Reload Math Equations

- ○ Normal distribution ✓
- ○ Poisson distribution
- ○ Chi distribution
- ○ Standard normal distribution

Click to Save Answer & Move to Next Question

CamScanner

20:28

vulms.vu.edu.pk/

BC220401128: TAYYBA MUQADDAS

Time Left 86 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 3)

Quiz Start Time: 08:28 PM, 07 January 2024

Question # 1 of 8 (Start time: 08:28:16 PM, 07 January 2024)

Total Marks:

If Many of the Observation lies on the line or closest to the line

Select the correct option

Reload Math Equations

- Doesn't follows the Normal distribution
- Follows the Normal distribution ✓

Click to Save Answer & Move to Next Question

CamScanner

Question # 1 of 8 (Start time: 11:08:07 AM, 08 January 2024) Total Marks:

Rejecting the null hypothesis when it's actually true is


Select the correct option

Reload Math Equations

- Power of a test
- Type I error ✓
- Level of significance
- Type II error

Click to Save Answer & Move to Next Question

CamScanner



STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 1 of 8 (Start time: 08:52:23 PM, 07 January 2024)

If the sample size is large (n>30) and the standard deviation is unknown then we will apply

Select the correct option

- F-test
- Z- test ✓

Cl

CamScanner

20:59
vulms.vu.edu.pk/Quiz/

BC200410558: ZEESHAN HAIDER

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 8 of 8 (Start time: 08:58:55 PM, 07 January 2024)

Do not rejecting the null hypothesis when it's actually false is

Select the correct option

- ○ Type I error
- ○ Power of a test
- ○ Type II error ✓
- ○ Level of significance

CamScanner

20:56
vulms.vu.edu.pk/Quiz/

BC200410558: ZEESHAN HAIDER

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 6 of 8 (Start time: 08:56:25 PM, 07 January 2024)

Formula which is used to multiply a matrix is

Select the correct option

○	=MUL(array1, array2)
○	=MMULT{array+1array2}
○	=MMULT{array*1array2}
○	=MMULT(array1, array2) ✓

CamScanner

Question # 3 of 8 (Start time: 08:54:04 PM, 07 January 2024)


There are basically ... types of errors

Select the correct option

- ○ Five
- ○ Four
- ○ Three
- ○ Two ✓

Click to Sav

CamScanner



Question # 5 of 8 (Start time: 08:55:45 PM, 07 January 2024)

A ..... can only be used if the population standard deviation is known

Select the correct option

- ○ Z- test ✓
- ○ T-test

CamScanner

20:58 vulms.vu.edu.pk/Quiz/

BC200410558: ZEESHAN HAIDER

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 7 of 8 (Start time: 08:57:52 PM, 07 January 2024)

P- value for the two tailed test is

Select the correct option

○	Two tailed Test: P-value = $2(1 - NORM.S.DIST(\|z_\alpha\|, TRUE)$ ✓
○	Two tailed Test: P-value = $1 - NORM.S.DIST(\|z_\alpha\|, TRUE)$

CamScanner

20:53

vulms.vu.edu.pk/Quiz/

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 2 of 8 (Start time: 08:53:09 PM, 07 January 2024)

Function to generate random numbers from normal distribution is

Select the correct option

- ○ =NORM.INV(rand(), mean, standard deviation) ✓
- ○ =NORM.S.DIST(rand(), mean, variance)
- ○ =NORM.INV(rand(), mean, median)
- ○ =NORM.INV(rand(), standard deviation, mean)

CamScanner

20:54 84
vulms.vu.edu.pk/Quiz/

STA641 - Statistical Packages and its Applications (Quiz 3)

Question # 4 of 8 (Start time: 08:54:38 PM, 07 January 2024)

Alternative hypothesis is denoted by

Select the correct option

○	H_0
○	H_1 ✓

CamScanner