






Cs407 final term paper



























































CS407 Final Term.pdf - Adobe Acrobat Pro

File Edit View Document Comments Forms Tools Advanced Window Help

19 / 50 45% Find

Create Combine Collaborate Secure Sign Forms Multimedia Comment

Virtual University Dersan Examination System V2.1 (x86)

Routing and Switching (CS407)

Question: 4 (Marks: 1)

_____ interfaces trunk command is used to check whether a trunk has been established between switches.

Choices

Show


Correct


Hide


Interval


Explicit


4:22 PM 8/27/2023











CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID [REDACTED]

Routing and Switching: (CS407)

Question: 9 (Marks: 1)

Protocols do not send the subnet mask along with their routing updates.

Choices

- ☐ Classless Routing
- ☒ Both the Given
- ☐ None of the Given
- ☐ Classful Routing

Correct

2:48 / 10:49

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Question: 13 (Marks: 1)

The command Router(config)#access-list 95 is a type of _____

Choices:

- ☐ Time based ACL
- ☐ Extended ACL
- ☐ None of given
- ☒ Standard ACL

Correct

2:42 / 10:49

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Question: 12 (Marks: 1)


The command access-list 90 represents _____

Choices

- ☐ Time based ACL
- ☐ Extended ACL
- ☐ None of given
- ☐ Standard ACL

Correct

2:28 / 10:49



CS407 Final Term.pdf - Adobe Acrobat Pro

File Edit View Document Comments Forms Tools Advanced Window Help

10 / 50 45% Find

Create Combine Collaborate Secure Sign Forms Multimedia Comment

Virtual University Overseas Examination System V2.1 (x86)

Routing and Switching (CS407)

Question: 14 (Marks: 1)

Extended ACLs fall under the range of _____

Choices:

- ☐ 1 - 99
- ☒ 100 - 200
- ☐ 199 - 1000
- ☐ 100 - 199

Correct

4:20 PM 8/27/2023

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Question: 18 (Marks: 1)

NAT Application Type static NAT is used for _____

Choices:

- Many-to-many address mapping
- Many-to-one address
- None of given options
- One-to-one address mapping

Correct

1:54 / 10:49

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Question: 23 (Marks: 1)

The basic rule for placing an _____ is to place it as close to the source as possible.

Choices:

- ☐ Time based ACL
- ☒ Standard ACL
- ☐ Extended ACL
- ☐ None of the given

Correct

1:42 / 10:49

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT W [REDACTED]

CreateCombineCollaborateSecureSignFormsMultimediaComment

Virtual University Overseas Examination System VZ.1 (x86)

Routing and Switching (CS407)

Question: 20 (Marks: 1)

The Open Shortest Path First (OSPF) protocol is a routing protocol based on routing.

Choices:

Distance Vector

☐

Link State

☒

Path Vector

☐

Correct

1:21 / 10:49

Windows Taskbar

System Tray

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

6 / 50 45% Find

Create Combine Collaborate Secure Sign Forms Multimedia Comment

Routing and Switching (CS407)

Question: 25 (Marks: 1)

_____ allows you to enter a description of the ACL.

Choices:

Desc
☐
Remark
Correct
☐
Detail
☐
Define

1:04 / 10:49

Windows Taskbar: File Explorer, Edge, Chrome, WhatsApp, etc.

System Tray: Volume, Network, Date/Time: 8/27/2023

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT V [REDACTED]

Question: 29 (Marks: 1)

In the context of Multi Area OSPF, the main area is typically called as the _____.

Choices:

- ☐ Super Area
- ☒ Backbone Area
- ☐ Head Area
- ☐ Lead Area

Correct

0:49 / 10:49

8/27/2021

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Virtual University Overseas Examination System V2.1 (198)

Routing and Switching (CS407)

Question: 31 (Marks: 1)

_____ is correct formula to calculate the OSPFv2 cost.

Choices:

- ☒ Reference bandwidth / Interface bandwidth
Correct
- ☐ Reference bandwidth * 2 * Interface bandwidth
- ☐ Reference bandwidth - Interface bandwidth
- ☐ Reference bandwidth + 2(1 + Interface bandwidth)

0:34 / 10:49

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Virtual University Overseas Examination System V2.1 (x86)

Routing and Switching (CS407)

Question: 34 (Marks: 1)

_____ command is used to disable DHCP service on IOS DHCP server.

Choices

- ☒ no service dhcp
- ☐ shut down service dhcp
- ☐ prog

Correct

0:19 / 10:49

8/27/2023

CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Virtual University Overseas Examination System V2.1 (x86)

Routing and Switching (CS407)

Question: 37 (Marks: 1)

Ethernet Mac address is a 48-bit binary value that is usually represented in _____ hexadecimal digits.


Choices


- ☒ 12
- ☐ 16
- ☐ 32
- ☐ 128


Correct

0:14 / 10:49

8/27/2023







CS407 Final Term.pdf - Adobe Acrobat Pro

File Edit View Document Comments Forms Tools Advanced Window Help

48 / 50 45% Find

Create Combine Collaborate Secure Sign Forms Multimedia Comment

Virtual University Overseas Examination System V2.1 (x86)

Routing and Switching (CS407)

Question: 47 (Marks: 5)

Configure DHCP Server which will dynamically assign IP addresses from a pool of IP addresses to different devices. The pool name should be DHCP-Pool, default router IP 192.168.1.1 and reserved addresses range is 192.168.1.10 to 192.168.1.20(Excluded ip addresses).

To configure a DHCP server that dynamically assigns IP addresses from a pool of addresses with the name "DHCP-Pool," a default gateway of 192.168.1.1, and a reserved address range of 192.168.1.10 to 192.168.1.20 (excluding those addresses), you can follow these general steps:

Access the device's command-line interface (CLI).


Enter global configuration mode:


Answer:


```
enable
configure terminal
ip dhcp pool DHCP-Pool
network 192.168.1.0 255.255.255.0
default-router 192.168.1.1
ip dhcp excluded-address 192.168.1.10 192.168.1.20
end
write memory
```


These steps provide a general guideline for configuring a DHCP server with the specified settings. The actual commands and syntax may vary based on the device's operating system and model. Always refer to the documentation of your specific device for accurate commands.


4:28 PM 8/27/2023











CS407 Final Term.pdf - Adobe Acrobat Pro

CS407 Routing and Switching Final Term Paper | PAID ASSIGNMENT

Create • Combine • Collaborate • Secure • Sign • Forms • Multimedia • Comment

Virtual University Overseas Examination System V2.1 (x86)

Routing and Switching (CS407)

Question: 41 (Marks: 3)

To evaluate the network traffic, the ACLs extract some information from Network Layer Packet header. You are required to mention three types of that particular information.

Answer:

Source IP Address: ACLs extract the source IP address from the network layer packet header to identify the sender of the packet.

Destination IP Address: ACLs also extract the destination IP address to determine the intended recipient of the packet.

Protocol: ACLs analyze the protocol field to determine the type of traffic (e.g., TCP, UDP) and apply filtering rules accordingly.

9:24 / 10:49

CS407 Final Term.pdf - Adobe Acrobat Pro

File Edit View Document Comments Forms Tools Advanced Window Help

42 / 50 45% Find

Create Combine Collaborate Secure Sign Forms Multimedia Comment

Virtual University Overseas Examination System V2.1 (x86)

Routing and Switching (CS407)

Question 42 (Marks: 3)

Write all steps to put the configured extended ACL 102 on interface fastEthernet 0/0 of router R1 in inbound direction.

Answer:

To configure an ACL (Access Control List) numbered 102 on the FastEthernet 0/0 interface of router R1 in the inbound direction, you would typically follow these steps using Cisco IOS commands:

Access the router's command-line interface (CLI).

Navigate to the interface configuration mode for FastEthernet 0/0:

```
enable
configure terminal
interface FastEthernet0/0
ip access-group 102 in
Exit the interface configuration mode:
end
write memory
access-list 102 permit icmp any any
access-list 102 deny ip any any
```

These commands will apply ACL 102 to the FastEthernet 0/0 interface of router R1 in the inbound direction. The specific ACL rules you configure will depend on your network requirements. Keep in mind that the exact commands may vary depending on the router model and version of the IOS software.

4:27 PM 8/27/2023

