



CS201 Midterm McQs Solved Papers By Waqar Sidhu (File 1)

Question No 1

Consider the following code segment. What will be the output of following code?

```
int addValue (int*a){  
int b = (*a) + 2;  
return b;  
}  
main() {  
int x=6;  
cout<< x<< “,”;  
cout<<addValue(&x) << “x”;  
cout<< x;  
}
```

Select Correct Option

- ✓ **6,8,6**.....(For More Visit VUStudents.pk)
- ✓ 6,6,8
- ✓ 6,8,8
- ✓ 6,6,6

Question NO 2

Here the code is given below. You have to identify the problem in the code.
while (i < 10) && (i > 24))

Select Correct Option

- ✓ The logical operator && cannot be used in a test condition
- ✓ The while loop is an exit-condition loop
- ✓ The test condition is always true
- ✓ **The test condition is always false**.....(For More Visit VUStudents.pk)

Question NO 3

The correct syntax of do-while loop is _____.

Select Correct Option

- ✓ (condition) while; do ({statement,};
- ✓ {statement;} do-while ();
- ✓ while(condition); do {statement};
- ✓ **do {statements;} while (condition);**(For More Visit VUStudents.pk)





Question NO 4

Matric is defined as _____.

Select Correct Option

- ✓ Single dimensional array
- ✓ **Multi-dimensional array**.....(For More Visit VUStudents.pk)
- ✓ Vector product
- ✓ Scalar product

Question NO 5

In programming, comment are used to explain the functioning of the _____.

Select Correct Option

- ✓ Debugger
- ✓ Editor
- ✓ **Program**.....(For More Visit VUStudents.pk)
- ✓ Linker

Question NO 6

Operating System is a type of a/an _____.

Select Correct Option

- ✓ Application software
- ✓ **System software**.....(For More Visit VUStudents.pk)
- ✓ Computer language
- ✓ Interpreter

Question NO 7

From the options given, you need to choose the option which is true for the given code.

```
for (int i = 1; i > 1; i++) {  
/* loop code */  
}
```

Select Correct Option

- ✓ The logical operator && cannot be used in a test condition
- ✓ The while loop is an exit-condition
- ✓ The test condition is always false
- ✓ **The test condition is always true**.....(For More Visit VUStudents.pk)

Question NO 8

Which of the following value are used in C/C++ to represent true and false?

Select Correct Option

- ✓ **1 and 0**.....(For More Visit VUStudents.pk)
- ✓ 1 and -1
- ✓ 11 and 00
- ✓ Any numerical value





Question NO 9

'while' loop may execute _____ or more times.

Select Correct Option

- ✓ Three
- ✓ **Zero**.....(For More Visit VUStudents.pk)
- ✓ Two
- ✓ Once

Question NO 10

Body of any function is enclosed within _____.

Select Correct Option

- ✓ **{}**.....(For More Visit VUStudents.pk)
- ✓ ()
- ✓ []
- ✓ ""

Question NO 11

What will be the correct syntax for initialization of a pointer ptr string "programming"?

Select Correct Option

- ✓ char ptr = 'programming';
- ✓ **char*ptr = "programming";**(For More Visit VUStudents.pk)
- ✓ char*ptr = 'programming';
- ✓ *ptr = "programming";

Question NO 12

Which one of the given option is not a mode for reading/writing the data from a file?

Select Correct Option

- ✓ in
- ✓ out
- ✓ trunc
- ✓ **get**.....(For More Visit VUStudents.pk)

Question NO 13

_____ mode allows us to add data or change data anywhere in the file.

Select Correct Option

- ✓ **ios::ate**.....(For More Visit VUStudents.pk)
- ✓ ios::app
- ✓ ios::binary
- ✓ ios::edit





Question NO 14

In C/C++, _____ are the doors through which data can enter and come out of a program.

Select Correct Option

- ✓ **Streams**.....(For More Visit VUStudents.pk)
- ✓ Fields
- ✓ Variables
- ✓ Header files

Question NO 15

All structure elements are _____ by default.

Select Correct Option

- ✓ Public
- ✓ Protected
- ✓ **Private**.....(For More Visit VUStudents.pk)
- ✓ Public and Private

Question NO 16

The function write() takes _____ as parameter(s)

Select Correct Option

- ✓ String of pointer type
- ✓ String of variable lengths no. of bytes to be read and flags
- ✓ Pointer array of characters and a delimiter
- ✓ **String and no. of bytes to be written**.....(For More Visit VUStudents.pk)

Question NO 17

Computers can do _____ what we tell them to do.

Select Correct Option

- ✓ More than
- ✓ Less than
- ✓ **Exactly**.....(For More Visit VUStudents.pk)
- ✓ Similar

Question NO 18

When the logical operator AND (&&) combines two expression exp1 and exp2 then the result will be true only _____.

Select Correct Option

- ✓ **When both exp1 and exp2 are true**.....(For More Visit VUStudents.pk)
- ✓ When both exp1 and exp2 are false
- ✓ When exp1 is true and exp2 is false
- ✓ When exp1 is false and exp2 is true





(File 2)

Question No 1

The operators ++ and – are used to increment or decrement the variable by _____.

Select Correct Option

- ✓ 3
- ✓ 2
- ✓ **1**.....(For More Visit VUStudents.pk)
- ✓ 4

Question NO 2

Which of the following operators is used to access the value of variable pointed by a pointer?

Select Correct Option

- ✓ * operator
- ✓ -> operator
- ✓ **&& operator**.....(For More Visit VUStudents.pk)
- ✓ & operator

Question NO 3

In case of single dereferencing, the value of the _____ is the address of the _____.

Select Correct Option

- ✓ **pointer, variable**.....(For More Visit VUStudents.pk)
- ✓ pointe, constant
- ✓ variable, pointer
- ✓ constant, pointer

Question NO 4

The remainder (%) operator is a _____ operator.

Select Correct Option

- ✓ Logical
- ✓ **Arithmetic**.....(For More Visit VUStudents.pk)
- ✓ Relational
- ✓ Conditional

Question NO 5

What will be the out of following code?

```
int x = 10;  
cout << "x=" << x;
```

Select Correct Option

- ✓ 10
- ✓ **"x=10"**(For More Visit VUStudents.pk)
- ✓ X=10
- ✓ 10=x





Question NO 6

The purpose of using cout<< is to _____.

Select Correct Option

- ✓ **Display information on the screen**.....(For More Visit VUStudents.pk)
- ✓ Read the data from keyboard
- ✓ Read the data from a file
- ✓ Write into a file

Question NO 7

Which of the following data types will be assumed if no data type is specified with constant?

Select Correct Option

- ✓ **short**.....(For More Visit VUStudents.pk)
- ✓ float
- ✓ int
- ✓ double

Question NO 8

When an array element is passed to a function, it is passed by _____.

Select Correct Option

- ✓ **reference**.....(For More Visit VUStudents.pk)
- ✓ data type
- ✓ value
- ✓ data

Question NO 9

While programming, it is good to provide an easy to understand and easy to use interface, this programming skill is called_____.

Select Correct Option

- ✓ scalability
- ✓ **usability**.....(For More Visit VUStudents.pk)
- ✓ reliability
- ✓ sustainability

Question NO 10

_____ executes all the lines before error and stops at the line which contains the error.

Select Correct Option

- ✓ **interpreter**.....(For More Visit VUStudents.pk)
- ✓ compiler
- ✓ linker
- ✓ debugger





Question NO 11

Which one of the following is the correct syntax to access the value of first element of an array using pointer ptr?

Select Correct Option

- ✓ ptr[0]
- ✓ *(ptr+1)
- ✓ Ptr[1]
- ✓ ***ptr[0]**(For More Visit VUStudents.pk)

Question NO 12

C is a/an _____ language.

Select Correct Option

- ✓ Low level
- ✓ Object based
- ✓ Object oriented
- ✓ **Function oriented**.....(For More Visit VUStudents.pk)

Question NO 13

_____ of a function is also known as signature of a function.

Select Correct Option

- ✓ Definition
- ✓ **Declaration**.....(For More Visit VUStudents.pk)
- ✓ Calling
- ✓ Invoking

Question NO 14

_____ are very good tools for code reuse.

Select Correct Option

- ✓ Operators
- ✓ Loops
- ✓ **Functions**.....(For More Visit VUStudents.pk)
- ✓ Variables

Question NO 15

If any break statement is missed in switch statement then_____.

Select Correct Option

- ✓ Compiler will give error
- ✓ **This may cause a logical error**.....(For More Visit VUStudents.pk)
- ✓ No effect on program
- ✓ Program stops its execution





Question NO 16

A 2D array multi[5][10] can be accessed using the array name as ****multi**, this technique is called _____.

Select Correct Option

- ✓ Single referencing
- ✓ Single dereferencing
- ✓ Double referencing
- ✓ **Double dereferencing**.....(For More Visit VUStudents.pk)

Question NO 17

In C/C++, the default command line arguments passed to the main function are _____.

Select Correct Option

- ✓ float argc, char**argv
- ✓ **int argc, char**argv**.....(For More Visit VUStudents.pk)
- ✓ int *argc, char**argv
- ✓ int argc, float**argv

Question NO 18

A record is a group of related _____.

Select Correct Option

- ✓ Files
- ✓ Bytes
- ✓ Fields
- ✓ **Data**.....(For More Visit VUStudents.pk)

Question NO 19

The Microsoft word document(.doc) is a kind of _____.

Select Correct Option

- ✓ Sequential File
- ✓ **Random Access File**.....(For More Visit VUStudents.pk)
- ✓ Binary Access File
- ✓ Executable File

Question NO 20

Null character is used to indicate the _____ of string.

Select Correct Option

- ✓ Start
- ✓ **End**.....(For More Visit VUStudents.pk)
- ✓ Begin
- ✓ Middle





(File 3)

Question No 1

How many dimension does n-dimensions does n-dimensional array has?

Select Correct Option

- ✓ **n dimensions**.....(For More Visit VUStudents.pk)
- ✓ 2n dimensions
- ✓ (n+1) dimensions
- ✓ (n-1) dimensions

Question NO 2

Which of the following function call is “call by reference” for the following function prototype?
void func (int *) ;

Select Correct Option

- ✓ func(int & num);
- ✓ **func(&num);**.....(For More Visit VUStudents.pk)
- ✓ func(*num);
- ✓ func(num);

Question NO 3

The operators ++ and – are used to increment or decrement the variable by _____.

Select Correct Option

- ✓ 3
- ✓ 2
- ✓ **1**.....(For More Visit VUStudents.pk)
- ✓ 4

Question NO 4

The loop which is most suitable to be used when the number of iterations is known as is called_____.

Select Correct Option

- ✓ **for**.....(For More Visit VUStudents.pk)
- ✓ while
- ✓ do-while
- ✓ all looping processes require that the iterations be known

Question NO 5

In C/C++, the string constant is enclosed in _____.

Select Correct Option

- ✓ curly braces {}
- ✓ parentheses()
- ✓ single quotes ‘ ’
- ✓ **double quotes ” ”**(For More Visit VUStudents.pk)





Question NO 6

In order to get the right most digit of a number, we divide this number by 10 and take_____.

Select Correct Option

- ✓ **its remainder**.....(For More Visit VUStudents.pk)
- ✓ its quotient
- ✓ its divisor
- ✓ the number

Question NO 7

What is the correct syntax to declare an array of size 10 of int data type?

Select Correct Option

- ✓ int[10] name;
- ✓ name [10] int;
- ✓ **int name[10];**(For More Visit VUStudents.pk)
- ✓ int name[];

Question NO 8

How many bytes of memory are occupied by array 'str'?
char str[] = "programming";

Select Correct Option

- ✓ 10
- ✓ **11**.....(For More Visit VUStudents.pk)
- ✓ 12
- ✓ 13

Question NO 9

When the if statement consists more than one statement the enclosing these statement in curly braces is,

Select Correct Option

- ✓ Not required
- ✓ Good programming
- ✓ Relevant
- ✓ **Must**.....(For More Visit VUStudents.pk)

Question NO 10

Suppose that an integer contains a memory address 0x22f230. What will be the new memory address if we increment this pointer by one?

Select Correct Option

- ✓ 0x22f231
- ✓ **0x22f234**.....(For More Visit VUStudents.pk)
- ✓ 0x22f226
- ✓ 0x22f238





Question NO 11

Which of the following if missing would result in infinite recursion in case of recursive function?

Select Correct Option

- ✓ **Recursive call**.....(For More Visit VUStudents.pk)
- ✓ Base case
- ✓ Function parameters
- ✓ Local variables

Question NO 12

Whenever we use a library function or a predefined object or macro, we need to use a _____.

Select Correct Option

- ✓ Source file
- ✓ Object file
- ✓ **Header file**.....(For More Visit VUStudents.pk)
- ✓ Exe file

Question NO 13

Switch statement deals with _____ type of data.

Select Correct Option

- ✓ Integer
- ✓ Float
- ✓ Character
- ✓ **Both integer and character**.....(For More Visit VUStudents.pk)

Question NO 14

Both compiler and _____ are used to translate program into machine language code.

Select Correct Option

- ✓ debugger
- ✓ linker
- ✓ loader
- ✓ **interpreter**.....(For More Visit VUStudents.pk)

Question NO 15

TWAIN stands for _____.

Select Correct Option

- ✓ Technology With An Interesting Name
- ✓ Technology Without An Informative Name
- ✓ **Technology Without An informative Name**.....(For More Visit VUStudents.pk)
- ✓ Technology With An Informative Name





Question NO 16

The parameter passed to isdigit() function is _____.

Select Correct Option

- ✓ **A character variable**.....(For More Visit VUStudents.pk)
- ✓ A Boolean variable
- ✓ An integer variable
- ✓ A character string

Question NO 17

C++ views each file as a sequential stream of _____.

Select Correct Option

- ✓ Bits
- ✓ **Bytes**.....(For More Visit VUStudents.pk)
- ✓ Numbers
- ✓ Words

Question NO 18

Structure is a collection of _____ under a single name.

Select Correct Option

- ✓ Only functions
- ✓ **Only variables**.....(For More Visit VUStudents.pk)
- ✓ Both functions and variables
- ✓ Only data types

Question NO 19

The default mode for writing into a file using ofstream object _____.

Select Correct Option

- ✓ **out**.....(For More Visit VUStudents.pk)
- ✓ bin
- ✓ app
- ✓ ate

Question NO 20

The Microsoft word document(.doc) is a kind of _____.

Select Correct Option

- ✓ Sequential File
- ✓ **Random Access File**.....(For More Visit VUStudents.pk)
- ✓ Binary Access File
- ✓ Executable File





(File 4)

Question No 1

The memory address of the first element of an array is called.

Select Correct Option

- ✓ Float address
- ✓ Foundation address
- ✓ First address
- ✓ **Base address**.....(For More Visit VUStudents.pk)

Question NO 2

We want to access array in random order which of the following approach is better?

Select Correct Option

- ✓ **Pointers**.....(For More Visit VUStudents.pk)
- ✓ Array index
- ✓ Both pointers and array index are better
- ✓ Matrix

Question NO 3

The _____ structure is a multiple-selection construct which makes the code more efficient and easy to read and understand.

Select Correct Option

- ✓ multiple=if
- ✓ **switch**.....(For More Visit VUStudents.pk)
- ✓ if-else
- ✓ else-if

Question NO 4

Which of the following is not a reserved word in C/C++?

Select Correct Option

- ✓ int
- ✓ float
- ✓ double
- ✓ **sum**.....(For More Visit VUStudents.pk)

Question NO 5

To access rand(), which library is required to be included in program?

Select Correct Option

- ✓ conio.h
- ✓ stdio.h
- ✓ **stdlib.h**.....(For More Visit VUStudents.pk)
- ✓ iostream.h





Question NO 6

What is the highest legal index for the following array?
`int arr[4]`

Select Correct Option

- ✓ 4
- ✓ **3**.....(For More Visit VUStudents.pk)
- ✓ 2
- ✓ 1

Question NO 7

When an array element is passed to a function, it is passed by _____.

Select Correct Option

- ✓ **Reference**.....(For More Visit VUStudents.pk)
- ✓ Data type
- ✓ Value
- ✓ Data

Question NO 8

While programming, it is good to provide an easy to understand and easy to use interface, this programming skill is called _____.

Select Correct Option

- ✓ scalability
- ✓ **usability**.....(For More Visit VUStudents.pk)
- ✓ reliability
- ✓ sustainability

Question NO 9

Word processor is a type of a/an _____.

Select Correct Option

- ✓ operating system
- ✓ **application software**.....(For More Visit VUStudents.pk)
- ✓ device driver
- ✓ utility software

Question NO 10

‘while’ loop may execute _____ or more times.

Select Correct Option

- ✓ Three
- ✓ **Zero**.....(For More Visit VUStudents.pk)
- ✓ Two
- ✓ Once





Question NO 11

The keyword _____ is used to get some value back from a function.

Select Correct Option

- ✓ **return**.....(For More Visit VUStudents.pk)
- ✓ break
- ✓ continue
- ✓ goto

Question NO 12

Identify the correct option which is used for calling the function float area (int).

Select Correct Option

- ✓ area(&num);
- ✓ area(num);
- ✓ **area(int num);**(For More Visit VUStudents.pk)
- ✓ area(*num);

Question NO 13

The _____ statement allows us to select from multiple choices based on a set of fixed values for a given expression.

Select Correct Option

- ✓ **switch**.....(For More Visit VUStudents.pk)
- ✓ break
- ✓ continue
- ✓ goto

Question NO 14

C is widely known as development language of _____ operating system.

Select Correct Option

- ✓ Windows
- ✓ **Unix**.....(For More Visit VUStudents.pk)
- ✓ Mac OS
- ✓ Linux

Question NO 15

To convert the value of one type into another using built-in functions, we include _____ header file.

Select Correct Option

- ✓ conio.h
- ✓ **stdlib.h**.....(For More Visit VUStudents.pk)
- ✓ iostream.h
- ✓ string.h





Question NO 16

Syntax of a union is identical to _____.

Select Correct Option

- ✓ **structure**.....(For More Visit VUStudents.pk)
- ✓ class
- ✓ function
- ✓ loop

Question NO 17

The function seekg() takes _____ parameter(s).

Select Correct Option

- ✓ 0
- ✓ 1
- ✓ **2**.....(For More Visit VUStudents.pk)
- ✓ 3

Question NO 18

The function write() takes _____ as parameter(s)

Select Correct Option

- ✓ String of pointer type
- ✓ String of variable lengths no. of bytes to be read and flags
- ✓ Pointer array of characters and a delimiter
- ✓ **String and no. of bytes to be written**.....(For More Visit VUStudents.pk)

Question NO 19

When the logical operator AND (&&) combines two expression exp1 and exp2 then the result will be true only _____.

Select Correct Option

- ✓ **When both exp1 and exp2 are true**.....(For More Visit VUStudents.pk)
- ✓ When both exp1 and exp2 are false
- ✓ When exp1 is true and exp2 is false
- ✓ When exp1 is false and exp2 is true

Question NO 20

Null character is used to indicate the _____ of string.

Select Correct Option

- ✓ Start
- ✓ **End**.....(For More Visit VUStudents.pk)
- ✓ Begin
- ✓ Middle





(File 5)

Question No 1

Which one of the symbol is used to represent a decision in a flow chart?

Select Correct Option



Question NO 2

In Flow Chart, flow of control is represented by _____.

Select Correct Option



Question NO 3

There can be _____ 'default' statement(s) in any switch structure.


Select Correct Option



Question NO 4

The condition in loop should be a(n) _____.



Select Correct Option



Question NO 5

How many nested loops would be required to manipulate n-dimensional array?

Select Correct Option





Question NO 6

Which of the following is not an example of int data type?

Select Correct Option

- ✓ 0
- ✓ -32
- ✓ 65531
- ✓ **-4.0**.....(For More Visit VUStudents.pk)

Question NO 7

We should use _____ for clarity and to force the order of evaluation in an expression.

Select Correct Option

- ✓ Brackets []
- ✓ **Parenthesis ()**(For More Visit VUStudents.pk)
- ✓ Curly braces { }
- ✓ Quotation marks “ ”

Question NO 8

Which of the following is the starting index of an array in C++?

Select Correct Option

- ✓ **0**.....(For More Visit VUStudents.pk)
- ✓ 1
- ✓ -1
- ✓ 2

Question NO 9

The statement $x += y$ can be interpreted as _____.

Select Correct Option

- ✓ **Adding the value of the x to the value of the y and storing the result in x**
- ✓ Adding the value of the y to the value of the x, store the result in y
- ✓ Adding the value of the x to the value of the x, store the result in x
- ✓ Adding the value of the y to the value of the y, store the result in x

Question NO 10

Given a 2D array of integers, what would be the correct way of assigning the value 5 to the element at second row and third column?

Select Correct Option

- ✓ **m[2][3] = 5;**(For More Visit VUStudents.pk)
- ✓ m[3][2] = 5;
- ✓ m[1][2] = 5;
- ✓ m[2][3] = '5';





Question NO 11

Array is a data structure that stores _____.

Select Correct Option

- ✓ Memory address
- ✓ **Variables**.....(For More Visit VUStudents.pk)
- ✓ Data type
- ✓ Data

Question NO 12

A program statement that invokes a function is called _____.

Select Correct Option

- ✓ Function declaration
- ✓ **Function call**.....(For More Visit VUStudents.pk)
- ✓ Function definition
- ✓ Function prototype

Question NO 13

If a function has been declared but not defined before its function call then it is termed as _____.

Select Correct Option

- ✓ Logical error
- ✓ Syntax error
- ✓ Run time error
- ✓ Program time error

Question NO 14

The Compiler of C language is written in Language.

Select Correct Option

- ✓ JAVA
- ✓ BASIC
- ✓ FORTRON
- ✓ **C**.....(For More Visit VUStudents.pk)

Question NO 15

To convert the value of one type into another type using built-in function, we include _____ header file.

Select Correct Option

- ✓ conio.h
- ✓ **stdlib.h**.....(For More Visit VUStudents.pk)
- ✓ iostream.h
- ✓ string.h





For More Visit VUStudents.pk



Question NO 16

Which one of the below functions is not included in ctype.h header file?

Select Correct Option

- ✓ isdigit(int c)
- ✓ isxdigit (int c)
- ✓ tolower(int c)
- ✓ **getdidit(int c)**(For More Visit VUStudents.pk)

Question NO 17

Which function is used to locate the first occurrence of a character in any string?

Select Correct Option

- ✓ strchr()
- ✓ strstr()
- ✓ strtok()
- ✓ **strlen()**.....(For More Visit VUStudents.pk)

Question NO 18

The function write() takes _____ as parameter(s)

Select Correct Option

- ✓ String of pointer type
- ✓ String of variable lengths no. of bytes to be read and flags
- ✓ Pointer array of characters and a delimiter
- ✓ **String and no. of bytes to be written**.....(For More Visit VUStudents.pk)

Question NO 19

_____ is the pointer which determines the position in a file from where the next read operation occurs.

Select Correct Option

- ✓ put
- ✓ seek
- ✓ get
- ✓ tell

Question NO 20

Given a 2D array of integers, what would be the correct way of assigning the value 6 to the element at third row and fourth column?

Select Correct Option

- ✓ m[2][3] = 6;
- ✓ **m[3][4] = 6;**(For More Visit VUStudents.pk)
- ✓ m[2][4] = 6;
- ✓ m[4][3] = 6;

The END



For More Visit VUStudents.pk

