



PHY101 Mcq's Final Term By Vu Topper RM-1

Bs Physics (Virtual University of Pakistan)



Scan to open on Studocu



PHY-101 Physics

Update MCQS For Final Term

Solve By Vu Topper RM



85 To 100 % Marks



وَتَعَزَّ مِنْ تَشَاءٍ وَتَذَلُّ مِنْ تَشَاءٍ



PROFESSIONAL ONLINE ACADEMY

We Offers

LMS Handling

Important Notes

Online Classes

Assignments

Quiz & GDB's

Projects


**NOTHING
IS
IMPOSSIBLE**

**Join Us
Now**

For More Info
Contact us at:

Rizwan Manzoor

☎ **0322-4021365**



بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

This document is available on



Downloaded by Anie (anie77913@gmail.com)

Question No:1**(Marks:1)****Vu-Topper RM**

The image produced by a convex mirror of an erect object in front of the mirror is always:

- A. Real, erect, and larger than the object
- B. Real, erect, and smaller than the object
- C. Virtual, erect, and larger than the object
- D. Virtual, erect, and smaller than the object**

Question No:2**(Marks:1)****Vu-Topper RM**

In some movies, you sometimes see an actor looking in a mirror and you can see his face in the mirror. During the filming of this scene, what does the actor see in the mirror?

- A. His face
- B. Your face
- C. The director's face
- D. The movie camera**

Question No:3**(Marks:1)****Vu-Topper RM**

A femtometer is:

- A. 10^{-9} m
- B. 10^{-12} m
- C. 10^{-15} m**
- D. 10^{-18} m

Question No:4**(Marks:1)****Vu-Topper RM**

The "strength" of a lens is measured in _____.

- A. Meters
- B. Diopters
- C. Provatans
- D. Lense meter**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:5**(Marks:1)****Vu-Topper RM**

When an object (iron/tungsten) is heated, it emits light. It emits infrared (IR) light when it is heated at a temperature _____.

A. Below 800 degree C

B. Above 2500 degree C

C. Between 800 degree C to 1600 degree C

D. Between 1600 degree C to 2500 degree C

Question No:6**(Marks:1)****Vu-Topper RM**

The reason there are two slits, rather than one, in a Young's experiment is:

A. To increase the intensity

B. To create a path length difference

C. One slit is for frequency, the other for wavelength

D. One slit is for Electric fields , the other is for Magnetic fields

Question No:7**(Marks:1)****Vu-Topper RM**

An electron is moving at $0.6c$. If we calculate its kinetic energy using $(1/2)mv^2$, we get a result that is:

A. Just right

B. Just half enough

C. About 28% too low

D. Twice the correct value

Question No:8**(Marks:1)****Vu-Topper RM**

The theoretical upper limit for the frequency of electromagnetic waves is:

A. There is no upper limit

B. Both

C. None of these

D. Just slightly greater than that of red light

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:9**(Marks:1)****Vu-Topper RM**

One revolution is the same as:

- A. 1 rad
- B. 57 rad
- C. $\pi/2$ rad
- D. 2π rad**

Question No:10**(Marks:1)****Vu-Topper RM**

For a body to be in equilibrium under the combined action of several forces:

- A. All the forces must be applied at the same point
- B. All the forces must be applied at the same point
- C. All of the forces form pairs of equal and opposite forces
- D. Any two of these forces must be balanced by a third force**

Question No:11**(Marks:1)****Vu-Topper RM**

Capacitors C1 and C2 are connected in series. The equivalent capacitance is given by

- A. $C1/C2$
- B. $1/(C1 + C2)$
- C. $C1C2/(C1 + C2)$**
- D. $(C1 + C2)/C1C2$

Question No:12**(Marks:1)****Vu-Topper RM**

If the potential difference across a resistor is doubled:

- A. Only the current is halved
- B. Only the resistance is halved
- C. Only the current is doubled**
- D. Only the resistance is doubled

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:13**(Marks:1)****Vu-Topper RM**

By using only two resistors, R_1 and R_2 , a student is able to obtain resistances of 3Ω , 4Ω , 12Ω , and 16Ω . The values of R_1 and R_2 (in ohms) are:

- A. 3, 4
- B. 2, 12
- C. 3, 16
- D. 4, 12**

Question No:14**(Marks:1)****Vu-Topper RM**

Faraday's law states that an induced emf is proportional to:

- A. The rate of change of the electric flux
- B. The rate of change of the electric field
- C. The rate of change of the magnetic field
- D. The rate of change of the magnetic flux**

Question No:15**(Marks:1)****Vu-Topper RM**

A generator supplies 100V to the primary coil of a transformer. The primary has 50 turns and the secondary has 500 turns. The secondary voltage is:

- A. 500V
- B. 250V
- C. 100V
- D. 1000V**

Question No:16**(Marks:1)****Vu-Topper RM**

Which of the following electromagnetic radiations has photons with the greatest energy?

- A. X rays**
- B. Blue light
- C. Radio waves
- D. Yellow light

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:17**(Marks:1)****Vu-Topper RM**

We desire to make an LC circuit that oscillates at 100 Hz using an inductance of 2.5H. We also need a capacitance of:

- A. 1 F
- B. 1mF
- C. 1 μ F
- D. 100 μ F**

Question No:18**(Marks:1)****Vu-Topper RM**

The wavelength of red light is 700 nm. Its frequency is _____.

- A. 4.30×10^4 Hertz
- B. 4.30×10^3 Hertz
- C. 4.30×10^5 Hertz**
- D. 4.30×10^2 Hertz

Question No:19**(Marks:1)****Vu-Topper RM**

Which of the following statements is NOT TRUE about electromagnetic waves?

- A. Electromagnetic waves cannot travel through space.
- B. Electromagnetic waves satisfy the Maswell's Equation.
- C. The receptions of electromagnetic waves require an antenna.
- D. The electromagnetic radiation from a burning candle is unpolarized.**

Question No:20**(Marks:1)****Vu-Topper RM**

Radio waves and light waves are

- A. Transverse waves
- B. None of the these
- C. Longitudinal waves
- D. Electromagnetic and transverse both**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:21

(Marks:1)

Vu-Topper RM

An ideal gas expands into a vacuum in a rigid vessel. As a result there is:

- A. A change in entropy**
- B. An increase of pressure
- C. A change in temperature
- D. A decrease of internal energy

Question No:22

(Marks:1)

Vu-Topper RM

The Stern-Gerlach experiment makes use of:

- A. A strong uniform electric field
- B. A strong uniform magnetic field
- C. A strong non-uniform electric field
- D. A strong non-uniform magnetic field**

Question No:23

(Marks:1)

Vu-Topper RM

A net torque applied to a rigid object always tends to produce:

- A. Rotational inertia
- B. Linear acceleration
- C. Rotational equilibrium
- D. Angular acceleration**

Question No:24

(Marks:1)

Vu-Topper RM

As the wavelength of a wave in a uniform medium increases, its speed will _____.

- A. Increase
- B. Decrease
- C. None of these
- D. Remain the same**

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:25**(Marks:1)****Vu-Topper RM**

An organ pipe with both ends open is 0.85m long. Assuming that the speed of sound is 340m/s, the frequency of the third harmonic of this pipe is:

- A. 200 Hz
- B. 300 Hz
- C. 400 Hz
- D. 600 Hz**

Question No:26**(Marks:1)****Vu-Topper RM**

Room temperature is about 20 degrees on the:

- A. Kelvin scale
- B. Celsius scale**
- C. Absolute scale
- D. Fahrenheit scale

Question No:27**(Marks:1)****Vu-Topper RM**

A particle with zero mass and energy E carries momentum:

- A. E/c
- B. E/c**
- C. E/c^2
- D. vEc

Question No:28**(Marks:1)****Vu-Topper RM**

J.J.Thompson's measurement of e/m for electrons provides evidence of the:

- A. Wave nature of matter
- B. Wave nature of radiation
- C. Particle nature of matter**
- D. Particle nature of radiation

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:29**(Marks:1)****Vu-Topper RM**

During a slow adiabatic expansion of a gas:

- A. Energy is added as heat
- B. Work is done on the gas
- C. The pressure remains constant
- D. No energy enters or leaves as heat**

Question No:30**(Marks:1)****Vu-Topper RM**

A force of 5000N is applied outwardly to each end of a 5.0-m long rod with a radius of 34.0 cm and a Young's modulus of $125 \times 10^8 \text{ N/m}^2$.

The elongation of the rod is:

- A. 0.55mm**
- B. 1.42mm
- C. 2.24mm
- D. 0.56nm

Question No:31**(Marks:1)****Vu-Topper RM**

An object attached to one end of a spring makes 20 complete oscillations in 10 s. Its period is: Select correct option:

- A. 2 s
- B. 2Hz
- C. 0.5 s**
- D. 0.5Hz

Question No:32**(Marks:1)****Vu-Topper RM**

back and forth in a leftward and rightward direction. This type of wave is known as a

- A. Transverse
- B. Mechanical
- C. Longitudinal**
- D. Electromagnetic

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:33**(Marks:1)****Vu-Topper RM**

The flow rate of blood through the average human aorta is about $9.0 \times 10^3 \text{ cm}^3/\text{s}$. If the aorta has a radius of 1.0 cm, what is the velocity of the blood flow?

- A. 14 cm/s
- B. 32 cm/s
- C. 37 cm/s
- D. 29 cm/s**

Question No:34**(Marks:1)****Vu-Topper RM**

Metal pipes, used to carry water, sometimes burst in the winter because:

- A. Metal contracts more than water
- B. Metal becomes brittle when cold
- C. Water expands when it freezes**
- D. Outside of the pipe contracts more than the inside

Question No:35**(Marks:1)****Vu-Topper RM**

Which one of the following is in the order of decreasing frequency?

- A. Ultraviolet rays
- B. Visible light
- C. Radio waves
- D. All**

Question No:36**(Marks:1)****Vu-Topper RM**

If velocity of a conductor moving through a magnetic field B is made zero then motional emf is:

-VBL

Question No:37**(Marks:1)****Vu-Topper RM**

The lenz's law refers to:

Induced current

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:38

(Marks:1)

Vu-Topper RM

The increase in capacitance of a capacitor due to presence of dielectric is due to:

Electric polarization

Question No:39

(Marks:1)

Vu-Topper RM

inductance L and a capacitance C has an oscillation frequency f . Two inductors, each with inductance L , and two capacitors, each with capacitance C , are all wired in series and the circuit is completed. The oscillation

F

Question No:40

(Marks:1)

Vu-Topper RM

Which of the following is equivalent to one coulomb?

One ampere second

Question No:41

(Marks:1)

Vu-Topper RM

Tesla is a unit of

Magnetic flux

Question No:42

(Marks:1)

Vu-Topper RM

The current in a car headlamp is 2.0 A. The headlamp is switched on for 3.0 minutes. How much charge passes through the headlamp?

360c

Question No:43

(Marks:1)

Vu-Topper RM

In constructing a thermometer it is NECESSARY to use a substance that:

Undergoes some change when heated or cooled

Question No:44

(Marks:1)

Vu-Topper RM

A gas which strictly obeys the gas laws under all conditions of temperature and pressure is called:

Perfect gases

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:45

(Marks:1)

Vu-Topper RM

In RL series circuit phase angle is given by:

Tan-1($\omega L/R$)

Question No:46

(Marks:1)

Vu-Topper RM

Which of the following have the greatest wavelength?

Radio waves

Question No:47

(Marks:1)

Vu-Topper RM

When a charge is projected perpendicular to a uniform magnetic field, its path is:

A circular path

Question No:48

(Marks:1)

Vu-Topper RM

When two objects come to common temperature, the body is said to be in:

Thermal equilibrium

Question No:49

(Marks:1)

Vu-Topper RM

Which method(s) of heat transfer can take place in vacuum?

Electromagnetic waves

Question No:50

(Marks:1)

Vu-Topper RM

A step-down transformer is used to:

Decrease the voltage

Question No:51

(Marks:1)

Vu-Topper RM

In an adiabatic process:

The work done by the environment on the system equals the change in internal energy.

بري صحبت سے تڻهائي بهتر هے اور تڻهائي سے نيك صحبت بهتر هے

For More Help Contact What's app 03224021365

Question No:52

(Marks:1)

Vu-Topper RM

The focal length of a spherical mirror is N times its radius of curvature where N is:

$F=R/2$

Question No:53

(Marks:1)

Vu-Topper RM

Capacitive reactance X_c is:

$1/2 \pi f c$

Question No:54

(Marks:1)

Vu-Topper RM

Force per unit charge is:

Electric field.

Question No:55

(Marks:1)

Vu-Topper RM

If the kinetic energy of a free particle is much less than its rest energy then its kinetic energy is proportional to:

The square of the magnitude of its momentum

Question No:56

(Marks:1)

Vu-Topper RM

Which physical quantity is produced by a calculation where a charge is multiplied by a potential difference (p.d)?

Energy

Question No:57

(Marks:1)

Vu-Topper RM

Work done on a charged particle moving in uniform magnetic field is:

Zero

Question No:58

(Marks:1)

Vu-Topper RM

Which of the following is equivalent to 1 V?

$1 \text{ Joule}/1 \text{ coulomb} = 1 \text{ J/C}$

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:59

(Marks:1)

Vu-Topper RM

If I_0 is the peak value of an AC supply, then its rms value is given as
 I_{rms} : ?

$I_0/\text{square root } 2$

Question No:60

(Marks:1)

Vu-Topper RM

Heat has the same units as:

Work

Question No:61

(Marks:1)

Vu-Topper RM

Which of the following types of electromagnetic radiation at the vacuum?

(Radio, gamma, x) rays All of these travel at the same speed

Question No:62

(Marks:1)

Vu-Topper RM

Inductive reactance X_L of an inductor is π

$2(\pi) f L$

Question No:63

(Marks:1)

Vu-Topper RM

The sum of electric and magnetic force is called

Lorentz force

Question No:64

(Marks:1)

Vu-Topper RM

Kirchhoff's 2nd rule is the manifestation of the law of conservation of

Energy

Question No:65

(Marks:1)

Vu-Topper RM

The total energy in an circuit is $5.0 \times 10^{-6} \text{ J}$. if $L=25\text{mH}$ the maximum current is:

20mA

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

Question No:66

(Marks:1)

Vu-Topper RM

The potential difference between the ends of a conductor is 12V. How much electrical energy is converted to other forms of energy in the conductor when 100C of charge flows through it?

1200J

Question No:67

(Marks:1)

Vu-Topper RM

The Focal length of convex lens is:

Positive

Question No:68

(Marks:1)

Vu-Topper RM

The AC circuit in which current and voltage are in phase the power factor is

1

Question No:69

(Marks:1)

Vu-Topper RM

The known laws of electromagnetism before James Clerk Maxwell were following EXCEPT

Faraday's Law

Question No:70

(Marks:1)

Vu-Topper RM

When some dielectric is inserted between the plates of a capacitor, then capacitance;

Increased

Question No:71

(Marks:1)

Vu-Topper RM

Which of the following is NOT the characteristics of electromagnetic waves?

They can travel with different speeds in vacuum depending on 0.4m

Question No:72

(Marks:1)

Vu-Topper RM

The quantity of $\Delta V / \Delta r$ is called

Potential gradient

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:73

(Marks:1)

Vu-Topper RM

Which electromagnetic radiation transmits the highest photon energy?

Gamma rays

Question No:74

(Marks:1)

Vu-Topper RM

The reaction of an particle at 50 Hz is 10.0 its reactance at 100Hz becomes

5.0

Question No:75

(Marks:1)

Vu-Topper RM

Select the correct statement

Gamma Rays have higher frequency than infrared waves

Question No:76

(Marks:1)

Vu-Topper RM

Potentiometer can be used as

Potential divider

Question No:77

(Marks:1)

Vu-Topper RM

All of the followings are the different types of mental images; people generally experience them while close their eyes Except:

Solving an algebra equations

Question No:78

(Marks:1)

Vu-Topper RM

The nation that motivational state of the organism is understood and explained in terms of positive and negative environmental stimuli BEST connects to;

Incentive approaches

Question No:79

(Marks:1)

Vu-Topper RM

If one wants to increase the capacity of short-term memory, through which process more items can be held?

Chunking

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:80

(Marks:1)

Vu-Topper RM

If potential difference across two plates of a capacitor is doubled, then

Four times

Question No:81

(Marks:1)

Vu-Topper RM

How could the unit of potential difference the volt also be written?

J/C

Question No:82

(Marks:1)

Vu-Topper RM

If magnetic field is doubled then magnetic energy density becomes

Four times

Question No:83

(Marks:1)

Vu-Topper RM

The primary of a 3.1 step-up transformer is connected to a source and the secondary this situation is P. If R is connected directly to the source it will dissipate a power of:

P/9

Question No:84

(Marks:1)

Vu-Topper RM

A particle having $2e$ charge falls through a potential difference of 5.V energy acquired by it is

10 eV

Question No:85

(Marks:1)

Vu-Topper RM

The combined effect of resistance and reactance is known as

Impedance

Question No:86

(Marks:1)

Vu-Topper RM

A transparent refracting medium bounded by the two curved surfaces called

Prism

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:87

(Marks:1)

Vu-Topper RM

A student rubs a rod held in his hand. Which action causes the rod to gain a large electrostatic charge

Rubbing a polythene rod with a woolen duster

Question No:88

(Marks:1)

Vu-Topper RM

A charge of 30 C flows through an electric appliance in 2.0 minutes. What is the average current in the appliance?

0.25A

Question No:89

(Marks:1)

Vu-Topper RM

Total flux through a closed surface depends on

Charge and -N

Question No:90

(Marks:1)

Vu-Topper RM

Electromagnetic waves emitted from antenna are

Transverse

Question No:91

(Marks:1)

Vu-Topper RM

Two parallel straight wires carrying current in same direction will.

Attract each other

Question No:92

(Marks:1)

Vu-Topper RM

Charge carriers in electrolysis are:

Positive and negative ions

Question No:93

(Marks:1)

Vu-Topper RM

A detector is used to detect the speed at a particular wave if the frequency of an electromagnetic signal is 400 MHz, the speed define the detector is

300000 km/s

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:94

(Marks:1)

Vu-Topper RM

The product of resistance and capacitance is called

Time

Question No:95

(Marks:1)

Vu-Topper RM

Greenhouse gases absorb ____ radiation

Infrared

Question No:96

(Marks:1)

Vu-Topper RM

Electromagnetic waves do not transport

Charge

Question No:97

(Marks:1)

Vu-Topper RM

Electric energy is measured :

Watt

Question No:98

(Marks:1)

Vu-Topper RM

Of the following which might NOT vanish over one cycle of a cyclic process?

The work done by the substance

Question No:99

(Marks:1)

Vu-Topper RM

The most refined form of matter is:

Light

Question No:100

(Marks:1)

Vu-Topper RM

In Compton scattering from stationary particles the maximum change in wavelength can be made smaller by using.

More massive particles

Question No:101

(Marks:1)

Vu-Topper RM

Hotness or coldness of an object is represented in terms of:

Temperature

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:102

(Marks:1)

Vu-Topper RM

The unit of thermal conductivity might be:

Cal/(cm*s*C?)

Question No:103

(Marks:1)

Vu-Topper RM

It is more difficult to measure the coefficient of volume expansion of a liquid than that of a solid because?

The containing vessel also expands

Question No:104

(Marks:1)

Vu-Topper RM

When we accelerate the charge, which types of waves are produced?

Electromagnetic waves

Question No:105

(Marks:1)

Vu-Topper RM

Due to relative motion of observer and the frames of reference of events, time always:

Stays itself

Question No:106

(Marks:1)

Vu-Topper RM

The allowed energy states of atoms or molecules can be described by a set of _____.

Quantum numbers

Question No:107

(Marks:1)

Vu-Topper RM

Probability values are assigned on a scale of

0 to 1

Question No:108

(Marks:1)

Vu-Topper RM

The magnitude of the momentum of a particle can never exceed:

E/c , where E is its total energy

Question No:109

(Marks:1)

Vu-Topper RM

The ratio of the size of image to the size of object.

Angular magnification

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:110

(Marks:1)

Vu-Topper RM

When white light passes through a prism, it splits into _____ colors.

7

Question No:111

(Marks:1)

Vu-Topper RM

A heat of transformation of a substance is:

The energy per unit mass absorbed as heat during a phase transformation

Question No:112

(Marks:1)

Vu-Topper RM

If electric and gravitational force on an electron in a uniform electric field balance each other, then the intensity of electric field will be:

Mg/q

Question No:113

(Marks:1)

Vu-Topper RM

During a slow adiabatic expansion of a gas No energy enters or leaves as heat

52

Question No:114

(Marks:1)

Vu-Topper RM

The electron states that constitute a single shell for an atom all have:

The same value of n

Question No:115

(Marks:1)

Vu-Topper RM

An isothermal process for an ideal gas is represented on a p-V diagram by:

A portion of a hyperbola

Question No:116

(Marks:1)

Vu-Topper RM

The concept of an electric field lines is introduced by:

Faraday

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:117

(Marks:1)

Vu-Topper RM

The pauli exclusion principle is obeyed by:

All particles with spin quantum numbers of $\frac{1}{2}$

Question No:118

(Marks:1)

Vu-Topper RM

An electron ($m=9.11 \times 10^{-31}\text{kg}$) has a speed of $0.95c$. its kinetic energy is;

$1.8 \times 10^{-31}\text{J}$

Question No:119

(Marks:1)

Vu-Topper RM

An electron ($m=9.11 \times 10^{-31}\text{kg}$) has a momentum of $4.0 \times 10^{-22}\text{kg}\cdot\text{m/s}$. Its kinetic energy:

$6.3 \times 10^{-14}\text{J}$

Question No:120

(Marks:1)

Vu-Topper RM

Force on a charged particle is zero when projected at angle with the magnetic field

0 degree

Question No:121

(Marks:1)

Vu-Topper RM

In case of metallic conductors, the charge carriers are.

Electrons

Question No:122

(Marks:1)

Vu-Topper RM

As compared to distance measured by an observer on Earth, the distance from earth star measured by an observer in a moving spaceship would seem:

Same

Question No:123

(Marks:1)

Vu-Topper RM

Evidence that a gas consists mostly of empty space is the fact that The density of a gas becomes much greater when it is

Liquefied

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:124

(Marks:1)

Vu-Topper RM

For an electron, the rest mass energy is:

0.511 MeV

Question No:125

(Marks:1)

Vu-Topper RM

Antiparticle of electron is:

Positron

Question No:126

(Marks:1)

Vu-Topper RM

According to the first law of thermodynamics, applied to a gas, the increase in the internal energy during any process

Equals the heat input plus the work done on the gas

Question No:127

(Marks:1)

Vu-Topper RM

The approach to personality stresses that people possess a basic goodness, and have a natural tendency to grow to higher levels of functioning is.

Humanistic

Question No:128

(Marks:1)

Vu-Topper RM

In a photoelectric experiment at a frequency above cut off, the stopping potential is proportional to :

The energy of the most energetic electron after it is ejected

Question No:129

(Marks:1)

Vu-Topper RM

There is a temperature at which the reading on the kelvin scale is numerically:

Equal to that on the Celsius scale

Question No:130

(Marks:1)

Vu-Topper RM

When you stand in front of a plane mirror, your image is:

Virtual, erect and the same size as you

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:131

(Marks:1)

Vu-Topper RM

The process for which entropy remains constant is:

A reversible process

Question No:132

(Marks:1)

Vu-Topper RM

The appearance of colors in thin film is due to:

Interference

Question No:133

(Marks:1)

Vu-Topper RM

The theoretical upper limit for the frequency of electromagnetic waves is:

There is no upper limit

Question No:134

(Marks:1)

Vu-Topper RM

Capacitance of a capacitor in vacuum is given by:

ϵ_0 / d

Question No:135

(Marks:1)

Vu-Topper RM

An electron in a K shell of an atom has the principal quantum number:

$n = 1$

Question No:136

(Marks:1)

Vu-Topper RM

Bending of light around the edges of an obstacle called:

Diffraction

Question No:137

(Marks:1)

Vu-Topper RM

Interface of light is evidence that:

Light is a wave phenomenon

Question No:138

(Marks:1)

Vu-Topper RM

In a photoelectric effect experiment at a frequency above cut off the number of electrons ejected is proportional to:

The number of photons that hit the sample

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:139

(Marks:1)

Vu-Topper RM

In a photoelectric effect experiment the stopping potential is:

The electric potential that causes the electron current to vanish

Question No:140

(Marks:1)

Vu-Topper RM

A free electron and a free proton have the same kinetic energy . This means that, compared to the matter wave associated with the proton, the matter wave associated with the electron has:

A longer wavelength and the same frequency

Question No:141

(Marks:1)

Vu-Topper RM

Polarization experiments provide evidence that light is:

A transverse wave

Question No:142

(Marks:1)

Vu-Topper RM

If light of low wavelength is used in young's double slit experiment, then width of the fringe will:

Decreases

Question No:143

(Marks:1)

Vu-Topper RM

Lenz's law is in accordance with law of conservation of

Energy

Question No:144

(Marks:1)

Vu-Topper RM

According to relativistic theory a particle of mass m with a momentum of $2mc$ has a speed of:

$c/2$

Question No:145

(Marks:1)

Vu-Topper RM

The two metallic strips that constitute some thermostats must differ in:

Coefficient of linear expansion

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

This document is available on

studocu

Downloaded by Anie (anie77913@gmail.com)

Question No:146

(Marks:1)

Vu-Topper RM

Phase difference between V and I of an AC through resistor is:

0 degree

Question No:147

(Marks:1)

Vu-Topper RM

Average value of current and voltage over complete cycle is:

Zero

Visit My YouTube Channel
For Subjective and More
Important Notes
Channel Name = #VuTopperRM

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365