

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET, ANDROID, PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp: 03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

The solutions $y_1 = c_1$, $y_2 = c_2 \cos x$, $y_3 = c_3 \sin x$ of a Differential Equation are

Answer (Please select your correct option)

☒ Linearly independent

☐ Linearly dependent

☐ both of the other options

Start Time: 5:28 AM

60:00 Time Left

1

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

Wronskian of the functions $y_1(x) = 1$, $y_2(x) = \cos x$, $y_3(x) = \sin x$ is

Answer (Please select your correct option)

☒ 0

☐ 1

☐ 2

☐ 3

Start Time: 5:28 AM

60:00 Time Left

2

MADE BY HADI

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

The value of amplitude in the solution $X=7\sin(3t+2.45)$ is

Answer (Please select your correct option)

- ☒ 7
- ☐ 3
- ☐ 2.45
- ☐ 1

Start Time: 5:28 AM

60:00 Time Left

3

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

The order of the differential equation $\left(\frac{du}{dt}\right)^{\frac{1}{3}} = \frac{1}{u}$ is

Answer (Please select your correct option)

☒ 1

☐ 2

☐ 3

☐ 4

Start Time: 5:28 AM

60:00 Time Left

4

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

The solution of the differential equation $\frac{dy}{dx} = \tan x$ is -----

Answer (Please select your correct option)

- ☐ $y = \ln |\sin x| + c$
- ☐ $y = \ln |\sec x| + c$
- ☒ $y = \ln |\operatorname{cosec} x| + c$
- ☐ $y = \ln |\cos x| + c$

Start Time: 5:28 AM

60:00 Time Left

5

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

A differential equation $M(x, y) dx + N(x, y) dy = 0$ is said to be an exact if -----.

Answer (Please select your correct option)

☐ $\frac{\partial M}{\partial x} = \frac{\partial N}{\partial y}$

☐ $\frac{\partial M}{\partial y} \neq \frac{\partial N}{\partial x}$

☒ $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$

☐ $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial y}$

Start Time: 5:28 AM

60:00 Time Left

6

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

The differential equation $(x^2 - 2x + 2y^2) dx + 2xy dy = 0$ is a/an -----differential equation.

Answer (Please select your correct option)

- ☐ Exact
- ☒ Non-exact
- ☐ Homogenous
- ☐ Separable

Start Time: 5:28 AM

60:00 Time Left

7

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

For a 1st order linear differential equation $\frac{dy}{dt} - \frac{1}{t}y = 2t^2$; the integrating factor will be -----.

Answer (Please select your correct option)

- ☐ $\mu = -\frac{1}{t}$
- ☒ $\mu = \frac{1}{t}$
- ☐ $\mu = t$
- ☐ $\mu = 2t$

Start Time: 5:28 AM

60:00 Time Left

8

MADE BY HADI

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

A differential equation $\frac{dy}{dx} + p(x)y = q(x)y^n$ for $n \neq 0, 1$ is called a/an ----.

Answer (Please select your correct option)

- ☐ Non-Exact differential equation
- ☐ Linear differential equation
- ☒ Bernoulli equation
- ☐ Exact differential equation

Start Time: 5:28 AM

60:00 Time Left

9

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

In order to change the Bernoulli Equation
$$\frac{dy}{dx} + p(x)y = q(x)y^n$$

into linear differential equation, we choose ----.

Answer (Please select your correct option)

- ☐ $v = y^{n-1}$
- ☒ $v = y^{1-n}$
- ☐ $v = y^n$
- ☐ $v = y'$

Start Time: 5:28 AM

60:00 Time Left

10

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

To convert the non-homogeneous differential equation $\frac{dy}{dx} = \frac{a_1x + b_1y + c_1}{a_2x + b_2y + c_2}$ into separable form, if $\frac{a_1}{a_2} = \frac{b_1}{b_2}$, then we use the substitution-----

Answer (Please select your correct option)

- ☐ $x = X + h$
- ☐ $y = Y + h$
- ☒ $z = a_1x + b_1y$
- ☐ $z = Y + X$

Start Time: 5:28 AM

60:00 Time Left

11

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) : - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

In exponential model for the population growth $P(t) = P_0 e^{kt}$ If $k > 0$, then $\lim_{t \rightarrow \infty} P(t) = \text{---}$.

Answer (Please select your correct option)

- ☒ ∞
- ☐ $-\infty$
- ☐ 0
- ☐ 1

Start Time: 5:28 AM

60:00 Time Left

12

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

The constant solutions of the logistic equation $\frac{dP}{dt} = P(a - bP)$ are----

Answer (Please select your correct option)

- ☐ P=0, P= b/a
- ☒ P=0, P=a/b
- ☐ P=a/b, P=b/a
- ☐ P=0, P=0

Start Time: 5:28 AM

60:00 Time Left

13

paper.aspx

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

The orthogonal trajectory to the family of curves $3x + 4y = c$ is-----.

Answer (Please select your correct option)

☐ $y = 2x$

☐ $y - x = c$

☒ $4x - 3y = c$

☐ $4x + 3y = c$

Start Time: 5:28 AM

60:00 Time Left

14

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

If the tangent lines of two curves are perpendicular at their point of intersection then both the curves are-----

Answer (Please select your correct option)

- ☐ Non-intersecting curves
- ☐ Parallel curves
- ☒ Orthogonal curves
- ☐ Intersecting curves

Start Time: 5:28 AM

60:00 Time Left

15

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

If initial amount of a radioactive isotope is 100g. What will be the amount at the end of 30 days such that $K=0.043$?

Answer (Please select your correct option)

☐ 371.415

☐ 380.560

☒ 363.279

☐ 360.351

The formula is $A(t) = A_0 e^{-kt} = 100(e^{-30 \cdot 0.043}) = 363.279$

Start Time: 5:28 AM

60:00 Time Left

16

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

If $y = 1 + 6x^2 - 7x^3$, then which of the following is true for it ?

Answer (Please select your correct option)

- ☐ Its annihilator operator is D .
- ☐ Its annihilator operator is D^2 .
- ☐ Its annihilator operator is D^3 .
- ☒ Its annihilator operator is D^4 .

Start Time: 5:28 AM

60:00 Time Left

17

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

If $y = e^{-6x}$, then which of the following is the most accurate option?

Answer (Please select your correct option)

- ☐ The annihilator operator of $y = e^{-6x}$ is $(D - 6)^2$.
- ☐ The annihilator operator of $y = e^{-6x}$ is $(D - 6)^3$.
- ☐ The annihilator operator of $y = e^{-6x}$ is $(D - 6)$.
- ☒ The annihilator operator of $y = e^{-6x}$ is $(D + 6)$.

Start Time: 5:28 AM

60:00 Time Left

18

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) Page Safety Tools

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

If $y_1 = x$ and $y_2 = xe^x$ are the first and second solution of $x^2 \frac{d^2 y}{dx^2} - x(x+2) \frac{dy}{dx} + (x+2)y = 0$ on $(0, \infty)$, then which of the following is the most accurate option?

Answer (Please select your correct option)

- ☐ $y_1 = x$ and $y_2 = xe^x$ may or may not be linearly dependent.
- ☒ $y_1 = x$ and $y_2 = xe^x$ must be linearly independent.
- ☐ $y_1 = x$ and $y_2 = xe^x$ may or may not be linearly independent.
- ☐ $y_1 = x$ and $y_2 = xe^x$ must be linearly dependent.

Start Time: 5:28 AM

60:00 Time Left

19

paper.aspx

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

If $y_2 = x^3$ is the second solution of $x^2 \frac{d^2 y}{dx^2} - x \frac{dy}{dx} - 3y = 0$, then which of the following is the most accurate option?

Answer (Please select your correct option)

- ☐ The first solution say y_1 must be non-trivial on the indicated interval.
- ☐ The first solution say y_1 can be trivial on the indicated interval.
- ☐ The first solution say y_1 must be discontinuous on the indicated interval.
- ☐ The first solution say y_1 may or may not be continuous on the indicated interval.

correct answer solve by hadi

Start Time: 5:28 AM

60:00 Time Left

20

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

Find the order of the homogenous equation obtained from the following non-homogenous differential equation

$$y'' + 4y' + 3y = 4x^2 + 5?$$

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time : 5:28 AM

60:00 Time Left

21

MADE BY HADI

paper.aspx

Email: hadirainutofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

If half-time life (T) of a radioactive isotope is 5 days, then find k.

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time : 5:28 AM

60:00 Time Left

22

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Determine the annihilator operator of the general solution of the following homogeneous linear first order differential equation:

$$\frac{dy}{dx} - 5y = 0$$

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 5:28 AM

60:00 Time Left

23

paper.aspx

TEAM HADI(VU)

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

If $y_1(x) = e^x$ is the first solution of $\frac{d^2 y}{dx^2} + 2 \frac{dy}{dx} - 3y = 0$, then construct its second solution using $y_2(x) = y_1(x) \int \frac{e^{-\int P(x) dx}}{y_1^2(x)} dx$.

Note: where $P(x)$ is a coefficient of the first derivative involving in the above given differential equation.

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time: 5:28 AM

60:00 Time Left

24

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 : Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ☆ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 : Fall...

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Find period of vibration of the solution of a simple harmonic motion?

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

Start Time : 5:28 AM

59:00 Time Left

25

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

VU Examination System (CLIENT) VUTES 6.5 Fall 2012 (MidTerm) - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites ★ Suggested Sites Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 Fall...

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Using Newton's Law of Cooling with initial condition $T(0)=T_0$ and if temperatures at time t_1 and t_2 are known then show that

$$\frac{T(t_1) - T_m}{T(t_2) - T_m} = e^{k(t_1 - t_2)}$$

Answer (Please click here to Add Answer)

It initial temperature of the cooling body is T_0 then we obtain the initial value problem

$$\frac{dT}{dt} = k(T - T_m), \quad T(0) = T_0$$

where k is constant of proportionality. The differential equation in the problem is linear as well as separable.

Separating the variables and integrating we obtain

$$\int \frac{dT}{T - T_m} = \int k dt$$

This means that

$$\ln |T - T_m| = kt + C$$

$$T - T_m = e^{kt+C}$$

$$T(t) = T_m + C_1 e^{kt} \quad \text{where } C_1 = e^C$$

Now applying the initial condition $T(0) = T_0$, we see that $C_1 = T_0 - T_m$. Thus the solution of the initial value problem is given by

$$T(t) = T_m + (T_0 - T_m)e^{kt}$$

Hence, If temperatures at times t_1 and t_2 are known then we have

$$T(t_1) - T_m = (T_0 - T_m)e^{kt_1}, \quad T(t_2) - T_m = (T_0 - T_m)e^{kt_2}$$

So that we can write

$$\frac{T(t_1) - T_m}{T(t_2) - T_m} = e^{k(t_1 - t_2)}$$

Start Time: 5:28 AM

59:00 Time Left

26

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP, ANDROID, PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

- 1) ASSIGNMENTS
- 2) QUIZZES
- 3) GDB
- 4) GRAND QUIZZES

We Provide, You Solution
of VU Academic Activities
include Assignments,
Quizzes, GDBs, Grand Quizzes
If You Need Help in Services
Kindly inform us.

TEAM HADI
(VU LAHORE)



TEAM HADI
(VU LAHORE)



HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922