



CS506 - Web Design and Development



CS506 - Web Design and Development

(Mid-Term) 2021 GRAND Quiz 90 TO 100% Correct Solve (Alhamdulillah)

BY Virtual Assistance Sonu Ilyas Mughal



Sindh, Pakistan



03063548328



sonuilyasmughal@gmail.com



https://www.youtube.com/channel/UCjboEX65C_yN7as5di1OuIQ/playlists Sadiq Ahmed

<https://www.youtube.com/channel/UC0AihThg8aPr5TcfIqTUKWQ> Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal



CS506:Grand Quiz

Question # 1 of 30 (Start time: 05:03:23 PM, 28 June 2021)

Which of the following is a top level container?

Select the correct option

- | | |
|----------------------------------|------------|
| ☐ | JPanel |
| ☒ | Dialog |
| ☐ | ScrollPane |
| ☐ | ToolBar |





CS506:Grand Quiz

Question # 2 of 30 (Start time: 05:03:52 PM, 28 June 2021)

All the exceptions and errors in java are inherited from _____ class.

Select the correct option

☒	Throwable
☐	Exception
☐	Error
☐	IOException





Question # 3 of 30 (Start time: 05:04:15 PM, 28 June 2021)

Teacher.java class wants to inherit from Employee.java class, _____ keyword should be used in blank space in given code to apply inheritance.

```
class Teacher ----- Employee{  
public static void main (String args[]){  
}}}
```

Select the correct option

☐	implement
☐	override
☒	extends
☐	inherit

Question # 4 of 30 (Start time: 05:04:55 PM, 28 June 2021)

Which of the following methods is called only once during the life cycle of an Applet?

Select the correct option

☐	stop()
☒	init()
☐	paint()
☐	start()





CS506:Grand Quiz

Question # 5 of 30 (**Start time: 05:05:18 PM, 28 June 2021**)

In Java, we can read/write to a network using sockets.

Select the correct option

☐	False
☒	True

Click





CS506:Grand Quiz

Question # 6 of 30 (Start time: 05:05:43 PM, 28 June 2021)

Which of the following methods is used to convert a string into an int value?

Select the correct option

- | | |
|----------------------------------|----------------|
| ☐ | parseInteger() |
| ☐ | ParseInt() |
| ☒ | parseInt() |
| ☐ | intValue() |

Click





CS506:Grand Quiz

Question # 7 of 30 (Start time: 05:06:12 PM, 28 June 2021)

The method "Math.random()" returns positive double value greater than or equal to 1 or less than 10.

Select the correct option

☐	True
☒	False

Click t





CS506:Grand Quiz

Question # 8 of 30 (Start time: 05:06:54 PM, 28 June 2021)

Painting is managed by the system, so calling paintComponent() directly is NOT recommended at all.

Select the correct option

☒	True
☐	False

Click





CS506:Grand Quiz

Question # 9 of 30 (Start time: 05:07:23 PM, 28 June 2021)

Bytecodes are put in memory by _____ .

Select the correct option

☐	bytecode verifier
☐	compiler
☒	class loader
☐	editor

Click to Save





CS506:Grand Quiz

Question # 10 of 30 (Start time: 05:07:50 PM, 28 June 2021)

In ResultSetMetaData methods, _____ method returns the suggested column label for printouts.

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | getColumnCount () |
| ☒ | getColumnLabel() |
| ☐ | getColumnType (int) |
| ☐ | getColumnName() |





CS506:Grand Quiz

Question # 11 of 30 (Start time: 05:08:15 PM, 28 June 2021)

In the context of Java Graphics, paintChildren() method tells any component contained by this component to paint itself.

Select the correct option

☒	False
☐	True





Question # 12 of 30 (Start time: 05:08:40 PM, 28 June 2021)

Which of the following functions will be used to register an event handler with an events generator, where the event generator is a button?

Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☐ | <code>addListener()</code> |
| ☐ | <code>addAction()</code> |
| ☒ | <code>addActionListener()</code> |
| ☐ | <code>registerListener()</code> |

Click to Save Answer &





CS506:Grand Quiz

Question # 13 of 30 (Start time: 05:09:10 PM, 28 June 2021)

Which of the following methods of Graphics object is used to draw rectangle?

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | <code>drawRect(10,10,20,20);</code> |
| ☐ | <code>DrawRect(10,10,20,20);</code> |
| ☐ | <code>DrawReactangle(10,10,20,20);</code> |
| ☐ | <code>drawReactangle(10,10,20,20);</code> |





CS506:Grand Quiz

Question # 14 of 30 (Start time: 05:09:30 PM, 28 June 2021)

The output of given someTest function is _____ .

```
public void someTest() {  
    int x;  
    System.out.println(x);  
}
```

Select the correct option

☐	syntax error
☐	x
☐	run time error
☒	compile time error





Question # 15 of 30 (Start time: 05:10:03 PM, 28 June 2021)

The _____ method returns true or false depending upon whether the next row is available (exist) or not in ResultSet.

Select the correct option

☐	getters
☐	close()
☒	next()
☐	close()

Click to Save Answ





CS506:Grand Quiz

Question # 16 of 30 (Start time: 05:10:27 PM, 28 June 2021)

Window, frame and dialog use _____ as their default layout.

Select the correct option

☐	Grid layout
☐	GridBag layout
☐	Flow layout
☒	Border layout





CS506:Grand Quiz

Question # 17 of 30 (Start time: 05:11:01 PM, 28 June 2021)

_____ is correct syntax to create a general purpose container "myPanel" having flow layout.

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | JPanel myPanel = new JPanel (FlowLayout()); |
| ☒ | JPanel myPanel = new JPanel (new FlowLayout()); |
| ☐ | JPanel myPanel = new JPanel (new FlowLayout); |
| ☐ | JPanel myPanel = JPanel (FlowLayout()); |





CS506:Grand Quiz

Question # 18 of 30 (Start time: 05:11:26 PM, 28 June 2021)

CREATE, ALTER, DROP are _____ SQL statements.

Select the correct option

☐	DML
☐	None of given
☐	DCL
☒	DDL





CS506:Grand Quiz

Question # 20 of 30 (Start time: 05:12:13 PM, 28 June 2021)

Which of the following methods is invoked by the AWT package to support paint and repaint operations?

Select the correct option

☒	paint()
☐	redraw()
☐	repaint()
☐	draw()

Click to Save





CS506:Grand Quiz

Question # 21 of 30 (Start time: 05:12:48 PM, 28 June 2021)

In Java, Transient fields are returned as null on reading.

Select the correct option

☒	True
☐	False





CS506:Grand Quiz

Question # 22 of 30 (Start time: 05:13:10 PM, 28 June 2021)

The server just waits, listening to the socket for a client to make a connection request.

Select the correct option

☒	True
☐	False





Question # 23 of 30 (Start time: 05:13:32 PM, 28 June 2021)

For a programmer the event handling is a three step process in terms of code. Which of the following is NOT an event handling step?

Select the correct option

- | | |
|----------------------------------|---------------------------------|
| ☐ | Handle event |
| ☐ | Generate event |
| ☒ | Publish event |
| ☐ | Register handler with generator |

Click to Save Answer





CS506:Grand Quiz

Question # 24 of 30 (Start time: 05:14:04 PM, 28 June 2021)

Choose the correct syntax to declare an abstract java class named as "Person".

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | <code>public abstract class Person{}</code> |
| ☐ | <code>public class Person abstract{}</code> |
| ☐ | <code>public class abstract Person{}</code> |
| ☐ | <code>abstract public class Person{}</code> |





CS506:Grand Quiz

Question # 26 of 30 (Start time: 05:14:55 PM, 28 June 2021)

In order to include graphics in your Java program, it is mandatory to extend from _____ class.

Select the correct option

☐	JFrame
☐	JButton
☒	JPanel
☐	JLabel

Click to S





CS506:Grand Quiz

Question # 25 of 30 (Start time: 05:14:29 PM, 28 June 2021)

Which of the following is a correct listener statement for "mouse click" event in "MouseListener" interface?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | public void mouseclicked (MouseEvent me) |
| ☒ | public void mouseClicked (MouseEvent me) |
| ☐ | public void MouseClicked (MouseEvent me) |
| ☐ | public void Mouseclicked (MouseEvent me) |





CS506:Grand Quiz

Question # 26 of 30 (Start time: 05:14:55 PM, 28 June 2021)

In order to include graphics in your Java program, it is mandatory to extend from _____ class.

Select the correct option

- | | |
|----------------------------------|---------|
| ☐ | JFrame |
| ☐ | JButton |
| ☒ | JPanel |
| ☐ | JLabel |

Click to S





Question # 27 of 30 (Start time: 05:16:00 PM, 28 June 2021)

Which of the following name is used by the system to recognize the underlying data source?

Select the correct option

☐	JDBC
☐	DNS
☐	ODBC
☒	DSN

Click to Save





CS506:Grand Quiz

Question # 28 of 30 (Start time: 05:16:24 PM, 28 June 2021)

The following code creates and starts a timer that fires an action event once per _____.

```
Timer t = new Timer (1000, this);  
t.start();
```

Select the correct option

☐	Minute
☐	Day
☒	Second
☐	Hour

Click





CS506:Grand Quiz

Question # 29 of 30 (Start time: 05:16:52 PM, 28 June 2021)

Which one of the following methods is not a method of MouseListener interface?

Select the correct option

☐	Released
☒	Moved
☐	Clicked
☐	Pressed





CS506:Grand Quiz

Question # 30 of 30 (Start time: 05:17:17 PM, 28 June 2021)

Java language has a little worse performance than C++ language, because _____.

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | it is object oriented |
| ☐ | it does not use pointers |
| ☒ | it checks all errors, malicious and viruses |
| ☐ | it uses built in libraries |

Click to





Question # 1 of 30 (Start time: 06:05:18 PM, 28 June 2021)

CmdArgs java class is compiled. If the command "java CmdArgs CS506" run in cmd, then what will be output of given code.

```
Public class CmdArgs{  
    public static void main(String[] args){  
        System.out.println("First argument " + args[0]);  
    }  
}
```

Select the correct option

☐	args[0]
☐	do not show any output
☐	CS506
☒	syntax error





Question # 2 of 30 (Start time: 06:05:55 PM, 28 June 2021)

To make sure array accesses touch only the memory allocated to them , JVM does _____ checking at runtime.

Select the correct option

☐	not
☐	consistent
☐	static
☒	dynamic

Click to Save Answer





CS506:Grand Quiz

Question # 3 of 30 (Start time: 06:06:29 PM, 28 June 2021)

Painting is managed by the system, so calling paintComponent() directly is NOT recommended at all.

Select the correct option

☒	True
☐	False

Click to Save





CS506:Grand Quiz

Question # 4 of 30 (Start time: 06:06:49 PM, 28 June 2021)

Which of the given Listener Interface is needed to handle the "MouseEvent"?

Select the correct option

- | | |
|----------------------------------|---------------|
| ☒ | MouseListener |
| ☐ | MouseListener |
| ☐ | MouseListener |
| ☐ | MouseListener |





Question # 5 of 30 (Start time: 06:07:13 PM, 28 June 2021)

Which of the following exceptions belongs to a category of checked exception?

Select the correct option

- | | |
|----------------------------------|---------------------------|
| ☐ | Null Pointer exception |
| ☒ | IOException |
| ☐ | NumberFormatException |
| ☐ | Array index out of bounds |

Click to Save Answer





Question # 6 of 30 (Start time: 06:07:40 PM, 28 June 2021)

A hash map object is to create, to store Teacher objects as values and their CNIC in the form of strings as keys.
Which syntax is correct for this requirement?

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | HashMap <Teacher> h =new HashMap<Teacher>(); |
| ☐ | HashMap <Teacher> h =new HashMap<String,Teacher>(); |
| ☐ | HashMap <String> h =new HashMap<String>(); |
| ☒ | HashMap <String,Teacher> h =new HashMap<String, Teacher>(); |

Click to Save Answer





CS506:Grand Quiz

Question # 7 of 30 (Start time: 06:08:05 PM, 28 June 2021)

How many ports are available for UDP socket?

Select the correct option

- | | |
|----------------------------------|------|
| ☐ | 128 |
| ☐ | 128k |
| ☒ | 64k |
| ☐ | 64 |





CS506:Grand Quiz

Question # 8 of 30 (Start time: 06:08:34 PM, 28 June 2021)

In Java, we can read/write to a network using sockets.

Select the correct option

☒	True
☐	False





CS506:Grand Quiz

Qui

Question # 9 of 30 (Start time: 06:08:57 PM, 28 June 2021)

In order to include graphics in your Java program, it is mandatory to extend from _____ class.

Select the correct option

☐	JLabel
☐	JButton
☐	JFrame
☒	JPanel

Click to Save A





CS506:Grand Quiz

Question # 10 of 30 (Start time: 06:09:25 PM, 28 June 2021)

Which of the following is a general purpose container?

Select the correct option

☐	Dialog
☐	JApplet
☒	JPanel
☐	JFrame





CS506:Grand Quiz

Question # 11 of 30 (Start time: 06:09:56 PM, 28 June 2021)

_____ is correct syntax to create a general purpose container "myPanel" having flow layout.

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | JPanel myPanel = new JPanel (new FlowLayout()); |
| ☐ | JPanel myPanel = JPanel (FlowLayout()); |
| ☐ | JPanel myPanel = new JPanel (FlowLayout()); |
| ☐ | JPanel myPanel = new JPanel (new FlowLayout); |





Question # 12 of 30 (Start time: 06:10:20 PM, 28 June 2021)

If a class needs to handle events generated by button then which of the following interfaces a class needs to implement?

Select the correct option

☐	ComponentListener
☐	KeyListener
☐	MouseListener
☒	ActionListener

Click to Save Ans





CS506:Grand Quiz

Question # 13 of 30 (Start time: 06:10:47 PM, 28 June 2021)

In the context of Java Graphics, which of the following methods we should override while painting?

Select the correct option

- | | |
|----------------------------------|------------------|
| ☒ | paintComponet() |
| ☐ | paint() |
| ☐ | paintChildern() |
| ☐ | paintBorder() |

Click





CS506:Grand Quiz

Question # 14 of 30 (Start time: 06:11:07 PM, 28 June 2021)

DDL stands for?

Select the correct option

- | | |
|----------------------------------|------------------------------|
| ☐ | Data Driven Language |
| ☒ | Data Definition Language |
| ☐ | Database Driven Language |
| ☐ | Database Definition Language |





CS506:Grand Quiz

Question # 15 of 30 (Start time: 06:11:35 PM, 28 June 2021)

Which of the following streams is a filter stream?

Select the correct option

☐	FileReader
☒	BufferedReader
☐	All of given options
☐	FileWriter





Question # 16 of 30 (Start time: 06:12:01 PM, 28 June 2021)

Static methods can only access _____

Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☒ | Static variables and methods |
| ☐ | Both static and instance members |
| ☐ | Instance methods |
| ☐ | Instance variables |

Click to Save Answer





CS506:Grand Quiz

Qui

Question # 17 of 30 (Start time: 06:12:24 PM, 28 June 2021)

Let suppose a column has index 5 in the ResultSet object. Which of the following statement is used to retrieve the column values?

Select the correct option

- | | |
|----------------------------------|-------------------------------|
| ☒ | String name = rs.getString(5) |
| ☐ | String name = rs.getInt(5) |
| ☐ | String name = rs.getString(4) |
| ☐ | String name = rs.getInt(4) |

Click to Save A





CS506:Grand Quiz

Question # 18 of 30 (Start time: 06:12:50 PM, 28 June 2021)

Java compiler is called _____, on UNIX or windows.

Select the correct option

☐	java c
☐	c java
☐	cjava
☒	javac





CS506:Grand Quiz

Question # 19 of 30 (Start time: 06:13:16 PM, 28 June 2021)

Which of the following is a valid variable name in Java?

Select the correct option

☒	NumberOfStudent
☐	vu.506
☐	1xu
☐	long





Question # 20 of 30 (Start time: 06:13:57 PM, 28 June 2021)

The server just waits, listening to the socket for a client to make a connection request.

Select the correct option

☐	False
☒	True

Click to Save Answer





CS506:Grand Quiz

Question # 21 of 30 (Start time: 06:14:22 PM, 28 June 2021)

In Java, Transient fields are returned as null on reading.

Select the correct option

☐	False
☒	True

Click to





CS506:Grand Quiz

Question # 22 of 30 (Start time: 06:14:49 PM, 28 June 2021)

Which of the following method is used to move the cursor to the given row number?

Select the correct option

- | | |
|----------------------------------|------------------------------------|
| ☐ | <code>absolute();</code> |
| ☐ | <code>insertRow();</code> |
| ☒ | <code>absolute(int);</code> |
| ☐ | <code>moveToInsertRow(int);</code> |





Question # 23 of 30 (Start time: 06:15:35 PM, 28 June 2021)

In Editor java programs are created, while they are stored on/in _____ .

Select the correct option

☐	external file
☐	usb
☒	disk
☐	primary memory

Click to Save Answer





CS506:Grand Quiz

Question # 24 of 30 (Start time: 06:16:02 PM, 28 June 2021)

Which of the following statement object is used to execute precompiled SQL statements?

Select the correct option

☐	None of given
☒	PreparedStatement
☐	CallableStatement
☐	Statement

Click to Save





Question # 25 of 30 (Start time: 06:16:31 PM, 28 June 2021)

What will happen if main method is declared as private?

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | The program will throw an exception at run time |
| ☐ | The program will not compile |
| ☐ | The program will compile and run successfully |
| ☐ | None of given options |

Click to Save Answer





CS506:Grand Quiz

Question # 26 of 30 (Start time: 06:16:57 PM, 28 June 2021)

An applet is typically embedded in a Web page and can be run from a browser.

Select the correct option

☒	True
☐	False





CS506:Grand Quiz

Question # 27 of 30 (Start time: 06:17:21 PM, 28 June 2021)

Bytecodes are created and stored on disk by _____ .

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☒ | compiler |
| ☐ | editor |
| ☐ | class loader |
| ☐ | bytecode verifier |





CS506:Grand Quiz

Question # 28 of 30 (Start time: 06:17:41 PM, 28 June 2021)

If there is no exception in the try block then the catch block _____ executes.

Select the correct option

☒	Never
☐	Always
☐	None of the given
☐	Sometime





CS506:Grand Quiz

Question # 29 of 30 (Start time: 06:18:07 PM, 28 June 2021)

Which of the following features is not available in Java?

Select the correct option

☐	Data hiding
☒	Multiple inheritance
☐	Data encapsulation
☐	Single inheritance

Click





CS506:Grand Quiz

Question # 30 of 30 (Start time: 06:18:33 PM, 28 June 2021)

Which of the following statements is true regarding paintComponent() method?

Select the correct option

- | | |
|----------------------------------|--|
| ☒ | It first paints the background and then performs custom painting. |
| ☐ | It first performs custom painting and then paints the background. |
| ☐ | It tells any components contained by this component to paint themselves. |
| ☐ | It tells the component to paint its border. |





CS506:Grand Quiz

Question # 1 of 30 (Start time: 06:21:50 PM, 28 June 2021)

Which of the following statement regarding Java is false?

Select the correct option

☐	Java uses an interpreter
☐	Java is case sensitive language
☒	A Java program compiles into machine language
☐	Java is a programming language





CS506:Grand Quiz

Question # 2 of 30 (Start time: 06:22:30 PM, 28 June 2021)

The toString() method returns a _____ representation of _____

Select the correct option

☒	string, object
☐	object, string
☐	string, int
☐	int, string





CS506:Grand Quiz

Question # 3 of 30 (Start time: 06:22:50 PM, 28 June 2021)

Which of the following streams is a filter stream?

Select the correct option

☐	FileWriter
☐	FileReader
☒	BufferedReader
☐	All of given options





CS506:Grand Quiz

Question # 4 of 30 (Start time: 06:23:22 PM, 28 June 2021)

_____ returns the elements at specified position in the list.

Select the correct option

- | | |
|----------------------------------|--------------------------|
| ☐ | Object set(int index) |
| ☒ | Object get(int index) |
| ☐ | Object return(int index) |
| ☐ | Object remove(int index) |





Question # 5 of 30 (Start time: 06:23:57 PM, 28 June 2021)

In given lines of code Employee is super class, Teacher is child class, _____ is applying.
Employee e = new Teacher();

Select the correct option

- | | |
|----------------------------------|--------------------------------------|
| ☐ | upcasting Employee to Teacher type |
| ☒ | upcasting Teacher to Employee type |
| ☐ | downcasting Employee to Teacher type |
| ☐ | downcasting Teacher to Employee type |

Click to Save Answer





CS506:Grand Quiz

Question # 6 of 30 (Start time: 06:24:59 PM, 28 June 2021)

Which of the following is the correct syntax to make a PersonInfo class into a Serializable class?

Select the correct option

- | | |
|----------------------------------|--|
| ☒ | Public class PersonInfo implements Serializable { /* class body */ } |
| ☐ | Public class PersonInfo includes Serializable { /* class body */ } |
| ☐ | Public class PersonInfo extends Serializable { /* class body */ } |
| ☐ | Public class PersonInfo imports Serializable { /* class body */ } |

Click





CS506:Grand Quiz

Question # 7 of 30 (Start time: 06:25:18 PM, 28 June 2021)

Interface imposes _____ structure on any class that uses interface.

Select the correct option

☐	code
☐	implementation
☐	inheritance
☒	design





CS506:Grand Quiz

Question # 8 of 30 (**Start time: 06:25:47 PM, 28 June 2021**)

Based on functionality, the streams can be categorized as _____

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Byte oriented stream and Node stream |
| ☒ | Node stream and Filter stream |
| ☐ | Filter stream and Character oriented stream |
| ☐ | Byte oriented stream and Character oriented stream |

Click to S





CS506:Grand Quiz

Question # 9 of 30 (Start time: 06:26:14 PM, 28 June 2021)

Which command of the following commands is used to compile "JavaTest" java file's code?

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | java JavaTest.java |
| ☐ | javac JavaTest |
| ☐ | java JavaTest |
| ☒ | javac JavaTest.java |

Click t





CS506:Grand Quiz

Question # 10 of 30 (Start time: 06:26:39 PM, 28 June 2021)

Which of the following is a general purpose container?

Select the correct option

- | | |
|----------------------------------|---------|
| ☐ | JFrame |
| ☐ | Dialog |
| ☐ | JApplet |
| ☒ | JPanel |

Click t





CS506:Grand Quiz

Question # 11 of 30 (Start time: 06:27:16 PM, 28 June 2021)

If a class needs to handle events generated by button then which of the following interfaces a class needs to implement?

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | ComponentListener |
| ☐ | KeyListener |
| ☐ | MouseListener |
| ☒ | ActionListener |





CS506:Grand Quiz

Question # 12 of 30 (Start time: 06:27:42 PM, 28 June 2021)

Which of the following methods is called only once during the life cycle of an Applet?

Select the correct option

☒	init()
☐	stop()
☐	start()
☐	paint()





CS506:Grand Quiz

Question # 13 of 30 (Start time: 06:28:12 PM, 28 June 2021)

In java, adapter classes have been defined for the following listener interfaces except for _____ interface.

Select the correct option

☐	ComponenetListener
☐	FocusListener
☐	MouseMotionListener
☒	ItemListener





CS506:Grand Quiz

Question # 14 of 30 (Start time: 06:29:05 PM, 28 June 2021)

The following is an example of _____:
BufferedReader br = new BufferedReader(fr);

Select the correct option

☐	Byte oriented stream
☒	Filter stream
☐	File stream
☐	Node stream

Click to Save





CS506:Grand Quiz

Question # 15 of 30 (Start time: 06:29:33 PM, 28 June 2021)

Which statement from the following statements is true about a java Anonymous Inner Class?

Select the correct option

☐	It is difficult to understand
☒	All of the given options
☐	It has no name
☐	It is much shorter

Click to Save





CS506:Grand Quiz

Question # 15 of 30 (Start time: 06:29:33 PM, 28 June 2021)

Which statement from the following statements is true about a java Anonymous Inner Class?

Select the correct option

- | | |
|----------------------------------|-------------------------------|
| ☐ | It is difficult to understand |
| ☒ | All of the given options |
| ☐ | It has no name |
| ☐ | It is much shorter |





CS506:Grand Quiz

Qui

Question # 16 of 30 (Start time: 06:30:39 PM, 28 June 2021)

For each class contained in java source file, compiler generates _____ class file/s.

Select the correct option

☒	one
☐	four
☐	three
☐	two





CS506:Grand Quiz

Question # 17 of 30 (Start time: 06:31:04 PM, 28 June 2021)

AWT is also called _____.

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | Heavy weight components |
| ☐ | Neither Light weight nor heavy weight |
| ☐ | Light weight components |
| ☐ | Both Light weight and heavy weight components |





CS506:Grand Quiz

Question # 18 of 30 (Start time: 06:31:28 PM, 28 June 2021)

A class that is defined in another class is called _____.

Select the correct option

☒	Inner class
☐	Public class
☐	Derived class
☐	Private class





CS506:Grand Quiz

Question # 19 of 30 (Start time: 06:31:48 PM, 28 June 2021)

Which of the following methods is invoked by the AWT package to support paint and repaint operations?

Select the correct option

- | | |
|----------------------------------|------------|
| ☐ | repaint() |
| ☒ | paint() |
| ☐ | draw() |
| ☐ | redraw() |

Click





CS506:Grand Quiz

Question # 20 of 30 (Start time: 06:32:12 PM, 28 June 2021)

The keyword "this" is used to _____

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | invoke constructor of the another class |
| ☐ | invoke constructor of sub class from super class |
| ☐ | invoke constructor of super class from sub class |
| ☒ | invoke alternate constructor of the same class |





CS506:Grand Quiz

Question # 21 of 30 (Start time: 06:32:34 PM, 28 June 2021)

Which of the following methods is a correct registration method for Focus Listener interface?

Select the correct option

- | | |
|----------------------------------|--------------------|
| ☐ | addFocusedListener |
| ☒ | addFocusListener |
| ☐ | regFocusedListener |
| ☐ | regFocusListener |





CS506:Grand Quiz

Question # 22 of 30 (Start time: 06:33:08 PM, 28 June 2021)

If a class implements an interface then _____

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | class will compile successfully if class do not implements methods of interface |
| ☐ | an interface must provide implementation of all methods |
| ☐ | a class may or may not provide implementation of all methods of interface |
| ☒ | a class must provide implementation of all methods of interface |

Click to





CS506:Grand Quiz

Question # 23 of 30 (Start time: 06:33:43 PM, 28 June 2021)

Which of the following is NOT true about paintComponent() method?

Select the correct option

☒	Tells the components border (if any) to paint.
☐	It performs custom painting (drawing circle, rectangles etc.)
☐	It is a main method for painting
☐	By default, it first paints the background

Click to Save Answer





CS506:Grand Quiz

Question # 24 of 30 (**Start time: 06:34:10 PM, 28 June 2021**)

DSN stands for _____

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Domain system Name |
| ☒ | Data Source Name |
| ☐ | Database System Name |
| ☐ | Data System Name |





CS506:Grand Quiz

Question # 25 of 30 (Start time: 06:34:36 PM, 28 June 2021)

Which of the following statement object is used to execute stored procedures?

Select the correct option

☒	CallableStatement
☐	Statement
☐	PreparedStatement
☐	None of given options





CS506:Grand Quiz

Question # 26 of 30 (Start time: 06:34:58 PM, 28 June 2021)

In ResultSetMetaData methods, _____ method returns the number of columns in the result set.

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☒ | getColumnDisplaySize (int) |
| ☐ | getColumnLabel (int) |
| ☐ | getColumnCount () |
| ☐ | getColumnType (int) |

Click to





CS506:Grand Quiz

Question # 27 of 30 (Start time: 06:35:23 PM, 28 June 2021)

An applet can be defined as:

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | A small program written in JSP and included in an HTML page |
| ☐ | A small program written in Servlet and included in an HTML page |
| ☐ | A small program written in JSF and included in an HTML page |
| ☒ | A small program written in Java and included in an HTML page |

Click t





CS506:Grand Quiz

Question # 28 of 30 (**Start time: 06:35:48 PM, 28 June 2021**)

DML stands for?

Select the correct option

- | | |
|----------------------------------|------------------------------|
| ☐ | Direct Manipulation Language |
| ☒ | Data Manipulation Language |
| ☐ | Data Management Language |
| ☐ | Direct Management Language |





CS506: Grand Quiz

Question # 29 of 30 (Start time: 06:36:13 PM, 28 June 2021)

An applet is a JFrame that allows interaction with a Java program.

Select the correct option

☐	True
☒	False





CS506:Grand Quiz

Question # 30 of 30 (Start time: 06:36:37 PM, 28 June 2021)

Which of the following exceptions belongs to a category of checked exception?

Select the correct option

☐	Null Pointer exception
☐	NumberFormatException
☒	IOException
☐	Array index out of bounds





CS506:Grand Quiz

Question # 1 of 30 (Start time: 06:41:49 PM, 28 June 2021)

Which of the following syntax is used to create a client socket?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Socket s = new Socket(serverport); |
| ☒ | Socket s = new Socket("serverName", serverPort); |
| ☐ | Socket s = new Socket(serverPort, "serverName"); |
| ☐ | Socket s = new Socket("serverName"); |





CS506:Grand Quiz

Question # 2 of 30 (Start time: 06:42:27 PM, 28 June 2021)

A scrollable and updatable ResultSet object has the following capabilities except _____

Select the correct option

☒	insert new columns
☐	insert new rows
☐	update rows
☐	delete rows





CS506:Grand Quiz

Question # 3 of 30 (Start time: 06:42:49 PM, 28 June 2021)

Which of the following objects is passed as an argument to paintComponent() method?

Select the correct option

- | | |
|----------------------------------|-----------------|
| ☐ | JPanel object |
| ☐ | Image object |
| ☐ | JFrame object |
| ☒ | Graphics object |





CS506:Grand Quiz

Question # 4 of 30 (Start time: 06:43:16 PM, 28 June 2021)

A class that is defined in another class is called _____.

Select the correct option

☐	Derived class
☒	Inner class
☐	Private class
☐	Public class





CS506:Grand Quiz

Question # 5 of 30 (Start time: 06:43:41 PM, 28 June 2021)

JDBC-ODBC stands for _____.

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Java DataBase Connectivity- Oracle DataBase Connectivity |
| ☐ | Java DataBase Corporation- Oracle DataBase Corporation |
| ☐ | Java DataBase Corporation- Open DataBase Corporation |
| ☒ | Java DataBase Connectivity- Open DataBase Connectivity |





CS506:Grand Quiz

Question # 6 of 30 (Start time: 06:44:10 PM, 28 June 2021)

A collection can store _____

Select the correct option

- | | |
|----------------------------------|-------------------------------------|
| ☐ | Objects as well as primitive values |
| ☒ | Heterogeneous objects |
| ☐ | Homogenous objects |
| ☐ | At most 100 objects |





CS506:Grand Quiz

Question # 7 of 30 (**Start time: 06:44:40 PM, 28 June 2021**)

Which command of the following commands is used to compile "JavaTest" java file's code?

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | java JavaTest |
| ☐ | java JavaTest.java |
| ☐ | javac JavaTest |
| ☒ | javac JavaTest.java |





CS506:Grand Quiz

Question # 8 of 30 (**Start time: 06:45:08 PM, 28 June 2021**)

Which of the following is a valid variable name in Java?

Select the correct option

☒	NumberOfStudent
☐	vu.506
☐	1xu
☐	long

cf





CS506:Grand Quiz

Question # 9 of 30 (Start time: 06:45:31 PM, 28 June 2021)

Static methods can only access _____

Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☐ | Instance variables |
| ☒ | Static variables and methods |
| ☐ | Instance methods |
| ☐ | Both static and instance members |

Click to Save





CS506:Grand Quiz

Question # 10 of 30 (Start time: 06:45:56 PM, 28 June 2021)

Which of the following streams is a Node stream?

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | BufferedReader |
| ☐ | PrintWriter |
| ☐ | All of given option |
| ☒ | FileWriter |





CS506:Grand Quiz

Question # 11 of 30 (Start time: 06:46:45 PM, 28 June 2021)

Timer class constructor requires time in _____.

Select the correct option

☐	seconds
☐	micro seconds
☐	nano seconds
☒	milli seconds





Question # 12 of 30 (Start time: 06:47:11 PM, 28 June 2021)

In ResultSetMetaData methods, _____ method returns the SQL type for the column to compare against types in java.sql.Types.

Select the correct option

☐	getColumnDisplaySize (int)
☐	getColumnName(int)
☐	getColumnCount ()
☒	getColumnType (int)





CS506:Grand Quiz

Quiz Start Time:

Question # 12 of 30 (Start time: 06:47:11 PM, 28 June 2021)

In ResultSetMetaData methods, _____ method returns the SQL type for the column to compare against types in java.sql.Types.

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☐ | getColumnDisplaySize (int) |
| ☐ | getColumnNName(int) |
| ☐ | getColumnCount () |
| ☒ | getColumnType (int) |

CS506:Grand Quiz

Quiz Start Time:

Question # 13 of 30 (Start time: 06:48:09 PM, 28 June 2021)

Following are the code statements used in java event handling. Identify the code statement that is used for generating an event

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☐ | frame.setSize(150, 150) |
| ☐ | frame = new JFrame |
| ☒ | b1 = new JButton("OK") |
| ☐ | b1.addActionListener(this) |





CS506:Grand Quiz

Question # 14 of 30 (Start time: 06:48:51 PM, 28 June 2021)

Which of the following is NOT true for java inner classes?

Select the correct option

☐	Can have constructors
☐	Can have instance variables
☐	Can have Methods
☒	Generally used as public utility classes





CS506:Grand Quiz

Question # 15 of 30 (Start time: 06:49:18 PM, 28 June 2021)

Which of the following keyword/operator is used for inheritance in java?

Select the correct option

☒	extends
☐	inherit
☐	implements
☐	: (colon)





CS506:Grand Quiz

Question # 16 of 30 (Start time: 06:49:51 PM, 28 June 2021)

Which of the given Listener Interface is needed to handle the "ActionEvent"?

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | MouseListener |
| ☐ | MotionListener |
| ☐ | KeyActionListener |
| ☒ | ActionListener |

Click to





CS506:Grand Quiz

Question # 17 of 30 (Start time: 06:50:18 PM, 28 June 2021)

Which of the following syntaxe is used to get ResultSetMetaData object?

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | <code>ResultSetMetaData md = st.getMetaData();</code>
// where st is Statement object |
| ☐ | <code>ResultSetMetaData md = con.getMetaData();</code>
// where con is Connection object |
| ☐ | <code>ResultSet md = rs.getMetaData();</code>
// where rs is ResultSetMetaDta object |
| ☒ | <code>ResultSetMetaData md = rs.getMetaData();</code>
// where rs is ResultSet object |



CS506:Grand Quiz

Question # 18 of 30 (Start time: 06:50:44 PM, 28 June 2021)

Which of the following features is not available in Java?

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☒ | Multiple inheritance |
| ☐ | Data encapsulation |
| ☐ | Single inheritance |
| ☐ | Data hiding |

Click





CS506:Grand Quiz

Question # 19 of 30 (Start time: 06:51:11 PM, 28 June 2021)

`int i = (int)( Math.random() * 5 );` // will generate random numbers between_____ .

Select the correct option

- | | |
|----------------------------------|-------|
| ☐ | 1 & 4 |
| ☐ | 1 & 5 |
| ☒ | 0 & 4 |
| ☐ | 0 & 5 |

Click to Save





CS506:Grand Quiz

Question # 20 of 30 (Start time: 06:51:37 PM, 28 June 2021)

Which of the following methods is used to convert a string into an int value?

Select the correct option

☒	parseInt()
☐	ParseInt()
☐	intValue()
☐	parseInteger()





Question # 21 of 30 (Start time: 06:51:58 PM, 28 June 2021)

Let suppose a column has index 5 in the ResultSet object. Which of the following statement is used to retrieve the column values?

Select the correct option

- | | |
|----------------------------------|-------------------------------|
| ☐ | String name = rs.getInt(4) |
| ☐ | String name = rs.getString(4) |
| ☐ | String name = rs.getInt(5) |
| ☒ | String name = rs.getString(5) |

Click to Save Answer & Move to

Question # 22 of 30 (Start time: 06:52:27 PM, 28 June 2021)

Which of the following functions will be used to register an event handler with an events generator, where the event generator is a button?

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | registerListener() |
| ☐ | addAction() |
| ☐ | addListener() |
| ☒ | addActionListener() |

Click to Save Answer &





CS506:Grand Quiz

Question # 23 of 30 (Start time: 06:52:58 PM, 28 June 2021)

Which of the following methods of Graphics object is used to draw rectangle?

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | <code>drawReactangle(10,10,20,20);</code> |
| ☒ | <code>drawRect(10,10,20,20);</code> |
| ☐ | <code>DrawRect(10,10,20,20);</code> |
| ☐ | <code>DrawReactangle(10,10,20,20);</code> |





CS506:Grand Quiz

Question # 24 of 30 (Start time: 06:53:25 PM, 28 June 2021)

Which of the following methods is a correct registration method for Focus Listener interface?

Select the correct option

- | | |
|----------------------------------|--------------------|
| ☒ | addFocusListener |
| ☐ | regFocusListener |
| ☐ | addFocusedListener |
| ☐ | regFocusedListener |





CS506:Grand Quiz

Question # 25 of 30 (Start time: 06:53:48 PM, 28 June 2021)

Which one of the following blocks always executes irrespective of exception occurrence?

Select the correct option

☒	Finally block
☐	Try block
☐	Throws block
☐	Catch block





CS506:Grand Quiz

Question # 26 of 30 (Start time: 06:54:09 PM, 28 June 2021)

To compile "Test.java" class, _____ command is used in java.

Select the correct option

- | | |
|----------------------------------|-----------------|
| ☐ | javac Test |
| ☒ | javac Test.java |
| ☐ | java Test.java |
| ☐ | java Test |





CS506:Grand Quiz

Question # 27 of 30 (Start time: 06:54:33 PM, 28 June 2021)

An event in java is represented as _____

Select the correct option

☐	Operator
☒	Object
☐	Primitive data type
☐	Function





CS506:Grand Quiz

Question # 28 of 30 (Start time: 06:54:58 PM, 28 June 2021)

Which of the following exceptions can be caught in a throw clause?

Select the correct option

☒	IOException
☐	Division by zero exception
☐	Index out of bounds exception
☐	Null pointer exception





CS506:Grand Quiz

Question # 29 of 30 (Start time: 06:55:22 PM, 28 June 2021)

A default ResultSet object has a cursor that _____

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☐ | cannot move |
| ☐ | moves backward only |
| ☐ | moves backward and Forward |
| ☒ | moves forward only |

Click





CS506:Grand Quiz

Question # 30 of 30 (Start time: 06:55:47 PM, 28 June 2021)

Bytecodes are created and stored on disk by _____ .

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | bytecode verifier |
| ☐ | class loader |
| ☒ | compiler |
| ☐ | editor |

Click





CS506:Grand Quiz

Question # 1 of 30 (Start time: 06:59:06 PM, 28 June 2021)

getColumnCount() is a method of _____ object.

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | DataBaseMetaData |
| ☒ | ResultSetMetaData |
| ☐ | Statement |
| ☐ | ResultSet |

Click to Save





Question # 2 of 30 (Start time: 06:59:40 PM, 28 June 2021)

Which of the following method is used to execute INSERT, UPDATE and Delete SQL statements?

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | ExecuteUpdate(sql); |
| ☒ | executeUpdate(sql); |
| ☐ | executeQuery(sql); |
| ☐ | ExecuteQuery(sql); |





Question # 3 of 30 (Start time: 07:00:06 PM, 28 June 2021)

In order to include graphics in your Java program, it is mandatory to extend from _____ class.

Select the correct option

- | | |
|----------------------------------|---------|
| ☐ | JFrame |
| ☐ | JLabel |
| ☐ | JButton |
| ☒ | JPanel |

Click to Save Answer





CS506:Grand Quiz

Question # 4 of 30 (Start time: 07:00:37 PM, 28 June 2021)

Which of the given Listener Interfaces is need to handle the "KeyEvent"?

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | MouseListener |
| ☐ | MotionKeyListener |
| ☒ | KeyListener |
| ☐ | KeyActionListener |





CS506:Grand Quiz

Question # 5 of 30 (Start time: 07:01:08 PM, 28 June 2021)

In given lines of code, _____ is applying .
int a = 20;
double b = a;

Select the correct option

☐	upcasting b to a type
☒	upcasting a to b type
☐	downcasting a to b type
☐	downcasting b to a type

Submit





CS506:Grand Quiz

Question # 6 of 30 (Start time: 07:01:35 PM, 28 June 2021)

Which of the following commands is used to invoke an Applet from command line interpreter?

Select the correct option

- | | |
|----------------------------------|-----------------------|
| ☐ | appletviewer javafile |
| ☒ | appletviewer htmlfile |
| ☐ | applet htmlfile |
| ☐ | viewer htmlfile |





CS506:Grand Quiz

Question # 7 of 30 (Start time: 07:02:06 PM, 28 June 2021)

_____ is/are not part of java core language.

Select the correct option

☒	ArrayList class
☐	Variables
☐	Arrays
☐	Objects





CS506:Grand Quiz

Question # 8 of 30 (Start time: 07:02:32 PM, 28 June 2021)

== operator compares _____ of strings whereas equals() method compares _____ of strings.

Select the correct option

☐	Size, addresses
☐	Addresses, size
☒	Addresses, values
☐	Values, addresses

Click to Save





Question # 9 of 30 (Start time: 07:03:00 PM, 28 June 2021)

Which of the following methods is invoked by the AWT package to support paint and repaint operations?

Select the correct option

- | | |
|----------------------------------|------------|
| ☒ | paint() |
| ☐ | redraw() |
| ☐ | draw() |
| ☐ | repaint() |

Click to Save Answer & Move to Next Question





CS506:Grand Quiz

Question # 10 of 30 (Start time: 07:03:23 PM, 28 June 2021)

Which of the following functions is declared in MouseMotionListener interface?

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | public void mouseDragged (MouseEvent me); |
| ☐ | public void mouseEntered (MouseEvent me); |
| ☐ | public void mousePressed (MouseEvent me); |
| ☐ | public void mouseClicked (MouseEvent me); |





CS506:Grand Quiz

Question # 11 of 30 (Start time: 07:03:42 PM, 28 June 2021)

_____ is correct syntax to get component area of "myFrame" top level container.

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Container c = myFrame->getComponentArea(); |
| ☒ | Container c = myFrame.getContentPane(); |
| ☐ | Container c = myFrame.getComponentPane(); |
| ☐ | Container c = myFrame.getContentArea(); |





CS506:Grand Quiz

Question # 12 of 30 (Start time: 07:04:06 PM, 28 June 2021)

In given lines of code , _____ is applying.
double a = 9.5;
int b = (int) a;

Select the correct option

☐	downcasting b to a type
☒	downcasting a to b type
☐	upcasting a to b type
☐	upcasting b to a type





CS506:Grand Quiz

Question # 13 of 30 (Start time: 07:04:33 PM, 28 June 2021)

Strings in java are represented as _____

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Native data types |
| ☐ | Primitive data types |
| ☒ | Reference data types |
| ☐ | Operators |





CS506:Grand Quiz

Question # 14 of 30 (Start time: 07:05:00 PM, 28 June 2021)

Which of the following features is not available in Java?

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Data hiding |
| ☐ | Single inheritance |
| ☒ | Multiple inheritance |
| ☐ | Data encapsulation |





CS506:Grand Quiz

Question # 15 of 30 (Start time: 07:05:28 PM, 28 June 2021)

The keyword "this" is used to _____

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | invoke constructor of super class from sub class |
| ☐ | invoke constructor of the another class |
| ☒ | invoke alternate constructor of the same class |
| ☐ | invoke constructor of sub class from super class |

Click





CS506:Grand Quiz

Question # 16 of 30 (Start time: 07:06:01 PM, 28 June 2021)

A database that is created in MS Access 2003 will be saved with _____ extension.

Select the correct option

☐	.class
☐	.doc
☒	.mdb
☐	.java





CS506:Grand Quiz

Question # 17 of 30 (Start time: 07:06:32 PM, 28 June 2021)

Which of the following statements is true regarding paintComponent() method?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | It first performs custom painting and then paints the background. |
| ☐ | It tells the component to paint its border. |
| ☒ | It first paints the background and then performs custom painting. |
| ☐ | It tells any components contained by this component to paint themselves. |

Click





CS506:Grand Quiz

Question # 18 of 30 (Start time: 07:07:00 PM, 28 June 2021)

Which of the given Listener interfaces have adapter class(s)?

Select the correct option

☒	MouseMotionListener
☐	ItemListener
☐	ActionListener
☐	AdjustmentListener

cli





CS506:Grand Quiz

Question # 19 of 30 (Start time: 07:07:29 PM, 28 June 2021)

Java language has a little worse performance than C++ language, because _____.

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | it uses built in libraries |
| ☒ | it checks all errors, malicious and viruses |
| ☐ | it is object oriented |
| ☐ | it does not use pointers |

Next





Question # 20 of 30 (Start time: 07:07:59 PM, 28 June 2021)

Which of the following statements is true regarding paintChildren() method?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | It tells the component to paint its border. |
| ☐ | It first paints the background and then performs custom painting. |
| ☐ | It first performs custom painting and then paints the background. |
| ☒ | It tells any components contained by this component to paint themselves. |

Click to Save Answ





CS506:Grand Quiz

Question # 21 of 30 (Start time: 07:08:31 PM, 28 June 2021)

All AWT and swing components generate events.

Select the correct option

☒	False
☐	True





CS506:Grand Quiz

Question # 22 of 30 (Start time: 07:08:56 PM, 28 June 2021)

Which of the following is NOT a method of ResultSet method?

Select the correct option

☒	executeQuery(sql)
☐	next()
☐	absolute(int)
☐	updateRow()





CS506:Grand Quiz

Question # 23 of 30 (**Start time: 07:09:17 PM, 28 June 2021**)

Which of the following methods is called only once during the life cycle of an Applet?

Select the correct option

☒	init()
☐	paint()
☐	start()
☐	stop()





Question # 24 of 30 (Start time: 07:09:46 PM, 28 June 2021)

If we want to call toString() method of parent class in JAVA. Which of the following statements will be used?

Select the correct option

- | | |
|----------------------------------|--------------------|
| ☐ | new. toString(); |
| ☐ | this. toString(); |
| ☒ | super. toString(); |
| ☐ | sub. toString(); |

Click to Save Answer &





Question # 25 of 30 (Start time: 07:10:12 PM, 28 June 2021)

The following is an example of _____.
FileReader fr = new FileReader("input.txt");

Select the correct option

☐	Filter stream
☐	File stream
☐	Byte oriented stream
☒	Node stream

Click to Save Answ





Question # 26 of 30 (Start time: 07:10:43 PM, 28 June 2021)

While running following ExceptionExample.java class on command line without passing command line arguments gives _____ exception.

```
public class ExceptionExample {  
    public static void main (String args[ ]) {  
        System.out.println(args[0]);  
    }  
}
```

Select the correct option

☐	Divide by zero exception
☒	Array index out of bound exception
☐	IO Exception
☐	Null pointer exception

Click to Save Answer & Move to





Question # 27 of 30 (Start time: 07:11:07 PM, 28 June 2021)

For each class contained in java source file, compiler generates _____ class file/s.

Select the correct option

☐	two
☐	three
☒	one
☐	four

Click to Save Answ





Question # 28 of 30 (Start time: 07:11:33 PM, 28 June 2021)

Assume that we do not want to serialize phoneNum attribute of PersonInfo class, this can be done by:

Select the correct option

- | | |
|----------------------------------|-------------------------------|
| ☐ | serializable String phoneNum; |
| ☐ | client String phoneNum; |
| ☐ | server String phoneNum; |
| ☒ | transient String phoneNum; |

Click to Save Answer





Question # 29 of 30 (Start time: 07:12:03 PM, 28 June 2021)

Bytecodes are created and stored on disk by _____ .

Select the correct option

☐	class loader
☐	bytecode verifier
☒	compiler
☐	editor

Click to Save Answer





Question # 30 of 30 (Start time: 07:12:33 PM, 28 June 2021)

Which of the following functions will be used to register an event handler with an events generator, where the event generator is a button?

Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☐ | <code>addListener()</code> |
| ☐ | <code>addAction()</code> |
| ☒ | <code>addActionListener()</code> |
| ☐ | <code>registerListener()</code> |





CS506:Grand Quiz

Question # 1 of 30 (Start time: 07:15:20 PM, 28 June 2021)

Given code is showing the result of addition of two integer type numbers. Choose correct output of this code.
Int i = 7; int j = 8; int k = i+j;
System.out.println("Seven " + i + " plus Eight " + j + " is " + k);

Select the correct option

☐	Seven plus Eight is k
☐	Seven i plus Eight j is k
☐	Seven i plus Eight j is + 15
☒	Seven 7 plus Eight 8 is 15





CS506:Grand Quiz

Question # 2 of 30 (Start time: 07:15:55 PM, 28 June 2021)

JDBC-ODBC stands for _____.

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Java DataBase Connectivity- Oracle DataBase Connectivity |
| ☒ | Java DataBase Connectivity- Open DataBase Connectivity |
| ☐ | Java DataBase Corporation- Open DataBase Corporation |
| ☐ | Java DataBase Corporation- Oracle DataBase Corporation |





CS506:Grand Quiz

Question # 3 of 30 (Start time: 07:16:25 PM, 28 June 2021)

If a class implements an interface then _____

Select the correct option

☒	a class must provide implementation of all methods of interface
☐	a class may or may not provide implementation of all methods of interface
☐	class will compile successfully if class do not implements methods of interface
☐	an interface must provide implementation of all methods





Question # 4 of 30 (Start time: 07:16:46 PM, 28 June 2021)

Strings in java are represented as _____

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Operators |
| ☐ | Primitive data types |
| ☐ | Native data types |
| ☒ | Reference data types |

Click to Save Answer





CS506:Grand Quiz

Question # 5 of 30 (Start time: 07:17:15 PM, 28 June 2021)

Which of the following features is not available in Java?

Select the correct option

☒	Multiple inheritance
☐	Data encapsulation
☐	Single inheritance
☐	Data hiding





Question # 6 of 30 (Start time: 07:17:38 PM, 28 June 2021)

Exceptions must be handled while handling files otherwise it may lead to _____

Select the correct option

- | | |
|----------------------------------|----------------|
| ☐ | Syntax error |
| ☒ | Run-time error |
| ☐ | No error |
| ☐ | Logical error |

Click to Save Answer





Question # 7 of 30 (Start time: 07:18:02 PM, 28 June 2021)

If we want to animate something like ball, moving from one place to another, we constantly need to call paint () method.

Select the correct option

☐	True
☒	False

Click to Save Answer & Move to Next Question





CS506:Grand Quiz

Question # 8 of 30 (Start time: 07:18:30 PM, 28 June 2021)

Suppose strings are stored in a collection "arraylist". Get one string element and store in element variable.
Choose correct line of code for this requirement.

Select the correct option

☐	String element = element arraylist.get(i);
☒	String element = (String)arraylist.get(i);
☐	String element = (element) arraylist.get(i);
☐	String element = String arraylist.get(i);

Click to Save





CS506:Grand Quiz

Question # 9 of 30 (Start time: 07:18:56 PM, 28 June 2021)

setColor() is a method of _____ object.

Select the correct option

- | | |
|----------------------------------|----------|
| ☒ | Graphics |
| ☐ | JFrame |
| ☐ | Image |
| ☐ | JPanel |





CS506:Grand Quiz

Question # 10 of 30 (**Start time: 07:19:19 PM, 28 June 2021**)

In the context of Java Graphics, paintChildren() method tells any component contained by this component to paint itself.

Select the correct option

☐	False
☒	True





CS506:Grand Quiz

Question # 11 of 30 (Start time: 07:19:44 PM, 28 June 2021)

How many ports are available for UDP socket?

Select the correct option

- | | |
|----------------------------------|------|
| ☐ | 64 |
| ☐ | 128k |
| ☒ | 64k |
| ☐ | 128 |





Question # 12 of 30 (Start time: 07:20:20 PM, 28 June 2021)

Total

To make sure array accesses touch only the memory allocated to them , JVM does _____ checking at runtime.

Select the correct option

☒	dynamic
☐	static
☐	not
☐	consistent

Click to Save Answer & Move to Next Q

Question # 13 of 30 (Start time: 07:21:12 PM, 28 June 2021)

Converting a bigger data type into smaller data type is called_____.

Select the correct option

☐	Normal-casting
☐	High-casting
☐	Up-casting
☒	Down-casting





CS506:Grand Quiz

Question # 14 of 30 (Start time: 07:21:49 PM, 28 June 2021)

Java compiler is called _____, on UNIX or windows.

Select the correct option

- | | |
|----------------------------------|--------|
| ☐ | cjava |
| ☐ | c java |
| ☐ | java c |
| ☒ | javac |





Question # 15 of 30 (Start time: 07:22:26 PM, 28 June 2021)

Which of the following statement object is used to execute simple SQL statement?

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | CallableStatement |
| ☐ | PreparedStatement |
| ☐ | None of given |
| ☒ | Statement |

Click to Save Answer &





CS506:Grand Quiz

Question # 16 of 30 (Start time: 07:23:00 PM, 28 June 2021)

In ResultSetMetaData methods, _____ method returns the suggested column label for printouts.

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | getColumnType (int) |
| ☐ | getColumnCount () |
| ☒ | getColumnLabel() |
| ☐ | getColumnName() |

Click to





Question # 17 of 30 (Start time: 07:23:31 PM, 28 June 2021)

Which of the following method is used to execute SELECT SQL statements?

Select the correct option

- | | |
|----------------------------------|---------------------|
| ☐ | executeUpdate(sql); |
| ☐ | ExecuteQuery(sql); |
| ☐ | ExecuteUpdate(sql); |
| ☒ | executeQuery(sql); |

Click to Save Answer &





CS506:Grand Quiz

Question # 18 of 30 (Start time: 07:23:59 PM, 28 June 2021)

The keyword "this" is used to _____

Select the correct option

- | | |
|----------------------------------|--|
| ☒ | invoke alternate constructor of the same class |
| ☐ | invoke constructor of super class from sub class |
| ☐ | invoke constructor of sub class from super class |
| ☐ | invoke constructor of the another class |





CS506:Grand Quiz

Question # 19 of 30 (Start time: 07:24:35 PM, 28 June 2021)

Which of the following statement is true about abstract class?

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | A class without any abstract method can be declared as abstract class. |
| ☐ | An abstract class must have all methods declared as abstract methods. |
| ☐ | A class must have at least one abstract method to be an abstract class. |
| ☐ | An instance of abstract class can be created. |

Click to S





CS506:Grand Quiz

Question # 20 of 30 (Start time: 07:24:58 PM, 28 June 2021)

A collection can store _____

Select the correct option

☐	Homogenous objects
☐	At most 100 objects
☐	Objects as well as primitive values
☒	Heterogeneous objects

Click to Save





CS506:Grand Quiz

Question # 21 of 30 (Start time: 07:25:28 PM, 28 June 2021)

DML stands for?

Select the correct option

- | | |
|----------------------------------|------------------------------|
| ☐ | Direct Manipulation Language |
| ☐ | Direct Management Language |
| ☒ | Data Manipulation Language |
| ☐ | Data Management Language |





CS506:Grand Quiz

Question # 22 of 30 (Start time: 07:26:04 PM, 28 June 2021)

An applet is a JFrame that allows interaction with a Java program.

Select the correct option

☒	False
☐	True

cli





CS506:Grand Quiz

Question # 23 of 30 (Start time: 07:26:27 PM, 28 June 2021)

Bytecodes are put in memory by _____ .

Select the correct option

☐	bytecode verifier
☐	editor
☐	compiler
☒	class loader





Question # 24 of 30 (Start time: 07:26:55 PM, 28 June 2021)

Which of the following is a correct listener statement for "mouse click" event in "MouseListener" interface?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | public void Mouseclicked (MouseEvent me) |
| ☐ | public void MouseClicked (MouseEvent me) |
| ☐ | public void mouseclicked (MouseEvent me) |
| ☒ | public void mouseClicked (MouseEvent me) |

Click to Save Answer





CS506:Grand Quiz

Quiz Start Time: 07:15 PM, 28 June 2021

Question # 25 of 30 (Start time: 07:27:29 PM, 28 June 2021)

In the context of Socket Programming, the client does NOT know about the hostname of the machine on which the server is running.

Select the correct option

☒	False
☐	True

Click to Save Answer & Move to Next

CS506:Grand Quiz

Question # 26 of 30 (Start time: 07:27:58 PM, 28 June 2021)

Which command of the following commands is used to compile "JavaTest" java file's code?

Select the correct option

☐	javac JavaTest
☐	java JavaTest.java
☐	java JavaTest
☒	javac JavaTest.java





Question # 27 of 30 (**Start time: 07:28:34 PM, 28 June 2021**)

_____ in a collection class creates a collection with no elements.

Select the correct option

☐	Function
☐	Class
☒	Constructor
☐	Array

Click to Save An





CS506:Grand Quiz

Question # 28 of 30 (Start time: 07:29:06 PM, 28 June 2021)

Timer class constructor requires time in _____.

Select the correct option

☐	seconds
☐	micro seconds
☒	milli seconds
☐	nano seconds

Click to Save





Question # 29 of 30 (Start time: 07:29:31 PM, 28 June 2021)

By implementing this interface, a class declares that it is willing to be _____ by automatic serialization machinery.

Select the correct option

☒	Read
☐	Destroyed
☐	Decode
☐	Checked

Click to Save Answer &





Question # 30 of 30 (Start time: 07:29:51 PM, 28 June 2021)

_____ is correct syntax to get component area of "myFrame" top level container.

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Container c = myFrame->getComponentArea(); |
| ☐ | Container c = myFrame.getContentArea(); |
| ☐ | Container c = myFrame.getComponentPane(); |
| ☒ | Container c = myFrame.getContentPane(); |





CS506:Grand Quiz

Question # 1 of 30 (Start time: 07:39:12 PM, 28 June 2021)

Which of the following statement object is used to execute precompiled SQL statements?

Select the correct option

☐	CallableStatement
☐	None of given
☒	PreparedStatement
☐	Statement

Click





CS506:Grand Quiz

Question # 2 of 30 (Start time: 07:39:46 PM, 28 June 2021)

Which of the following streams is a filter stream?

Select the correct option

☐	All of given options
☒	BufferedReader
☐	FileWriter
☐	FileReader





CS506:Grand Quiz

Question # 3 of 30 (Start time: 07:40:16 PM, 28 June 2021)

Which of the following statement regarding Java is false?

Select the correct option

- | | |
|----------------------------------|---|
| ☒ | A Java program compiles into machine language |
| ☐ | Java is a programming language |
| ☐ | Java is case sensitive language |
| ☐ | Java uses an interpreter |

cf





CS506:Grand Quiz

Question # 4 of 30 (Start time: 07:40:37 PM, 28 June 2021)

In Editor java programs are created, while they are stored on/in _____ .

Select the correct option

☐	usb
☒	disk
☐	primary memory
☐	external file

Click





CS506:Grand Quiz

Question # 5 of 30 (Start time: 07:41:02 PM, 28 June 2021)

Which of the following exceptions can be caught in a throw clause?

Select the correct option

- | | |
|----------------------------------|-------------------------------|
| ☐ | Division by zero exception |
| ☐ | Null pointer exception |
| ☒ | IOException |
| ☐ | Index out of bounds exception |

Click to S





CS506:Grand Quiz

Question # 6 of 30 (Start time: 07:41:33 PM, 28 June 2021)

To compile "Test.java" class, _____ command is used in java.

Select the correct option

- | | |
|----------------------------------|-----------------|
| ☐ | java Test |
| ☐ | javac Test |
| ☐ | java Test.java |
| ☒ | javac Test.java |





Question # 7 of 30 (Start time: 07:42:03 PM, 28 June 2021)

Which of the following statements is true about primitive data types and reference data types?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | Primitive data types are created on heap whereas references are created on stack |
| ☐ | Both primitive data types and references are created on heap |
| ☒ | Primitive data types are created on stack whereas references are created on heap |
| ☐ | Both primitive data types and references are created on stack |

Click to Save Answer





CS506:Grand Quiz

Question # 8 of 30 (Start time: 07:42:31 PM, 28 June 2021)

Which of the following statements is used to attach an input stream to console?

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | <code>FileReader fr = new FileReader(FileDescriptor);</code> |
| ☒ | <code>FileReader fr = new FileReader(FileDescriptor.in);</code> |
| ☐ | <code>FileReader fr = new FileReader(console);</code> |
| ☐ | <code>FileReader fr = new FileReader("input.txt");</code> |





CS506:Grand Quiz

Question # 9 of 30 (Start time: 07:43:04 PM, 28 June 2021)

In given lines of code, _____ is applying .
int a = 20;
double b = a;

Select the correct option

- | | |
|----------------------------------|-------------------------|
| ☐ | upcasting b to a type |
| ☐ | downcasting b to a type |
| ☐ | downcasting a to b type |
| ☒ | upcasting a to b type |

Click to Save





CS506:Grand Quiz

Question # 10 of 30 (Start time: 07:43:34 PM, 28 June 2021)

In order to include graphics in your Java program, it is mandatory to extend from _____ class.

Select the correct option

- | | |
|----------------------------------|---------|
| ☐ | JFrame |
| ☐ | JButton |
| ☐ | JLabel |
| ☒ | JPanel |





CS506:Grand Quiz

Question # 11 of 30 (Start time: 07:44:08 PM, 28 June 2021)

A port is a _____ to which processes can listen for connections request.

Select the correct option

☐	Local Address
☐	Server Address
☒	Transport Address
☐	Client Address

Click t





Question # 12 of 30 (Start time: 07:44:45 PM, 28 June 2021)

Strings in java are represented as _____

Select the correct option

☐	Operators
☐	Native data types
☐	Primitive data types
☒	Reference data types





CS506:Grand Quiz

Question # 13 of 30 (Start time: 07:45:14 PM, 28 June 2021)

Which of the following objects is passed as an argument to paintComponent() method?

Select the correct option

☐	Image object
☒	Graphics object
☐	JFrame object
☐	JPanel object

Click to Sa





Question # 14 of 30 (Start time: 07:45:44 PM, 28 June 2021)

An applet is typically embedded in a Web page and can be run from a browser.

Select the correct option

☒	True
☐	False

Click to Save Answer &

Question # 15 of 30 (Start time: 07:46:06 PM, 28 June 2021)

In ResultSetMetaData methods, _____ method returns the SQL type for the column to compare against types in java.sql.Types.

Select the correct option

☐	getColumnDisplaySize (int)
☒	getColumnType (int)
☐	getColumnName(int)
☐	getColumnCount ()

Click to Save Answer & Move to N





CS506:Grand Quiz

Question # 16 of 30 (**Start time: 07:46:32 PM, 28 June 2021**)

_____ is required in order to get an object from collection.

Select the correct option

☒	Down casting
☐	None of the given options
☐	Up-casting
☐	Implicit casting





Question # 17 of 30 (Start time: 07:46:55 PM, 28 June 2021)

Window, frame and dialog use _____ as their default layout.

Select the correct option

- | | |
|----------------------------------|----------------|
| ☒ | Border layout |
| ☐ | Flow layout |
| ☐ | Grid layout |
| ☐ | GridBag layout |

Click to Save Answer &





Question # 18 of 30 (Start time: 07:47:24 PM, 28 June 2021)

Which of the following features is available in java?

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Pointers |
| ☐ | Operator overloading |
| ☒ | Primitive data types |
| ☐ | Global variables |

Click to Save Answer &





CS506:Grand Quiz

Question # 19 of 30 (Start time: 07:47:52 PM, 28 June 2021)

Which of the following statements is true regarding paintChildren() method?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | It tells the component to paint its border. |
| ☒ | It tells any components contained by this component to paint themselves. |
| ☐ | It first paints the background and then performs custom painting. |
| ☐ | It first performs custom painting and then paints the background. |

Click





CS506:Grand Quiz

Question # 20 of 30 (**Start time: 07:48:26 PM, 28 June 2021**)

Choose the correct syntax to declare an abstract java class named as "Person".

Select the correct option

- | | |
|----------------------------------|--------------------------------|
| ☐ | public class Person abstract{} |
| ☐ | public class abstract Person{} |
| ☒ | public abstract class Person{} |
| ☐ | abstract public class Person{} |





CS506:Grand Quiz

Question # 21 of 30 (Start time: 07:49:25 PM, 28 June 2021)

HTTP works on port _____.

Select the correct option

- | | |
|----------------------------------|----|
| ☐ | 21 |
| ☒ | 80 |
| ☐ | 84 |
| ☐ | 23 |





Question # 22 of 30 (Start time: 07:49:50 PM, 28 June 2021)

Which of the following method is used to release the JDBC and database resources in ResultSet?

Select the correct option

- | | |
|----------------------------------|------------|
| ☒ | close() |
| ☐ | previous() |
| ☐ | getters |
| ☐ | next() |

Click to Save Answer





CS506:Grand Quiz

Question # 23 of 30 (Start time: 07:50:15 PM, 28 June 2021)

In Java, Serializable Interface can be found under _____ package.

Select the correct option

- | | |
|----------------------------------|-----------|
| ☐ | java.util |
| ☐ | java.net |
| ☒ | java.io |
| ☐ | java.sql |

Click to S





Question # 24 of 30 (Start time: 07:50:45 PM, 28 June 2021)

In Java, _____ types of statement objects are available for sending SQL queries to the databases.

Select the correct option

- | | |
|----------------------------------|-------|
| ☐ | Five |
| ☐ | Four |
| ☒ | Three |
| ☐ | Two |

Click to Save Ansv





CS506:Grand Quiz

Question # 25 of 30 (Start time: 07:51:14 PM, 28 June 2021)

ResultSet provides various getters to retrieve _____.

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☒ | data of the column |
| ☐ | data of the row |
| ☐ | column headers |
| ☐ | data of the row and column |





CS506:Grand Quiz

Question # 26 of 30 (Start time: 07:51:34 PM, 28 June 2021)

In Java, if a super class method is protected then overriding method _____.

Select the correct option

- | | |
|----------------------------------|-----------------------------------|
| ☐ | must be private |
| ☐ | must be public |
| ☐ | must be protected |
| ☒ | may be either protected or public |

Click





CS506:Grand Quiz

Question # 27 of 30 (Start time: 07:52:00 PM, 28 June 2021)

Which of the following statement object is used to execute using same query multiple times by only changing parameters?

Select the correct option

☐	CallableStatement
☐	Statement
☒	PreparedStatement
☐	Both PreparedStatement and CallableStatement





CS506:Grand Quiz

Question # 28 of 30 (Start time: 07:52:38 PM, 28 June 2021)

In the context of Java Graphics, paintChildren() method tells any component contained by this component to paint itself.

Select the correct option

☐	False
☒	True

Click to Save





Question # 29 of 30 (Start time: 07:53:04 PM, 28 June 2021)

Which of the following is NOT a method of ResultSet method?

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | next() |
| ☒ | executeQuery(sql) |
| ☐ | updateRow() |
| ☐ | absolute(int) |

Click to Save Answer





CS506:Grand Quiz

Question # 30 of 30 (Start time: 07:53:34 PM, 28 June 2021)

How many simultaneous connections can be opened using TCP and UDP ports?

Select the correct option

☒	128k
☐	64
☐	64k
☐	128

Best short lectures by Tutor Sadiq Ahmed

https://www.youtube.com/channel/UCjboEX65C_yN7as5di1OuIQ/playlists





CS506 - Web Design and Development



Sadiq Ahmed

121 subscribers

HOME

VIDEOS

PLAYLISTS

CHANNELS

DISCUSSION

ABOUT



Created playlists



Data Communications

VIEW FULL PLAYLIST



C++ Introduction & Basic Concepts

VIEW FULL PLAYLIST



Computer Architecture & Assembly Language

VIEW FULL PLAYLIST

Virtual Academy For all Subjects and Projects

<https://www.youtube.com/channel/UC0AihThg8aPr5TcfIqTUKWQ>

ALL GQ OLD and NEW solved files now in click

Subscribe my channel

Search



Sonu Ilyas Mughal

82 subscribers

HOME

VIDEOS

PLAYLISTS

CHANNELS

DISCUSSION

ABOUT



Uploads

PLAY ALL



Grand Quiz correct
Solved by Sonu Ilyas Mugh...
31 views · 6 hours ago



21 June 2021
5 views · 7 hours ago




VU grand Quiz Result of Our
Enrol students marks...
253 views · 3 weeks ago



Online academy for all
subjects and projects...
258 views · 1 month ago



VIRTUAL ASSISTANCE
WITH SONU MUGHAL
ONLINE ACADEMY
0306 3548328
60 views · 7 months ago



How to Select Project Cs619
56 views · 1 year ago



03063548328 Sonu Ilyas Mughal



CS506 - Web Design and Development



Support us to get more informative videos and notes

Sonu Ilyas Mughal





CS506 - Web Design and Development



VIRTUAL ASSISTANCE **WITH SONU MUGHAL**

ONLINE ACADEMY FOR ALL SUBJECTS AND PROJECTS OF VU



0306 3548328

✉ **sonuilyasmughal@gmail.com**

Subjects Enrolment

- 1) Lecture live on Zoom
- 2) Written Lectures (pdf)
- 3) Recorded Videos
- 4) Topic wise Notes
- 5) Short QA Solved
- 6) MCQs Solved
- 7) Solved Past and Current paper
- 8) Solved Graded Activities
(Assignment Quiz GDB)

Activity
Detailed
Information

Project Enrolment Complete training with Live classes on Zoom

- 1) SRS (Software Requirements Specification)
- 2) DD (Design Document)
- 3) Test phase
 - a) Test phase viva (Live Classes for viva preparation)
- 4) Final Deliverable
 - a) Final coding
 - b) Final presentation
 - c) Final report
 - d) Pre final viva (Coding Viva)
 - e) Final viva (Overall Presentation)

*First See Our Result
Than Join Us!*



03063548328 Sonu Ilyas Mughal



CS506 - Web Design and Development



ONLINE ACADEMY FOR ALL SUBJECTS

and Projects with **Sonu Ilyas Mughal**

Online Academy For all subjects
and Projects with Sonu Ilyas Mughal

If you need any assistance

For **Mid Term Quiz, Special Assignment,
Graded Activities, Final Exam Preparation**

100 % MARKS Surety otherwise **REFUND**

First Come First Serve
Reserve your seat before

First see our previous Result then Enroll with satisfaction
Virtual Assistance Sonu Ilyas Mughal

CONTACT

[YOUTUBE.COM/CHANNEL/UCOAIHTG8APR5TCFJQTUKWQ](https://www.youtube.com/channel/UCOAIHTG8APR5TCFJQTUKWQ)

WHATSAPP: 03063548328

FB: FB.COM/SUMBALILYASMUGHAL.MUGHAL

EMAIL: SONUILYASMUGHAL@GMAIL.COM.COM



03063548328 Sonu Ilyas Mughal