BT301 CURRENT MCQS FOR (FINAL TERM)

1. Probe is fragment of DNA/RNA which is labelled with P32.
2. Happy mapping is an technique in Vitro.
3. The minor groove of the DNA helix. 3.4A
4. The nucleotide in DNA molecules are joined by Phosphorus diestor bond.
5. Human have genome size 3MB.
6. The loss of plasmid Segregative instability.
7. PBR322 contain resistance against Tetracycline.
8. Lady claudia suffering from trachaal disease was named as Claudia 7 racbia.
9. In 1876 Kuline discovered enzyme Trypsin.
10. YACs in which larger fragment of DNA can be inserted.
11. Degradation of protein was prevented by somatostatin and B-Glactosidase.
12. Mutagensis change in genetic information of an organism.
13. PCR used for two amplify of target sequences.
14. RT-PCR is by means of Reverse transcriptase.
15. Which is the type of PCR reaction fragment of DNA randomly amplified RAPD.
16. Genomic can study the genome All set of gene present in an organisms.
17. DNA profiling technique to identify individual character of their DNA.
18. PCR-molecular polentology refer to Analysis of ancient human animal and plant enemies.
19. Clone by clone a map of chromosomal gene is made before DNA is split into fragment.
20. Micro array are used to study the expression of many genes.
21. Phage display determine enzyme specified to generate target specific antibodies.
22. PCR-Site directed mutageneous single bases mismatched between amplification primer and template become incorporate into template sequences as a result of amplification.
23. M13 filamentous bacteriophage, single sited DNA without killing host.
24. Bacteria plasmid range of E.coli 1-200 dalta.
25. Which one is naturally occurring plasmid Col Ei, Ps101.
26. Plasmid which were not constructed in vitro soil purpose of charging.
27. DNA sequencing determine the order of nucleotide with in DNA molecule.
28. A method of DNA sequencing which make use of chemical reagent to bring about base specific cleavage of DNA Maxim method.
29. Which is not used in separation method of DNA, RNA or protein HCL.
30. In chromosomes of specific gene determine the location and distance between the genes in chromosomes is called Genome mapping.
31. Disadvantage of using Psc101 In cloning. It has low molecular weight.
32. Cosmid vector: Plasmids have been constructed which contain a fragment of ʎ DNA including *'cos'* site
33. Which vector has long life span____Both (YACs and BACs)
34. A great advantage of hybridization for library screening is that Versatile.
35. Immunochemical screening involves the use of antibodies that specifically recognize antigenic determinants on the polypeptides synthesized by a target clone
36. Mobile DNA moves with genome.
37. Lemda ZAP is present in_____.E.Ccoli

VU BLOG ANIMALS

38. Autoradiography: A technique using X-ray film to visualize fragment of molecules.
39. RAPD-Random amplification of polymorphic DNA is a type of PCR reaction but the segments of DNA that are amplified are random.
40. How many types of ribonucliotide 4.
41. Sequences that were used beyond 400bp contain an average error. 3.2%.
42. Degradation of protein was prevented by somatostatin and β-galactosidase
43. Mutagensis change in genetic information of an organism.
44. RT-PCR is by means of Reverse transcriptase.
45. PCR-molecular polentology refer to Analysis of ancient human animal and plant enemies.
46. Clone by clone a map of chromosomal gene is made before DNA is split into fragment.
47. Micro array are used to study the expression of many genes.
48. Phage display allows the expression of exogenous polypeptides on surface of many genes.
49. Phage display determine enzyme specified to generate target specific antibodies.
50. PCR-Site directed mutagenesis single bases mismatched between amplification primer and template become incorporate into template sequences as a result of amplification.
51. Which is not used in separation method of DNA, RNA or protein HCL.
52. Disadvantage of using Psc101 In cloning. It has low molecular weight. **Lecture 95
53. filamentous bacteriophage, single sited DNA without killing host.__M13
54. Define :Chromosomal walking: Walking along the chromosome is a term used to describe an approach which allows the isolation of gene sequences whose function is quite unknown but whose genetic location is known Chromosomal walking.
55. The loss of plasmids due to defective partitioning is called segregative instability.
56. Molecular paleontology refers to the recovery and analysis of DNA and protein from ancient human, animal and plant remains
57. Nucleosideconsist of 2 main component.
58. Anti codon sequences is present on mRNA,
59. The simple arrangement which a polypeptide chain could assume with its rigid peptide bond is a helical structure which was called Cory & Pauling.
60. Southern blotting is a libratory technique used to detect specific DNA.
61. Nomenclature system of Restriction modification was proposed by Smith and Nathans
62. Genome research helpful for All
63. .....degrade particular transcript of mRNA in a cell to lower the expression of particular gene, SiRNA,
64. When distance in genome mapping are calculate in items of unit then this map is physically linkage.
65. Which enzyme introduce phosphate group from ATP molecules Kinase.
66. Bacteriophage vector can absorb foreign DNA fragment of a 24kbp,
67. Nucleotide change into nucleoside due to phosphate group
68. Which of the following is bacterion ....E-Coli
69. The host that contain target clones .....Recombinant
70. The expression of foreign protein control by ..... Ribosomes (Note sure)
71. Which of the following enzyme introduce ATP ...kinase
72. Plasmids have been constructed which contain a fragment of ʎ DNA including 'cos' site
73. LTRs consist of 250-600 bp
74. Genomes of bacteria is greater than .... both animal and plant

VU BIO ANIMALS

75. *Tremblaya princeps* 140kb,
76. Hairpin loops form between nearby self-complementary sequences.
77. During runway a copy of plasmid with increase temperature. increase
78. Hemoglobin protein have .....types of subunits .4
79. .....carry information from DNA. mRNA.
80. DNA is a polymer of nucleotide.
81. Combination of cloned DNA fragments inserted into a collection of host cell is called cDNA
82. Primary structure of protein is also called covalent Structure.
83. small organism has.....coding density.85 to 90% (high)
84. western blotting are used for protein
85. .....a natural occurring plasmid. Col E1
86. psc101 is a natural plasmid from. Salmonella panama.
87. pBR322 is an example of .....constructed vehicle. in vitro.
88. PCR is used to amplify. DNA.
89. In phage-ʎ DNA yields about .....plague vector of DNA .10^6.
90. a pentose sugar has five carbon atoms
91. LamdaZAP is a (BACs)
92. genome size of ____ DNA is about 2.8*10°6 kbp ...Human
93. Franklin and Wilkin performed .....for analysis of DNA Fibers. X-ray diffraction.
94. Sec structure of protein refer to the local confirmation of some part of a polypeptide.
95. One complete turn of DNA encodes3.6 amino acids.
96. Where are the R groups are arranged in Beta plated sheet.
97. Bacteria typically have a single circular chromosomes composed of DNA with associated protein.
98. During western blotting technique we detect immobilized Protein.
99. If we remove cell from remaining cell is called....protoplast
100. Degrades particular technique of mRNA in a cell to lower the expression of a particular gene.
101. Ti plasmid is found in.....
102. Genome size of .....DNA is about 2.8*10^6 kilo base. human.
103. cDNA lacks .....sequences which are present in genomic DNA. Non-Coding.(intron)
104. mRNA usually contains 5 at the tail ends.
105. Instability of plasmids to coexist in a cell due to incompatibility:
106. In vitro packaging lamda phages DNA yield _____plaque/micro g of vector DNA .10 power 6.
107. genome size of _____ DNA is about 2.8*10°6 kbp (human
108. Selection of codon in case of degeneracy is _____ (random)
109. In expression of protein _____ must be present , promotor)
110.

V-BIOANIMALS