(C) ... (D) All of these.

SINDH PUBLIC SERVICE COMMISSION. HYDERABAD

PRE-INTERVIEW WRITTEN TEST

FOR RECRUITMENT TO THE POST OF

LECTURERS BOTANY BPS-17

Wednesday the 25 January 2006 Page: Shafquat Ali

Time: 2.00 p.m. to 3.00 P.M. **Max Marks: 100**

QUESTION PAPER.

General Instructions

1. Candidates are to attempt all questions , All questions carry equal marks.
2. Answer all Questions on Answer Sheet provided.
3. Write your Roll No., Name, Father's Name & Center on the Answer Sheet WITHIN THE SPACE PROVIDED. DO NOT WRITE THESE DATA ANYWHERE ELSE ON THE ANSWER SHEET. DOING SO WILL RENDER YOU TO PENALTIES.
4. Each mistake made will result in deduction of half mark.
5. Circle the appropriate answer in BLUE or BLACK BALL POINT/FOUNTAIN PEN only.
6. SIGN YOUR ANSWER SHEET IN SPACE PROVIDED.
7. Return your Answer Sheet when you are asked to.

QUESTION NO:

1. Algae which inhibits the snow are termed as:
   a) Cryophytes b) Cryptophytes. c) Halophytes.
2. Flagellated cells are absent in class:
   a) Chlorophyceae b) Xanthophyceae. c) Cyanophyceae.
3. Site for nitrogen fixation in blue green-algae is:
   a) akienete b) heterocyst c) harmospore

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

4. "Conjugation" a type of reproduction in algae is found in :
   a) chlamydomonasb) oedogonium. c) spirogyra.
5. Thermal algae belongs to class:
   a) cyanophyceae b) rhodophyceae. c) chlorophyceae.
6. Irregular colonies are called:
   a) dendroid b) coenobic c) palmelloid
7. Plants without vascular tissue and having naked reproductive structures are:
   a) bryophyte b) fungi c) algae
8. Algae which is frequently used as food is:
   a) ectocarpus b) oedogonium c) ulva
9. Dominant plant body in bryophyte is:
   a) haploid b) diploid
10. A complete set of chromosome inherited as a unit from one parent is a:
   a) DNA b) gene c) gamete
11. Stomata's are most largely present on:
   a) stem b) root c) leaf
12. Cambium is not found in:
   a) dicot b) monocot c) gymnosperm.
13. Star shaped sclereids are called:
   a) astro sclereids b) asteo sclereids c) braceosclereids
14. The secondary thickening-of the wall of the sclerenchyma is:
   a) cellulose b) lignin c) pectin
15. Peel off method is used for the study of all types of fossil:
   a) TRUE b) FALSE
16. Cast and mold have organic structures:
   a) TRUE b) FALSE
17. Two elements needed for the production of chlorophyll are:
   a) chlorine and copper b) calcium and phosphorus
   c) magnesium and iron
18. An example of saprophyte is:
   a) bread mold b) lichen c) athlete's food fungus
19. A disease caused by bacteria is:
   a) small pox b) rabies c) poliomyelitis d) tetanus
20. Poisons produces by bacteria aye:
   a) antibodies b) toxins
   c) toxoids d) antitoxins
21. All the following are the examples of consumers except:
   a) parasite b) carnivorous
   c) green plants d) saprophytes

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

22. A cactus is an example of:
a) hydrophyte b) xerophyte
c) saprophyte d) pteridophyte

23. A food that may be contaminated by mercury is:
a) chicken b) fish c) turkey

24. A fibrous type of root is present in:
a) carrot b) radish c) oak tree d) grasses

25. Organisms that live together in a relationship that benefits both of them illustrate:
a) saprophytisum b) mutualism c) parasitism d)fermentation

26. The simplest method of reproduction is
a) conjugation b) fertilization c) fission d) sporolution

27. All the following are fruits except:
a) tomato b) cucumber c)com d) orange e) carrot

28. The exchange of genes between homologous chromosome is called:
a) polyploidy b) test cross c) crossing over d) synapse

29. When Mendel crossed hybrids, he derived:
a) law of dominance b) law of incomplete dominance
c) law of segregation

30. All the following are archegoniate plant except:
a) marchantia b) lycopodium c) stigeoclomum d) pinus

31. A fossil plant Rhynia is named after its:
a) explorer b) locality c) geological era

32. A rhizophpje in Sellagiaiella is a part of:
a) root b) stem c) sporangium

33. Sclefenchyma:
a) storagetissue b) mechanical-tissue
c) assimilatory tissue d) vascular tissue

34. Ectocarpus, a brown alga is found in:
a) fresh water b) marine water c) pond water

35. Agar Agar is derived from the cell wall of:
a) brown algae b) green algae c) blue-green algae d) red-algae

36. A seed is:
a) a female gametophyte b) a mature^ovule
c) an immature embryo

37. Energy from fossil fuel is
a) renewable b) non renewable

38. Smog is a case of
a) air pollution b) acid rain
c) ozone layer thinning

39. Glycolysis starts and ends in the:
a) nucleus b) mitochondria
c) plasma membrane d) cytoplasm

Page: Shafquat Ali

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

40. The pathway of aerobic respiration is completed in the
a) nucleus b) mitochondria' d) cytoplasm
c) plasma membrane

41. Electron transport system involves:
a) enzymes and cofactors b) electron transferee
c) cell membranes d) all of the above

42. The mode in which sepals are arranged in a flower buds is:
a) placentation b) "aestivatiort" c) phylotaxis

43. A mango is an example of
a) pome b) drupe c) pepo

44 A fleshy many seeded fruit developing from an inferior one celled or three celled syncarpous pistil with parietal placentation is:
a) pome b) drupe c) pepo

45. Plant growth depends on:
a) cell division b) harmones
c) cell enlargement d) all of above

46. Solar radiation drives the distribution of weather systems so influences the distribution of a:
a) every single ecosystem b) ecosystem of land only
c) all ecosystem except those at hydrothermal veints

47. Pollutants disrupt the ecosystem because
a) there are no evolved mechanism to deal with them
b) there components differ from natural substances
c) there effect is only on ecosystem not on humans

48. Which of the following is not formed during glycolysis
a.) NADH b) pyruvate c) $FADH_2$ d) ATP

49. Placentation in Pea plant is:
a) Mtile b) irtarginal c) basal

50. A racemos inflorescence with elongated axis, sessile/lowers and overlapping spathes is:
a) spadix b) umbel c) hypanthodium

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

a) spadix b) limbo

SINDH PUBLIC SERVICE COMMISSION, HYDERABAD

PRE-INTERVIEW WRITTEN TEST

FOR RECRUITMENT TO THE POST OF

LECTURERS PHYSICS BPS -17

Thursday the 26th January, 2006

Time: 10:00 A.M to 11:00 A.M.

Max Marks: 100

QUESTION PAPER

General Instructions

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

Lecturer Botany MCQs Past Papers

(1) The spores in bryophytic plant represent the first cell of the:
(a) Gametophytic generation
(b) Sporophytic generation
(c) Asexual generation
(d) All of these Mansoor Ahmed Suhag
(e) None of these
(2) Algal members of classes Euglenophyceae and chlorophyceae are similar in the:
(a) Cell wall structure
(b) Reserve food
(c) Pigment composition
(d) Structure of flagella
(e) None of these
(3) Crystocarp is a structure developed after fertilization in:
(a) Blue green algae
(b) Actinomycetes
(c) Bryophetes
(d) Red algae
(e) None of these
(4) Rice belongs to family:
(a) Malvaceae
(b) Fabiaceae
(c) Solonaceae
(d) Poaceae

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(5) Gametophyte of fern is called:
(a) Prothallus
(b) Protocorm
(c) Thallus Mansoor Ahmed Suhag
(d) Gametangia
(e) None of these
(6) The sieve elements are major component of:
(a) Cambium
(b) Apical meristem
(c) Xylem
(d) Phloem
(e) None of these
(7) Which one of these is a parasite:
(a) Sunflower
(b) Begonia
(c) Biden
(d) Brasica
(e) None of these
(8) Sporophytic generation is borne upon gametophyte and is dependent on it. This feature is present in:
(a) Cycas
(b) Adiantam
(c) Equisetum
(d) All of these
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(9) Double fertilization is a typical characteristic of:
(a) Algae
(b) Fungi
(c) Bryophytes
(d) Angiosperm
(e) All of these

Mansoor Ahmed Suhag

(10) Marchantia reproduces vegetatively by:
(a) Apospory
(b) Gemma Cup
(c) Budding
(d) All of these
(e) None of these
(11) Plant cell wall is composed of:
(a) Cellulose
(b) Polypeptides
(c) Phospholipids
(d) Starch
(e) None of these
(12) Stele in which primary vascular tissues are arranged in discrete strands around a pit is called:
(a) Prostele
(b) Radial stele
(c) Centric stele
(d) Eustele
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(13) In which the following edible part is obtained from the Rhizome:
(a) Potato
(b) Ginger
(c) Sugar beet
(d) Onion
(e) None of these

Mansoor Ahmed Suhag

(14) Fertilization within an unopened flower is called:
(a) Cleistogramy
(b) Cleistocary
(c) Isogamy
(d) Oogamy
(e) None of these
(15) Meiosis takes place during:
(a) Gamete formation
(b) Zygote formation
(c) Cambium formation
(d) All of these
(e) None of these
(16) Edible fungus is:
(a) Penicillium
(b) Agaricus
(c) Aspergillus
(d) Phythium
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(17) Speciation is:
(a) Origin of species
(b) Evolution of species
(c) Identification of species
(d) Preservation of species
(e) None of these
(18) Collective name given to sporangia in fern is:
Mansoor Ahmed Suhag
(a) Sorus
(b) Sporangium
(c) Spathe
(d) Sporangiophore
(e) None of these
(19) Small, spherical protein bodies surrounded by starch deposits in chloroplasts of many algae are:
(a) Lecoplasts
(b) Ribosomes
(c) Microsomes
(d) Pyenidium
(e) None of these
(20) Heterocysts are present in:
(a) Volvox
(b) Clostridium
(c) Cycas
(d) E-Coli
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(21) Enzyme Fumarase convert fumaric acid into:
(a) Citric acid
(b) Isocitric acid
(c) lactic acid
(d) Glutamic acid
(e) None of these
(22) Plants growing under saline conditions are:
Mansoor Ahmed Suhag
(a) Holophytes
(b) Mesophytes
(c) Hygrophytes
(d) Halophytes
(e) None of these
(23) The first product of CO2 fixation in C3 plants is:
(a) Phosphoglyceric acid
(b) Glycolic acid
(c) Citric acid
(d) Glutamic acid
(e) None of these
(24) Mutations are most likely to be caused by:
(a) 1AA
(b) CO2
(c) Dextrose
(d) Glycine
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(25) Most of the water absorption in plants takes place through:
(a) Root caps
(b) Root hairs
(c) Stomata Mansoor Ahmed Suhag
(d) All of these
(e) None of these
(26) Oxygen produced during photosynthesis comes from:
(a) CO2
(b) Carboxylic acid
(c) Glucose
(d) Protein
(e) None of these
(27) Chloroplasts in bundle sheath cells of C4 plants do not contain:
(a) Grana
(b) Stroma
(c) Thylakoids
(d) All of these
(e) None of these
(28) A group of major biotic communities occupying a climatic region of earth is called:
(a) Biome
(b) Biosphere
(c) Biotype
(d) Phenotype
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(29) In which group of plants stomata open during night:
(a) C3 plants
(b) C4 plants
(c) Halophytes
(d) CAM plants
(e) None of these

Mansoor Ahmed Suhag

(30) The occurrence of vegetation in layers is known as:
(a) Scarification
(b) Stratification
(c) Physiognomy
(d) Pattern
(e) None of these
(31) A plasmid is a:
(a) DNA
(b) RAN
(c) Protein
(d) Microsome
(e) None of these
(32) The total Genetic material within a cell is:
(a) Gene bank
(b) Genetic load
(c) Genome
(d) Genetic Marker
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(33) Ribsomal RNA helps in:
(a) Replication
(b) Transcription
(c) Translation
(d) Translocation
(e) None of these
(34) Which one of the following ions plays most important role in stomatal movement?
(a) K+ Mansoor Ahmed Suhag
(b) Ca++ (c) Cl–
(d) Na+
(e) None of these
(35) Dormancy in seeds may be due to:
(a) Hard seed coat
(b) Chemical Inhibitors
(c) Immature embryo
(d) All of these
(e) None of these
(36) How many ATP molecules are produced when one hexose sugar molecule is converted into two molecules of pyruvic acid during glycolysis?
(a) 15
(b) 26
(c) 28
(d) 36
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(37) Open sea constituting about 90% of total ocean surface is called:
(a) Pelgaic zone
(b) Littoral zone
(c) Intertida zone
(d) Neritic zone
(e) None of these

Mansoor Ahmed Suhag

(38) Which one of the following RNAs is non-genetic and brings amino acids to the site of protein synthesis?
(a) m RNA
(b) t RNA
(c) hn RNA
(d) pre-r RNA
(e) None of these

(39) Transfer of material , from higher concentration to lower concentration across semipermeable membrane is called:
(a) Mass flow
(b) Osmosis
(c) Ascent of Sap
(d) Diffusion
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(40) Optimum phosphorus uptake by roots takes place at:
(a) Neutral pH
(b) Acidic pH
Mansoor Ahmed Suhag
(c) Alkaline pH
(d) All of these
(e) None of these
(41) The Green Algae belongs to:
(a) Cyanochloranta
(b) Chlorophycophyta
(c) Charophyta
(d) Cryptophycophyta
(e) None of these
(42) If the gametes and gametangia in Fungi are of unequal size, they are termed as:
(a) Heterothallic
(b) Homothallic
(c) Isogametes
(d) Anisogametes
(e) None of these
(43) Chlorophyll 'd' exists in:
(a) Pyrrophyta
(b) Phaeophyta
(c) Cryptophyta
(d) Rhodophyta
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(44) Which of the type of chlorophyll is rare in Xanthophyceae and has been determined in only two of its genera:

(a) chlorophyll 'a'

(b) chlorophyll 'e'

Mansoor Ahmed Suhag

(c) chlorophyll 'b'

(d) chlorophyll 'd'

(e) None of these

(45) The Axoneme in an algal filament is composed of _____ fibrils:

(a) five

(b) seven

(c) eleven

(d) one

(e) None of these

(46) An antibiotic called "Chlorellin" is derived from:

(a) Chara

(b) Spirogyra

(c) Volvox

(d) Chlorella

(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(47) In Pakistan, Volvox is found abundantly in water ponds during the months of:
(a) March and April
(b) May and June
Mansoor Ahmed Suhag
(c) November and December
(d) January and February
(e) None of these
(48) B
ecause of extracting _____ from water and depositing it in their walls different species of Chara are referred to as "Stone Worts:
(a) Sodium chloride
(b) Calcium carbonate
(c) Potassium sulphate
(d) Potassium nitrate
(e) None of these
(49) Puccinia graminis causes _____ in wheat:
(a) Yellow or stripe rust
(b) Brown or orange leaf rust
(c) Black or stem rust
(d) Loose green smut
(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450

(49) Puccinia graminis causes _____ in wheat: Mansoor Ahmed Suhag

(a) Yellow or stripe rust

(b) Brown or orange leaf rust

(c) Black or stem rust

(d) Loose green smut

(e) None of these

(50) The zero and one stages of Puccinia graminis are produced on:

(a) Triticum aestivum

(b) Hordeum Vulgare

(c) Sorghum Vulgare

(d) Barberis Vulgaris

(e) None of these

Click here join group: https://www.facebook.com/groups/css.pcs
WhatsApp Group: 03013515450



More Join.• CSS FPSC PCS SPSC NTS JOBS AND TEST FORUM

Click here join group: https://www.facebook.com/groups/css.pcs

WhatsApp Group: 03013515450