

VU STARS

I Can Manage Your LMS Including

- All Assignment,
- All Quizze,
- All GDBs
- Data Mid/Final Term

Join Us on WhatsApp
By using this QR Code



Waqas Mughal
WhatsApp contact



Paid Service on Activity Base

○ Quiz

✓ Rs 130

○ Assignment

✓ Rs 200 to 300

○ GDBs

✓ Rs 100

Note:

If marks are below then 50% in any Quiz, then half payment return or Adjustment in Next Quiz.

Join Us of Facebook Group:

<https://www.facebook.com/groups/206719241616137/?ref=share>

VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں ورچوئل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔
اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ،
فیس پے اور چینج سٹڈی پروگرام وغیرہ۔
Email: waqasahmeduog@gmail.com

Paid

VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جاب ہو لڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر
سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

Email:

waqasahmeduog@gmail.com

انشاء اللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

Question # 1 of 10 (Start time: 09:29:11 PM, 15 August 2022)

The _____ is the number of signal elements sent per unit time.

Select the correct option

☐	Period
☐	Bit rate
☒	Signal rate
☐	Data rate

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 09:30:07 PM, 15 August 2022)

Checksum is an error-detection technique that can be applied to a message of _____ length.

Select the correct option

☐	Exactly 4
☐	Exactly 32
☐	Exactly 8
☒	Any

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 09:30:24 PM, 15 August 2022)

Data Link layer provides services to the _____ layer.

Select the correct option

☒	Network
☐	Session
☐	Transport
☐	Application

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 09:30:33 PM, 15 August 2022)

The message 110 sent by a source is received by a destination as 111. This is _____type of error.

Select the correct option

☒	Single-Bit
☐	Byte
☐	Burst
☐	Multi-Bit

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 09:31:13 PM, 15 August 2022)

In even parity check code, the value of syndrome is _____ if the number of 1s is even.

Select the correct option

☐	2
☐	1
☐	4
☒	0

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 09:31:31 PM, 15 August 2022)

A3:34:45:11:92:F1 is a _____ link layer address.

Select the correct option

☒	Unicast
☐	Multicast
☐	Multiplex
☐	Broadcast

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 09:33:08 PM, 15 August 2022)

If the Hamming distance between sent and received code word is _____, then it shows that received data is corrupted.

Select the correct option

☐	$= 0$
☒	$\neq 0$
☐	$\neq 1$
☐	$= 1$

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 09:33:42 PM, 15 August 2022)

In Block coding we divide our message into blocks of k bits called as _____

Select the correct option

☒	Data words
☐	Code words
☐	Cross words
☐	Passwords

Email: waqasahmeduog@gmail.com

Email: waqasahmeduog@gmail.com

Fb Page:

https://www.facebook.com/groups/206719241016137/?ref=share_group_link

WhatsApp: 03066295623

Email: waqasahmeduog@gmail.com

WhatsApp Group:

<https://chat.whatsapp.com/IDhmrfSfZ3B64jiWVOBQ3P>

Question # 10 of 10 (Start time: 09:34:17 PM, 15 August 2022)

The extra bits added with the original data for error detection/correction are called _____.

Select the correct option

☐	Port numbers
☐	Fault bits
☐	Process IDs
☒	Redundant bits

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 09:36:37 PM, 15 August 2022)

_____ is responsible for governing node to node communication.

Select the correct option

☒	Data Link layer
☐	Presentation Layer
☐	Session Layer
☐	Application Layer

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 09:37:04 PM, 15 August 2022)

Data Link layer receives services from the _____ layer.

Select the correct option

☒	Physical
☐	Session
☐	Transport
☐	Application

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 09:37:54 PM, 15 August 2022)

In Linear Block codes, _____ of two valid code words creates another valid code word.

Select the correct option

☐	OR
☐	AND
☐	NOR
☒	XOR

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 09:38:20 PM, 15 August 2022)

In Block coding scheme, number of code words is always _____ data words.

Select the correct option

☐	Greater than
☐	Same as
☒	Equal to
☐	Less than

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 09:39:10 PM, 15 August 2022)

The _____ is the number of signal elements sent per unit time.

Select the correct option

☐	Bit rate
☐	Data rate
☐	Period
☒	Signal rate

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 09:39:35 PM, 15 August 2022)

In Block coding we divide our message into blocks of k bits called as _____

Select the correct option

☐	Cross words
☐	Passwords
☒	Data words
☐	Code words

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 09:39:45 PM, 15 August 2022)

In order to find Hamming distance between two pair of words, _____ logical operation is used.

Select the correct option

☐	AND
☒	XOR
☐	OR
☐	NAND

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 09:40:06 PM, 15 August 2022)

A3:34:45:11:92:F1 is a _____ link layer address.

Select the correct option

☐	Multicast
☐	Multiplex
☐	Broadcast
☒	Unicast

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 09:40:21 PM, 15 August 2022)

In order to resolve link layer address of the next node, the first generated ARP request is always in _____ mode.

Select the correct option

☒	Broadcast
☐	Multiplex
☐	Unicast
☐	Multicast

Email: waqasahmeduog@gmail.com

Email: waqasahmeduog@gmail.com

Fb Page:

**[https://www.facebook.com/groups/206719241016137/?
ref=share_group link](https://www.facebook.com/groups/206719241016137/?ref=share_group_link)**

WhatsApp: 03066295623

Email: waqasahmeduog@gmail.com

WhatsApp Group:

**[https://chat.whatsapp.com/IDhmrfSfZ3B64jiWVOBQ
3P](https://chat.whatsapp.com/IDhmrfSfZ3B64jiWVOBQ3P)**

Question # 1 of 10 (Start time: 09:46:26 PM, 15 August 2022)

The message 110 sent by a source is received by a destination as 111. This is _____type of error.

Select the correct option

☐	Byte
☒	Single-Bit
☐	Burst
☐	Multi-Bit

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 09:46:40 PM, 15 August 2022)

DLC in Data Link Layer stands for ____.

Select the correct option

☒	Data Link Control
☐	Data Line Code
☐	Demand Link Coordination
☐	Divide Line Communication

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 09:47:49 PM, 15 August 2022)

In _____ type of error, two or more bits in the data unit will be changed.

Select the correct option

☐	Single bit
☒	Burst
☐	Mono
☐	Zero

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 09:48:07 PM, 15 August 2022)

Data link layer is divided into _____ sub layers.

Select the correct option

☐	Five
☐	Seven
☐	Three
☒	Two

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 09:48:30 PM, 15 August 2022)

Checksum is an error-detection technique that can be applied to a message of _____ length.

Select the correct option

☒	Any
☐	Exactly 4
☐	Exactly 32
☐	Exactly 8

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 08:58:30 PM, 15 August 2022)

Checksum is an error-detection technique that can be applied to a message of _____ length.

Select the correct option

☐	Exactly 32
☐	Exactly 4
☒	Any
☐	Exactly 8

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 08:59:47 PM, 15 August 2022)

_____ is responsible for governing node to node communication.

Select the correct option

☐	Session Layer
☐	Application Layer
☒	Data Link layer
☐	Presentation Layer

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 09:00:16 PM, 15 August 2022)

Error detection and correction are the services provided by _____ layer.

Select the correct option

☐	Physical layer
☒	Data link layer
☐	Application layer
☐	Session layer

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 09:00:52 PM, 15 August 2022)

The message 110 sent by a source is received by a destination as 111. This is _____ type of error.

Select the correct option

☐	Byte
☐	Multi-Bit
☒	Single-Bit
☐	Burst

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 09:01:43 PM, 15 August 2022)

In order to find Hamming distance between two pair of words, _____ logical operation is used.

Select the correct option

☒	XOR
☐	NAND
☐	AND
☐	OR

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 09:02:24 PM, 15 August 2022)

Data Link layer provides services to the _____ layer.

Select the correct option

☐	Session
☒	Network
☐	Application
☐	Transport

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 09:02:44 PM, 15 August 2022)

In even parity check code, the value of syndrome is _____ if the number of 1s is even.

Select the correct option

☐	2
☒	0
☐	1
☐	4

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 09:03:47 PM, 15 August 2022)

_____ is the process of converting digital data to digital signals.

Select the correct option

☐	CSMA/CA
☐	Segmentation
☐	CSMA/CD
☒	Line coding

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 09:04:16 PM, 15 August 2022)

In order to find the location of two errors in an eight bit stream, we have to see _____ different combinations.



Select the correct option

☐	4
☒	28
☐	16
☐	8

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 09:05:02 PM, 15 August 2022)

The extra bits added with the original data for error detection/correction are called _____.

Select the correct option

☐	Process IDs
☐	Fault bits
☒	Redundant bits
☐	Port numbers

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 09:07:42 PM, 15 August 2022)

FF:FF:FF:FF:FF:FF is a _____ link layer address.

Select the correct option

☒	Broadcast
☐	Multicast
☐	Unicast
☐	Subnet mask

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 09:08:50 PM, 15 August 2022)

In case of higher data rate, the number of impacted bits will be _____.

Select the correct option

☐	Zero
☒	Higher
☐	Normal
☐	Lower

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 09:09:51 PM, 15 August 2022)

----- is the process of converting digital data to digital signals.

Select the correct option

☐	CSMA/CD
☒	Line coding
☐	Segmentation
☐	CSMA/CA

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 09:09:58 PM, 15 August 2022)

Media Access Control (MAC) and Data Link Control (DLC) constitute _____ layer.

Select the correct option

☒	Data link
☐	Network
☐	Transport
☐	Physical

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 09:10:37 PM, 15 August 2022)

In order to resolve link layer address of the next node, the first generated ARP request is always in _____ mode.

Select the correct option

☐	Multiplex
☒	Broadcast
☐	Multicast
☐	Unicast

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 09:11:39 PM, 15 August 2022)

Error correction is more _____ than the error detection.

Select the correct option

☐	Useless
☐	Informal
☒	Difficult
☐	Easy

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 09:13:05 PM, 15 August 2022)

If the Hamming distance between sent and received code word is _____, then it shows that received data is corrupted.

Select the correct option

☒	$\neq 0$
☐	$= 0$
☐	$\neq 1$
☐	$= 1$

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 09:13:41 PM, 15 August 2022)

The message 1110 sent by a source is received by a destination as 1011. This is _____type of error.

Select the correct option

☐	Single-Bit
☐	Uni-Bit
☒	Burst
☐	Hamming

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 09:14:24 PM, 15 August 2022)

If we need to correct a single error in an 8-bit data unit, we need to consider _____ possible error location

Select the correct option

☐	4
☐	8
☒	16
☐	2

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 09:15:01 PM, 15 August 2022)

In order to find Hamming distance between two pair of words, _____ logical operation is used.

Select the correct option

☐	NAND
☐	OR
☐	AND
☒	XOR

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 09:19:21 PM, 15 August 2022)

In Block coding we divide our message into blocks of k bits called as _____

Select the correct option

☐	Code words
☐	Cross words
☒	Data words
☐	Passwords

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 09:19:55 PM, 15 August 2022)

In _____ type of error, two or more bits in the data unit will be changed.

Select the correct option

☒	Burst
☐	Zero
☐	Single bit
☐	Mono

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 09:20:11 PM, 15 August 2022)

In order to find the location of two errors in an eight bit stream, we have to see _____ different combinations.

Select the correct option

☒	28
☐	16
☐	8
☐	4

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 09:20:34 PM, 15 August 2022)

In even parity check code, the value of syndrome is _____ if the number of 1s is even.

Select the correct option

☐	2
☒	0
☐	1
☐	4

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 09:21:29 PM, 15 August 2022)

If we increase the data rate of a transmission over noisy channel, fixed noise duration will cause _____ number of bits b

Select the correct option

☐	More
☒	Less
☐	Constant
☐	Same

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 09:23:15 PM, 15 August 2022)

----- is the process of converting digital data to digital signals.

Select the correct option

☐	Segmentation
☒	Line coding
☐	CSMA/CA
☐	CSMA/CD

Email: waqasahmeduog@gmail.com

لوح قرآنی

ن

حَمْدُكَ

الْم

لِی

عَم

الْمَص

اُمِّی

ق

كَلَّیْعَص

AR PRINTERS
0321-9660987

Email: waqasahmeduog@gmail.com

اس کے دیکھنے والوں کی سب مشکلیں آسان ہو جائیں گی صبح اس کو دیکھ کر جو کام شروع کیا جائیگا پورا ہوگا اور غیبی طریقوں سے رزق آنے لگے گا!

Question # 8 of 10 (Start time: 09:23:24 PM, 15 August 2022)

Media Access Control (MAC) and Data Link Control (DLC) constitute _____ layer.

Select the correct option

☐	Physical
☐	Network
☐	Transport
☒	Data link

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 09:23:55 PM, 15 August 2022)

A3:34:45:11:92:F1 is a _____ link layer address.

Select the correct option

☐	Multicast
☐	Multiplex
☐	Broadcast
☒	Unicast

 [Email: waqasahmeduog@gmail.com](mailto:waqasahmeduog@gmail.com)

Question # 9 of 10 (Start time: 09:23:55 PM, 15 August 2022)

A3:34:45:11:92:F1 is a _____ link layer address.

Select the correct option

☐	Multicast
☐	Multiplex
☐	Broadcast
☒	Unicast

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 09:24:52 PM, 15 August 2022)

Data Link layer provides services to the _____ layer.

Select the correct option

☐	Transport
☐	Application
☐	Session
☒	Network

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 01:06:59 PM, 17 August 2022)

DLC in Data Link Layer stands for ____.

Select the correct option

☒	Data Link Control
☐	Divide Line Communication
☐	Data Line Code
☐	Demand Link Coordination

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 01:07:29 PM, 17 August 2022)

If we increase the data rate of a transmission over noisy channel, fixed noise duration will cause _____ num

Select the correct option

☒	Less
☐	More
☐	Constant
☐	Same

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 01:08:05 PM, 17 August 2022)

_____ is the process of converting digital data to digital signals.

Select the correct option

☒	Line coding
☐	Segmentation
☐	CSMA/CA
☐	CSMA/CD

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 01:08:14 PM, 17 August 2022)

In Block coding scheme, number of code words is always _____ data words.

Select the correct option

☐	Greater than
☐	Less than
☐	Same as
☒	Equal to

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 01:09:29 PM, 17 August 2022)

In order to find Hamming distance between two pair of words, _____ logical operation is used.

Select the correct option

☒	XOR
☐	OR
☐	NAND
☐	AND

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 01:09:54 PM, 17 August 2022)

In case of higher data rate, the number of impacted bits will be _____.

Select the correct option

☐	Zero
☐	Lower
☐	Normal
☒	Higher

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 01:10:22 PM, 17 August 2022)

Media Access Control (MAC) and Data Link Control (DLC) constitute _____ layer.

Select the correct option

☐	Transport
☒	Data link
☐	Physical
☐	Network

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 01:10:41 PM, 17 August 2022)

FF:FF:FF:FF:FF:FF is a _____ link layer address.

Select the correct option

☐	Unicast
☐	Subnet mask
☒	Broadcast
☐	Multicast

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 01:11:04 PM, 17 August 2022)

In even parity check code, the value of syndrome is _____ if the number of 1s is even.

Select the correct option

☐	2
☐	1
☒	0
☐	4

Email: waqasahmeduog@gmail.com

لوح قرآنی

ن

حَمْدُكَ

الْحَمْدُ

لَیْسَ

عَمَّ

الْمَصَّ

أَمِینَ

ق

كَیَّعَصَ

AR PRINTERS
0321-9660987

Email: waqasahmeduog@gmail.com

اس کے دیکھنے والوں کی سب مشکلیں آسان ہو جائیں گی صبح اس کو دیکھ کر جو کام شروع کیا جائیگا پورا ہوگا اور غیبی طریقوں سے رزق آنے لگے گا!