



Quiz

quiz.vu.edu.pk



Quiz No 1

Quiz Start Time: 04:47 PM, 27 N

n # 5 of 10 (Start time: 04:52:37 PM, 27 November 2020)

Which of the following statement is true?

The correct option

In both Geometry and Topology we care about exact measurements.

In Geometry we don't care about measurements but in Topology we care about exact measurements.

In Geometry we care about measurements but in Topology we don't care about exact measurements.

In both Geometry and Topology we don't care about exact measurements.

[Click to Save Answer & Move to Next Q](#)



quiz.vu.edu.pk/Qu



MC190400076: ASIM UR REHMAN

Time Left

80
sec(s)

MTH634:Quiz No 1

Quiz Start Time: 05:22 PM, 27 November 2020

Question # 4 of 10 (Start time: 05:23:39 PM, 27 November 2020)

Total Marks: 1

In a discrete space X , the derived set A' of any subset A of X is

Select the correct option



A itself



A complement



empty set

 X

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 04:35:54 PM, 27 November 2020) Total Marks: 1

If X is finite and has n elements then power set of X has ____ elements.

Select the correct option

🔄 Reload Math Equations

☐	2^n
☐	2^{n-1}
☐	2^{n+1}
☐	none

Click to Save Answer & Move to Next Question



quiz.vu.edu.pk/QuizQue

11



MC190405622: ZAFRAN AHMED

Time Left

87
sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:52 PM, 27 November 2020

Question # 1 of 10 (Start time: 04:52:54 PM, 27 November 2020)

Total Marks: 1

A subset U of R^2 is open in R^2 iff it contains an at each of its points.

Select the correct option



closed disk



open disk



open sphere



closed interval

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 85 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 10 of 10 (Start time: 04:57:28 PM, 27 November 2020)

Total Marks: 1

Which of the following statement is not true ?

Select the correct option

- ☐ Indiscrete topology is weaker than any other topology defined on the same non empty set.
- ☐ Discrete topology is finer than any other topology defined on the same non empty set.
- ☐ Discrete topology is finer than the indiscrete topology defined on the same non empty set.
- ☐ Indiscrete topology is finer than any other topology defined on the same non empty set.

[Click to Save Answer & Move to Next Question](#)



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 84 sec(s) 

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 6 of 10 (Start time: 04:53:31 PM, 27 November 2020)

Total Marks: 1

Let $X = \{a, b, c, d, e\}$. The following set is a topology on X .

Select the correct option

 Reload Math Equations

☐	$\{\varphi, \{a\}, \{b, c\}, \{a, b, c\}, \{d\}, X\}$
☐	$\{\varphi, \{a, b\}, \{a, c, d\}, X\}$
☒	$\{\varphi, \{a\}, \{a, b\}, \{a, c, d\}, \{a, b, c, d\}, \{a, b, e\}, X\}$
☐	none

Click to Save Answer & Move to Next Question



The largest topology defined on some set is thetopology.

Select the correct option

- ☒ discrete
- ☐ indiscrete
- ☐ lower limit
- ☐ co finite

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 85
sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 1 of 10 (Start time: 04:47:19 PM, 27 November 2020)

Total Marks: 1

Only one topology can be defined on a set.

Select the correct option

☐	True
☐	False

[Click to Save Answer & Move to Next Question](#)



quiz.vu.edu.pk/QuizQue

11



MC190405622: ZAFRAN AHMED

Time Left

87
sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:52 PM, 27 November 2020

Question # 4 of 10 (Start time: 04:55:16 PM, 27 November 2020)

Total Marks: 1

$$\bigcap_{n \in \mathbb{N}} \left(-\frac{1}{n}, \frac{1}{n} \right) = \dots\dots\dots, \text{ where } \mathbb{N} \text{ stands for set of natural numbers}$$

Select the correct option

Reload Math Equations



{0}



{-1,1}



$\emptyset$



{-infinity, +infinity}

Click to Save Answer & Move to Next Question

Let $X = \{a, b, c, d\}$. The following set is a topology on X .

Select the correct option

Reload Math Equations

- ☐ $\{\varphi, \{a\}, \{b\}, \{c\}, X\}$
- ☒ $\{\varphi, \{c, d\}, \{b, c, d\}, X\}$
- ☐ $\{\varphi, \{a\}, \{b\}, X\}$
- ☐ none

Click to Save Answer & Move to Next Question



quiz.vu.edu.pk/QuizQue

11



MC190405622: ZAFRAN AHMED

Time Left

87
sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:52 PM, 27 November 2020

Question # 6 of 10 (Start time: 04:57:54 PM, 27 November 2020)

Total Marks: 1

Which of the following topology contains the complete power set of a set?

Select the correct option



Indiscrete topology



lower limit topology



Discrete topology



co finite topology



Click to Save Answer & Move to Next Question



MC190401360: ANAM BASHIR

MTH634: Quiz No 1

Quiz Start Time: 05:56

Question # 2 of 10 (Start time: 05:57:55 PM, 27 November 2020)

Let $X = \mathbb{R}$ with usual topology and $A = (0, 3)$. The limit point of A is:

Select the correct option



1.5



4



5



-0.5

Click to Save Answer & Move





MTH634:Quiz No 1

Question # 3 of 10 (Start time: 05:58:39 PM, 27 November 2020)

Which of the following topology contains the complete power set of a set?

Select the correct option

- | | |
|-----------------------|----------------------|
| ☐ | Indiscrete topology |
| ☐ | lower limit topology |
| ☐ | Discrete topology |
| ☐ | co finite topology |



Search...





Question # 10 of 10 (**Start time: 06:04:01 PM, 27 November 2020**)

Every open subset of the real line is a union of disjoint

Select the correct option

- | | |
|-----------------------|---------------------|
| ☐ | Closed Intervals |
| ☐ | Open Intervals |
| ☐ | Semi Open Intervals |
| ☐ | Sets |



Quiz

<https://quiz.vu.edu.pk>

MC190405306: MARIA ANWAR

Time Left

68

sec(s)

MTH634:Quiz No 1

Quiz Start Time: 08:13 PM, 27 November 2020

Question # 10 of 10 (Start time: 08:21:03 PM, 27 November 2020)

Total Marks: 1

For an open ball centered at $x=(x_1, x_2, \dots, x_n)$ belongs to R^n , which of the following is the correct representation?

Select the correct option

Reload Math Equations



$$\{y \mid \sqrt{\sum_{i=1}^n (x_i - y_i)^2} < r\} \subset R^n, \text{ where } y = (y_1, y_2, \dots, y_n) \in R^n$$



$$\{y \mid \sqrt{\sum_{i=1}^n (x_i - y_i)^2} \leq r\} \subset R^n, \text{ where } y = (y_1, y_2, \dots, y_n) \in R^n$$



$$\{y \mid \sqrt{\sum_{i=1}^n (x_i - y_i)^2} > r\} \subset R^n, \text{ where } y = (y_1, y_2, \dots, y_n) \in R^n$$



$$\{y \mid \sqrt{\sum_{i=1}^n (x_i - y_i)^2} \geq r\} \subset R^n, \text{ where } y = (y_1, y_2, \dots, y_n) \in R^n$$

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 80 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 8 of 10 (Start time: 04:55:12 PM, 27 November 2020)

Total Marks: 1

Let X be a nonempty set and τ be a topology on X , then the following statements must be true. (where $P(X)$ denotes the power set of X)

Select the correct option

Reload Math Equations

☐	$\tau \subset X$
☐	$X \subset \tau$
☒	$\tau \subset P(X)$
☐	none

Click to Save Answer & Move to Next Question



MTH634:Quiz No 1

Question # 6 of 10 (Start time: 06:00:46 PM, 27 November 2020)

If X is finite and has n elements then power set of X has ____ elements.

Select the correct option

☐	2^n
☐	2^{n-1}
☐	2^{n+1}
☐	none



Question # 4 of 10 (Start time: 06:10:02 PM, 27 November 2020)

Finite Complement topology defined on a set "A" consist of those subsets "U" of "A" such that either U^c is finite or ____

Select the correct option



$U=A$



$U=\text{Empty Set}$



U is infinite



U complement is infinite



The trivial topology is also called:

Select the correct option

- | | |
|-----------------------|---------------------|
| ☐ | Discrete topology |
| ☐ | Complete topology |
| ☐ | Indiscrete topology |
| ☐ | none |

Click to Save Answer & Move to Next Question



MC190404685: MUHAMMAD TARIQ

Time Left 29 sec(s)

MTH634: Quiz No. 1

Quiz Start Time: 05:07 PM, 27 November 2020

Question # 1 of 10 (Start time: 05:07:02 PM, 27 November 2020)

Total Marks: 1

In a topological space the intersection of any collection of closed sets is

Select the correct option



Closed



Open



Neither open nor closed



None of these

Click to Save Answer & Move to Next Question



A subset A of a topological space X is closed if and only if

Select the correct option

Reload Math Equations



$$A = A^c$$



$$A' \subset A$$



$$A \supset A'$$



$$A' = A^c$$

Click to Save Answer & Move to Next Question



Which of the following are NOT topologically equal?

Select the correct option



A circle and a square




A triangle and a rectangle



A rectangle and a square



A circle and a line



Click to Save Answer & Move to Next Question





MC190404685: MUHAMMAD TARIQ

Time Left 90 sec(s)

MTH634: Quiz No. I

Quiz Start Time: 05:07 PM, 27 November 2020

Question # 6 of 10 (Start time: 05:12:25 PM, 27 November 2020)

Total Marks: 1

If one shape can be deformed in another shape then topologically they are considered to be

.....

Select the correct option



the same



dissimilar



unique



partially equal

Click to Save Answer & Move to Next Question





4G



G



32%



4:53pm



quiz.vu.edu.pk/QuizQue

11



MC190405622: ZAFRAN AHMED

Time Left 87 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:52 PM, 27 November 2020

Question # 2 of 10 (Start time: 04:53:46 PM, 27 November 2020)

Total Marks: 1

If $X=\mathbb{R}$ with usual Topology and consider $B=\{1/n \text{ where } n \text{ belongs to the set of Natural numbers}\}$, then the limit point of B is

Select the correct option

- | | |
|----------------------------------|-----|
| ☐ | 1 |
| ☒ | 0 |
| ☐ | 1/2 |
| ☐ | 1/3 |

Click to Save Answer & Move to Next Question



5:26 PM



quiz.vu.edu.pk/Qu



MC190400076: ASIM UR REHMAN

1TH634:Quiz No 1

Quiz Start Time: 0


Question # 9 of 10 (Start time: 05:26:32 PM, 27 November 2020)

If in a topology τ on X , all subsets of X are called open and closed, then τ is called :

Select the correct option

☐	discrete space
☐	indiscrete space
☒	metric space
☐	none

Click to Save Answer &



MC190402415: RADIMA UROOJ

Time Left

88 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:31 PM, 27 November 2020

Question # 3 of 10 (Start time: 04:32:14 PM, 27 November 2020)

Total Marks: 1

Let $X = \{a, b, c, d\}$. The following set is a topology on X .

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--|
| ☐ | $\{\varnothing, \{b\}, \{c\}, X\}$ |
| ☐ | $\{\varnothing, \{b\}, \{a, b\}, \{c\}, X\}$ |
| ☒ | $\{\varnothing, \{b, d\}, \{a, b, c\}, \{b\}, X\}$ |
| ☐ | none |

Click to Save Answer & Move to Next Question



quiz.vu.edu.pk/QuizQue

11



MC190405622: ZAFRAN AHMED

Time Left

87
sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:52 PM, 27 November 2020

Question # 9 of 10 (Start time: 05:00:39 PM, 27 November 2020)

Total Marks: 1

The smallest topology one can define on some set is called:

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|---------------------|
| ☒ | indiscrete topology |
| ☐ | discrete topology |
| ☐ | comparable topology |
| ☐ | usual topology |

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 80 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 9 of 10 (Start time: 04:55:47 PM, 27 November 2020)

Total Marks: 1

Let $X = \{a, b, c, d\}$. The following set represents a topology on X .

Select the correct option

[Reload Math Equations](#)

☐	$\{\varphi, \{a\}, \{a, b\}, X\}$
☒	$\{\varphi, \{a\}, \{b\}, X\}$
☐	$\{\varphi, \{a\}, \{b, c\}, X\}$
☐	$\{\varphi, \{c\}, \{a, b\}, X\}$

[Click to Save Answer & Move to Next Question](#)



quiz.vu.edu.pk/Qu

2



0400070. ASIM OR REHMAN

34:Quiz No 1


on # 6 of 10 (Start time: 05:24:26 PM, 27 November 2020)

The collection τ of subsets of X consisting of the empty set ϕ and complements are finite is called :

the correct option

discrete topology

cofinite topology



indiscrete topology

none



MC190404685: MUHAMMAD TARIQ

Time Left 27 sec(s)

MTH634:Quiz No.1

Quiz Start Time: 05:07 P.M, 27 November 2020

Question # 10 of 10 (Start time: 05:17:00 P.M, 27 November 2020)

Total Marks: 1

Let $X = \{a, b, c, d\}$ and $\tau = \{\emptyset, \{c\}, \{a, c\}, \{b, c, d\}, X\}$ be a topology on X . The closed set in X is:

Select the correct option

Reload Math Equations

☐	[b,d]
☐	[c]
☐	[d]
☐	none

Click to Save Answer & Move to Next Question





Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 90 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 8 of 10 (Start time: 04:42:33 PM, 27 November 2020)

Total Marks: 1

If one shape can be deformed in another shape then topologically they are considered to be

Select the correct option



the same



dissimilar



unique



partially equal

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 74 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 7 of 10 (Start time: 04:54:15 PM, 27 November 2020)

Total Marks: 1

Let $X = \{1, 2, 3\}$, then $P(X) =$ _____

Select the correct option

Reload Math Equations

☒	$\{\varphi, \{1\}, \{2\}, \{3\}, \{1, 2\}, \{1, 3\}, \{2, 3\}\}$
☐	$\{\varphi, \{1\}, \{3\}, \{1, 2\}, \{1, 3\}, \{1, 2, 3\}\}$
☐	$\{\varphi, \{1\}, \{2\}, \{3\}, \{1, 2\}, \{1, 3\}, \{2, 3\}, X\}$
☐	$\{\varphi, X\}$

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 77 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 4 of 10 (Start time: 04:51:33 PM, 27 November 2020)

Total Marks: 1

Which of the following represents an open interval on real line R ?

Select the correct option

Add Math Equations

- | | |
|----------------------------------|---|
| ☐ | $\{x a < x < b\}$ where $a, b \in R$ with usual order $a < b$ |
| ☐ | $\{x a \leq x < b\}$ where $a, b \in R$ with usual order $a < b$ |
| ☒ | $\{x a \leq x \leq b\}$ where $a, b \in R$ with usual order $a < b$ |
| ☐ | $\{x a < x \leq b\}$ where $a, b \in R$ with usual order $a < b$ |

Click to Save Answer & Move to Next Question



Every collection of subsets of a set is said to be a topology.

Select the correct option

- ☐ True
- ☒ False

Click to Save Answer & Move to Next Question

Let $X = \{a, b, c, d\}$. The following set represents a topology on X .

Select the correct option

🔄 Reload Math Equations

- ☐ $\{\varphi, \{a\}, \{a, b\}, X\}$
- ☐ $\{\varphi, \{a\}, \{b\}, X\}$
- ☐ $\{\varphi, \{a\}, \{b, c\}, X\}$
- ☐ $\{\varphi, \{c\}, \{a, b\}, X\}$

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 84 sec(s)

MTH634: Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 5 of 10 (Start time: 04:40:13 PM, 27 November 2020)

Total Marks: 1

An open disk in $\mathbb{R}^2$ (Real plane) centered at $(x, y) \in \mathbb{R}^2$, is the set of all points $(x', y') \in \mathbb{R}^2$ such that

Select the correct option

[Reload Math Equations](#)

$$\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} > r, \text{ where } r \text{ is a positive real number}\}$$



$$\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} \leq r, \text{ where } r \text{ is a positive real number}\}$$



$$\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} < r, \text{ where } r \text{ is a positive real number}\}$$



$$\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} = r, \text{ where } r \text{ is a positive real number}\}$$

[Click to Save Answer & Move to Next Question](#)



Quiz

quiz.vu.edu.pk



MC190204482: NATASHA SHAHID

Time Left 84 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:47 PM, 27 November 2020

Question # 2 of 10 (Start time: 04:48:03 PM, 27 November 2020)

Total Marks: 1

Let $X = \mathbb{R}$ with usual topology and consider $B = \{1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \dots\}$. The limit point of B is:

Select the correct option

Reload Math Equations

☐	1
☐	$\frac{1}{2}$
☒	0
☐	none

Click to Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 88 sec(s) 

MTH634:Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 6 of 10 (Start time: 04:41:01 PM, 27 November 2020)

Total Marks: 1

Topology means the study of something with respect to its

.....

Select the correct option



place



volume



perimeter



area

[Click to Save Answer & Move to Next Question](#)



Question # 10 of 10 (Start time: 06:04:01 PM, 27 November 2020)

Every open subset of the real line is a union of disjoint

Select the correct option

☐ Closed Intervals

☒ Open Intervals

☐ Semi Open Intervals

☐ Sets





MC190401360: ANAM BASHIR

MTH634: Quiz No 1

Quiz Start Time: 05

Question # 5 of 10 (Start time: 06:00:03 PM, 27 November 2020)

Let $X = \{a, b, c\}$. The following set is a topology on X .

Select the correct option

 $\{\varnothing, \{b\}, \{c\}, X\}$  $\{\varnothing, \{a\}, \{b\}, X\}$  $\{\varnothing, \{a\}, \{b, c\}, X\}$ 

none

Click to Save Answer & Mark





Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 90 sec(s)

MTH634: Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 2 of 10 (Start time: 04:36:25 PM, 27 November 2020)

Total Marks: 1

Which of the following statement is true?

Select the correct option

[Reload Math Equations](#)For A, B Subset of a topological Space X, If $A \supset B$ then $A^c \subset B^c$ For A, B Subset of a topological Space X, If $A \subset B$ then $A^c \supset B^c$ For A, B Subset of a topological Space X, If $A \subset B$ then $A^c \subset B^c$ For A, B Subset of a topological Space X, If $A \subset B$ then $A^c = B^c$ [Click to Save Answer & Move to Next Question](#)



Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 85 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 10 of 10 (Start time: 04:43:36 PM, 27 November 2020)

Total Marks: 1

If X is a finite set then co-finite topology on X is

Select the correct option



indiscrete topology



discrete topology



lower limit topology



none of these

[Click to Save Answer & Move to Next Question](#)



Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 90 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 4 of 10 (Start time: 04:38:13 PM, 27 November 2020)

Total Marks: 1

For any two topologies T_1 and T_2 defined on a non empty set then T_1 is finer than T_2 , iff for all $U(\text{open set}) \in T_2$ implies.....

Select the correct option

 $U \notin T_1$  $U \in T_1$

Clicking Save Answer & Move to Next Question



Quiz

quiz.vu.edu.pk



MC190403843: ALI HASSAN

Time Left 89 sec(s)

MTH634:Quiz No 1

Quiz Start Time: 04:35 PM, 27 November 2020

Question # 1 of 10 (Start time: 04:35:27 PM, 27 November 2020)

Total Marks: 1

The set ofof $\mathbb{R}$ (Real line) forms a topology called usual topology.

Select the correct option



all open intervals



all open discs



all open balls



all open spheres

Click to Save Answer & Move to Next Question