BT-201 MCQs MIDTERM- 100%

GUESS PAPER 2024

Ecology, Biodiversity & Evolution-II

BY SULMAN ALI

0341-7547044

OBJECTIVES

- The notochord is a flexible, rod-like structure derived from..... ***mesoderm***
- Which is the strongest oxidant..... ***oxygen***
- ***Asian carp*** .....have rocketed in numbers thanks to their vast appetite and speedy reproduction, now forming up to 95% of the biomass in some Mississippi and Illinois rivers.
- The larva of echinoderms known as... ***Pluteus***
- The common extension of genomics is except..... ***Vaccinomics***
- ***Pre-genomic molecular***.....approaches that may be used to identify ecologically important genes in incompletely characterized genomes.
- Institute was involved in human genome project except..... ***U.S Center Of Health***
- Gymnosperms are..... ***Naked Seeds***
- 30% .....of all species on earth will be extinct by ***2050.***
- Oparian 1924 gave the.... ***Primeval Soup Theory***
- Large scale areas of similar vegetation and climatic characteristic.... ***Biome***
- The field of biology specializing in developing software and hardware___***bioinformatics***
- Notochord is derived from...***mesoderm***
- The laborious ___ technique has now been replaced mostly by sequencing using mass
- spectrometry...***Edman degradation***
- How much amount of human food supply comes from plant?...***80%***
- Vertebrates make up only__ % of all animal species...***5%***
- One of the following is not the example of positive interactions among the microbes....***amensalism***
- Large areas of protected land for conservation of biodiversity and the traditional life of the tribals living there are known as...***Biosphere reserves***
- Arabidopsis employs the ***C3*** photosynthetic pathway.
- The number of allele in a simple__. ***Allelic Richness***
- __is the number of different species in a particular community ***Species richness***
- Types of selection which favor more than two extreme phenotype is _. ***Disruptive*** selection

- Arabia thaliana's is ___***Fly***
- Plasmid size__***2 to 200bp***
- ___is used to cleave the protein...***Trypsin***
- Annelids have _____circulatory system .***closed***
- Variation in genetic level and population level is called ..... ***genetic divers***
- Protozoic era in.....bilion year ago ----***545***
- Which field of science deal with the relationships between organisms and their environment._____- ***(Ecology)***
- Biodiversity maintains—of ecosystem..***balance***
- ***Barcoding*** is a technique in which one or more short gene sequences, taken from a well-characterized portion of the genome, are used to identify a species through DNA analysis.
- Notocord is derived from———-***mesoderm***
- Most diverse phylum —- ***arthropods***
- Dysentry cause by—- ***amoeba***
- Prokaryotes lack — ***nucleus***
- Eukarya evolved.... Million years ago ----***2***
- .....are foundation species_____ ***brown alga***
- Setae are ..... Organs in annelids._____ ***CHITINOUS SETAE***
- Eukarya evolve how many years ago _____***2million***
- quinine protect from_____***maleria***
- organism genomic size _____***09***
- what protects from harsh environment(***reef***)
- ***(pregenomic aporoach)*** is used to identify incomplete
- Comparative genomics is developing an increasing array of bioinformatics technique except_____***Synteny***.
- Large scale areas of similar vegetation and climatic characteristics__ ***Biome***
- Humans are included in the order ___ ***Primates***
- 80% of human food supply comes from ___ kinds of plants. ***20***
- (There are some so called ____ to identify ecologically genes in incompletely genome.---------- ***Pregenomic Molecular Approaches***
- A first question that is asked when a species is considered for whole-genome sequencing is __. ***What Is The Size Of Its Genome?***
- The common extension of genomics is except_____ ***Vaccinomics***
- __ is the study of all the transcripts that are present at any time in the cell. ***Transcriptomics***
- Most important measures ecologist uses to describe composition of community are __ ***Species Diversity & Species Richness***
- __ drug used to treat malaria. ***Quinine***
- Malaria is caused by the genus Plasmodium technically a member of the phylum ___ ***Sporozoa***
- Gymnosperms are __ ***Naked Seeds***
- ***genome*** is an organism's complete set of ***DNA***, ..
- The intermediate disturbance hypothesis suggests that communities with a medium (***intermediate***) level of disturbance may..... have greater species diversity than communities
- Flowering plants are categorized into…… ***angiosperms***
- level of organization main ktny hty_____***4***
- characters that pass information to next generation _____***traits***
- Over **3.5 billion** years of "***microbes***"

- Chordates symmetry…. ***Bilateral***
- Habitat loss…. ***Deforestation***
- Proterozoic Eon alone, **at** ***1.955 billion years long,***
- Gaming birds ….***Quail ,Pheasant , Partridge , Grouse , Doves ,Turkey***
- Binomial Nomenclature In the 18th century, by ***Carolus Linnaeus***
- first bipedal hominid, found in east ***Africa*** about ***3.0-3.2 MYBP.***
- ***Excretion*** system to eliminate bodily wastes
- Keystone species differ from foundation species …***all***
- Comparative genomics is developing an increasing array of bioinformatics techniques,. Except…***synteny shadowing***
- polyphyletic grouping consists of various species that lack a ***common ancestor***
- 'external tangled bank' (the ***ecology***)
- Dysentery (an illness) Caused by an ***amoeba***
- Radial symmetry ***starfish, jellyfish, and sea anemones).***
- Kimberella, is an ***animal***
- Haldane (1929): "***Hot, dilute soup"*** theory.
- Leeches belong to phylum ***annelida***
- A jellyfish-like impression is present in rocks ***2000*** m below ***the Ediacara Hills Pound Quartzite.***
- The spread of Homo out of Africa is presumed to have taken place about ***1.5 MYBP by Homo erectus.***
- Setea of annelids help in ***Locomotion***
- transcriptome includes ***All{ (mRNAs) (rRNAs), (tRNAs), (snRNAs),}***
- Application of classical plant breeding ***(Protoplast fusion,Embryo rescue ,Mutagenesis) All***
- Ecology is derived from ____ word. (***Greek***)
- First question asked when a species is bought for genome sequencing____. ***(What is thesize of its genome?)***
- Vertebrates are evolved from ---------- ***540 million years. (Chordates)***
- Plasmid size____- ***(2 to 200bp)***
- A taxonomic method that uses a short genetic marker in an organism's DNA to identify it as belonging to a particular species ____(***Barcoding***)
- Which field of science deal with the relationships between organisms and their environment***._____(Ecology)***
- Humans are the members of the order; ***(Primates)***
- _____ is a foundation species that forms the basis of the kelp forests of California***.(Brown algae)***

- Keystone species differ from foundation specie higher trophic level and top predator, tend to modify their environment. ***(All given above)***
- Ecologists use to describe the composition of a community are species richness and ____diversity. ***(Species)***
- Which of these exhibit Radial symmetry___ ***(All of these …. Starfish, Sea anemones, Jellyfish)***
- . The field of biology specializing in developing hardware and software to store and analyze the huge amount of data being generated by life scientists___. ***(Bioinformatics)***
- **Arabidopsis** employs the _____ photosynthetic pathway. ***(C3)***
- The most basic level of the ecological organisation start with ***Organism individual***
- Lobster and shrimps belong to subphylum. ***Crustacea***
- Bilateral symmetry is seen in the body organization of; (***Annelids***
- Vertebrates make up only____ % of all animal species. ***(5)***
- Chordates are ***deuterostomes***,
- Size of puffer fish genome is_____ of the human genome. ***(one-eighth)***
- …….that may be used to Identify ecologically important genes in incompletely characterized genomes.***Pregenomic molecular approaches***
- The primary structure of à _____ product may be the starting point of gene discovery? ***Gene product (a protein)***
- The genome size of living organisms rang between ____ BP to _____bp? ***103 bp - 1012*** **bp**
- Loop RNA…. ***All***
- Sachromices is the study of the ____ cell? ***Carbohydrates***
- first genome sequenced completely was that of ___. ***(Homophilus influenza)***
- Eukaraya have been evolved from since ____ million years ago. (***Two***)
- vaccinomics (the use of bioinformatics and ***genomics*** for vaccine development
- Polypeptide can form complex 3 dementional structure are called ____? ***Proteins***
- ___ tools help to identify molecular homoplastic or coincidence? ***Mathematical***
- Gene contain instructions for making _____?
- One of the following is not the example of positive interactions among the microbes; ***(Amensalism)***
- The protease used in Mass Spectrometery is; ***(Trypsin)***
- the laborious technique..... has been replaced mostly by sequencing using mass spectrometry? ***Edman Degradation***
- Who discovered taxonomy?. ***Carlous linnaeous*.**
- Medicines from nature account for usage by ____ of the world's population. ***80%***

- may also be used to determine the amino acid sequence of a protein.__ ***Mass spectrometer***
- A polyphyletic grouping consists of various species that lack a common ***Ancestor***
- The primary structure of à *___***gene**__* product may be the starting point of gene discovery?
- :Phanerozoic era ___billion years ago.***last 545 million years)***
- : phylogenetic tree consist of data___***All***
- eukaryotes present ___ billion years ago
- Entire the community of plant and animal in climatic region ***(biome)***
- _____ structure protect from external ***chitin***
- classical breading rely ____ recombination chromosomes (***homologous***)
- ex situ failure by ***rat*** ,
- Most fossils are at least ***10,000*** years old
- chimpanzee share ... % with human ***98.8***
- . size of human genome is ***3.2 billion base pair***
- adaptive change occur by human is called
- Trochophore resembles like ____- ***(Larvae)***
- Trochophore larvae develop, which are Remarkably similar to the ***Molluscs***
- Water vascular system in..... ***echinoderms***
- Larva of echinoderms ...***Pluteus***
- Flowering plants are_____***angiosperms***
- coral reefs which are biodiversity hotspots will disappear in ***20-40*** years.
- ***Allelic* richness** Is the number of alleles in a sample
- Modern bread wheat is a mixture of recombined genes from ***three*** different wild species.
- ***Bipinnaria*** larva is the characteristics of___ ***(Echinoderms)***
- Habitat destruction is a major cause for ***biodiversity***
- Annelids have____ circulaty system? ***Closed***
- Humans are the members of the order; ***(Primates)***
- molecular clock says____ million years ago the human-chimp line split ***(~5)***
- Gene contain instructions for making _____? ***Proteins***
- The first genome sequenced completely was that of ___. ***(Homophilus influenza)***
- Human evolution occur about ..... billion years ye mjy ni Ata tha mainy 4 lgaya
- The field of biology specializing in developing hardware & software to storeand analyze the huge amount of data being generated by life scientists……***BIOINFORMATICS***
- .A ..... grouping consists of various species that lack a common ancestor…***polyphyletic***
- Which one is an extinct group of Arthropoda? ……***Trilobita***
- Gymnosperms are ..... ***Naked seed.***

- 80%of human food supply comes from..... Kinds of plants...***20.***
- 30% of all species on earth will be extinct by ***2050***.
- Human uses..... species for food, clothing and shelter***.*** ***40,000***
- Analogy is similar due to the..... ***Convergent theory evolution.***
- Human differ from gorilla ... ***Bipedal***.
- _ tool help to identify molecular homoplasis..... Mathematical. point mutation is a type of mutation..... ***Microlesion***.
- The field of biology specializing in storing and analysis data.....*__*Bioinformatics**__
- The possibility of working with molecules on the scale of few micrometer is called.... __*Micro Ecology**__
- Most important measures ecologist uses to describe composition of community are __*Species Diversity & Species Richness**__
- . Coral reefs which are biodiversity hotspots will disappear in _____ years. __*20-40**__
- Modern bread wheat is a mixture of recombined genes from ___ different wild species. __*3**__
- . Coral reef is disappeared due to ____*Global Warming**
- . 80% of human food supply comes from _____ kinds of plants. *__20*__
- Oparian 1924 gave the _____ __*Primeval Soup Theory**__
- .A polyphyletic grouping consists of various species that lack a common. __*Ancestor**__
- The primary structure of à *___***gene**___* product may be the starting point of gene discovery?
- Phylogenetic tree consist of data___ __*Morphological**__
- Ecology is __*Greek**__ word.
- _____ is the number of alleles in a sample. __*Allelic Richness**__
- A___grouping consists of various species that lack a common ancestor. *__Polyphyletic*__
- Large scale areas of similar vegetation and climatic characteristics__ __*Biome**__
- . The sum of the variation of an interbreeding population is called ___*Gene Pool**
- Which of these exhibit Radial symmetry? __*All of these**__
- Humans have been evolved about …. Year ago. *__5 million*__
- Invertebrates Makes up …. of all Animal species __*95%**__
- Genetic diversity is the variation at the level of *both at __individual genes, and In a population,*__
- __Phylogeny__ is the evolutionary history of a species or group of related species
- Now forming up to 95% of the biomass in some mississippi and illinois rivers. __Asian carp__
- Loops present in…..__All__

- Most successful phylum ecologically diverse. Present in all regions of the earth.

  Arthropods

- Keystone species differ from foundation specie higher trophic level and top predator,

  Tend to modify their environment. ***(All given above)***

- Edman degradation technique study of all the proteins in the cell which is not related .

  (Fragment pattern is not compared with genomic sequence)

- Notochord is a flexible and non-rigid rod-like structure resulting from___. ***(Mesoderm)***

- ***Pre-genomic molecular***.....approaches that may be used to identify ecologically important genes in incompletely characterized genomes.
- Institute was involved in human genome project except..... ***U.S Center Of Health***
- Gymnosperms are..... ***Naked Seeds***
- 30% .....of all species on earth will be extinct by ***2050.***
- Oparian 1924 gave the.... ***Primeval Soup Theory***
- Large scale areas of similar vegetation and climatic characteristic.... ***Biome***
- The field of biology specializing in developing software and hardware___***bioinformatics***
- Notochord is derived from...***mesoderm***
- The laborious ___ technique has now been replaced mostly by sequencing using mass
- spectrometry...***Edman degradation***
- How much amount of human food supply comes from plant?...***80%***
- Vertebrates make up only__ % of all animal species...***5%***
- One of the following is not the example of positive interactions among the microbes....***amensalism***