

DOWNLOAD MIDTERM

PAST PAPERS BY WAQAR SIDDHU

More in PDF From

VU Answer

Get All Solutions.


Define complement of an event.

Answer ([Please click here to Add Answer](#))



State the addition law of probability for two not mutually exclusive events A and B.

Answer ([Please click here to Add Answer](#))



Find the probability of drawing a white ball from a bag containing 4 red, 8 black and 3 white balls.

Answer ([Please click here to Add Answer](#))



Write down the two normal equation of the regression line of X on Y.

Answer ([Please click here to Add Answer](#))



Let $S = \{1, 2, 3, 4, 5, \dots, 9\}$

Where,

$A = \{1, 2\}$ and $B = \{3, 4, 5, 6\}$

Find


i Compliment of A i.e. $\bar{A}$

Answer ([Please click here to Add Answer](#))



Three horses A, B and C are in a race; A is twice as likely to win as B and B is twice as likely to win as C. Assume that events A, B and C are mutually exclusive. What is the probability that A or B wins?

Answer ([Please click here to Add Answer](#))



Find

- i. Compliment of A i.e. $\bar{A}$
- ii. Compliment of B i.e. $\bar{B}$
- iii. Power set of A

Answer ([Please click here to Add Answer](#))



Which two suits of playing cards are made of black color?



Answer ([Please click here to Add Answer](#))



Why standard deviation is better than mean absolute deviation?

Answer ([Please click here to Add Answer](#))



Normal Arial 12 B I U

Write down the two normal equations of the regression line of Y on X.

Answer ([Please click here to Add Answer](#))





The numbers of airplane accidents in a year are: 1, 2, 3, 4 with corresponding probabilities $\frac{1}{6}$, $\frac{2}{6}$, $\frac{2}{6}$ and $\frac{1}{6}$. What are the expected number of annual accidents?

Answer ([Please click here to Add Answer](#))





The numbers of airplane accidents in a year are 1, 2, 3, 4 with corresponding probabilities $\frac{1}{6}$, $\frac{2}{6}$, $\frac{2}{6}$ and $\frac{1}{6}$. What is the variance of annual accidents?

Answer ([Please click here to Add Answer](#))



Fit the regression line Y on X from the following data.

$$\Sigma X = 15, \Sigma Y = 10, \Sigma XY = 37, \Sigma X^2 = 55, \bar{Y} = 2, \bar{X} = 3, n = 5$$

Answer ([Please click here to Add Answer](#))



Why we use coefficient of variation?

Answer ([Please click here to Add Answer](#))



In what situation we prefer to use conditional probability?

Answer ([Please click here to Add Answer](#))



How the moment ratios b_1 and b_2 are helpful in determining the shape of a distribution?

Answer ([Please click here to Add Answer](#))



For a data set, we have given the probability

$$P(A \geq 2) = 0.33$$

$$P(B < 6) = 0.69$$

Find

i. $P(A < 2)$

Answer ([Please click here to Add Answer](#))





Three horses A, B and C are in a race; A is twice as likely to win as B and B is twice as likely to win as C. Assume that events A, B and C are mutually exclusive. What is the probability that A or B wins?

Answer ([Please click here to Add Answer](#))



Fit the regression line Y on X from the following data.

$\Sigma X = 15$, $\Sigma Y = 10$, $\Sigma XY = 37$, $\Sigma X^2 = 55$, $\bar{Y} = 2$, $\bar{X} = 3$, $n = 5$

Answer ([Please click here to Add Answer](#))



$$P(A \geq 2) = 0.33$$

$$P(B < 6) = 0.69$$

Find

i. $P(A < 2)$

ii. $P(B \geq 6)$.

Answer ([Please click here to Add Answer](#))



If we draw a card from an ordinary deck of 52 playing cards. Can king and diamond be mutually exclusive events? Give reason to support your answer.

Answer ([Please click here to Add Answer](#))



For which type of data set, Empirical Rule is applied?

Answer ([Please click here to Add Answer](#))



How the moment ratios b_1 and b_2 are helpful in determining the shape of a distribution?

Answer ([Please click here to Add Answer](#))



A health club has four members. In how many ways three officers president, secretary and treasurer can be selected?

Answer ([Please click here to Add Answer](#))



Following data shows the total number of overtime hours worked for 30 consecutive weeks by workers in a machine shop. Find (i) Minimum value (ii) Maximum value (iii) Lower Quartile (iv) Upper Quartile for the following data.

94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85

Answer ([Please click here to Add Answer](#))



A man tosses two fair dice and obtained the following sample space S:

$\{(1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6),$
 $(2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6),$
 $(3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (3, 6),$
 $(4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (4, 6),$
 $(5, 1), (5, 2), (5, 3), (5, 4), (5, 5), (5, 6)\}$

Answer ([Please click here to Add Answer](#))



(3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (3, 6);
(4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (4, 6);
(5, 1), (5, 2), (5, 3), (5, 4), (5, 5), (5, 6);
(6, 1), (6, 2), (6, 3), (6, 4), (6, 5), (6, 6))

What is the conditional probability that the sum of the two dice will be 7, given that sum is greater than 6?

Answer ([Please click here to Add Answer](#))



94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85
91	89	95	89	94	92						

Answer ([Please click here to Add Answer](#))



"If $P(A|B) = 0$ then A and B are independent".

Indicate whether the above statement is true or false? Also give reason.

Answer ([Please click here to Add Answer](#))



What is coefficient of correlation?

Answer ([Please click here to Add Answer](#))



How many distinct four-digits number can be performed from the following integers 1,2,3,4,5,6 if each integer is used only once?

Answer ([Please click here to Add Answer](#))



For the given data calculate the mean deviation.

$X - \bar{X}$	+3	-3	-4	-1	+1	+4
---------------	----	----	----	----	----	----

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar showing icons for file operations, editing, and formatting. The text area below is empty.

Following data shows the total number of overtime hours worked for 30 consecutive weeks by workers in a machine shop. Find (i) Minimum value (ii) Maximum value (iii) Lower Quartile (iv) Upper Quartile for the following data.

94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85

Answer ([Please click here to Add Answer](#))



- a. In a shipment of 20 computers, 3 are defective. Three computers are randomly selected and tested. What is the probability that all three are defective if the first and second ones are not replaced after being tested?
- b. A fair die is tossed twice. Find the probability of getting a 4 or 5 on the first toss and a 1, 2, or 3 in the second toss.

Answer ([Please click here to Add Answer](#))



94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85
91	89	95	89	94	92						

Answer ([Please click here to Add Answer](#))



Define complement of an event.

Answer ([Please click here to Add Answer](#))



State the addition law of probability for two not mutually exclusive events A and B.

Answer ([Please click here to Add Answer](#))



Find the probability of drawing a white ball from a bag containing 4 red, 8 black and 3 white balls.

Answer ([Please click here to Add Answer](#))



Write down the two normal equation of the regression line of X on Y.

Answer ([Please click here to Add Answer](#))



Let $S = \{1, 2, 3, 4, 5, \dots, 9\}$

Where,

$A = \{1, 2\}$ and $B = \{3, 4, 5, 6\}$

Find

i. Compliment of A i.e. $\bar{A}$

Answer ([Please click here to Add Answer](#))



Three horses A, B and C are in a race; A is twice as likely to win as B and B is twice as likely to win as C. Assume that events A, B and C are mutually exclusive. What is the probability that A or B wins?

Answer ([Please click here to Add Answer](#))



Find

- i. Compliment of A i.e. $\bar{A}$
- ii. Compliment of B i.e. $\bar{B}$
- iii. Power set of A

Answer ([Please click here to Add Answer](#))

"If $P(A|B) = 0$ then A and B are independent".

Indicate whether the above statement is true or false? Also give reason.

Answer ([Please click here to Add Answer](#))



"If $P(A|B) = 0$ then A and B are independent".

Indicate whether the above statement is true or false? Also give reason.

Answer ([Please click here to Add Answer](#))



What is coefficient of correlation?

Answer ([Please click here to Add Answer](#))



What is coefficient of correlation?

Answer ([Please click here to Add Answer](#))



How many distinct four-digits number can be performed from the following integers 1,2,3,4,5,6 if each integer is used only once?

Answer ([Please click here to Add Answer](#))



How many distinct four-digits number can be performed from the following integers 1,2,3,4,5,6 if each integer is used only once?

Answer ([Please click here to Add Answer](#))



For the given data calculate the mean deviation.

$X - \bar{X}$	+3	-3	-4	-1	+1	+4
---------------	----	----	----	----	----	----

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for undo, redo, bold, italic, underline, link, unlink, list, and other formatting options. The text "Normal" is visible in the first dropdown menu.

For the given data calculate the mean deviation.

$X - \bar{X}$	+3	-3	-4	-1	+1	+4
---------------	----	----	----	----	----	----

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for undo, redo, bold, italic, underline, link, unlink, list, and other formatting options. The text "Normal" is visible in the first dropdown menu.

Following data shows the total number of overtime hours worked for 30 consecutive weeks by workers in a machine shop. Find (i) Minimum value (ii) Maximum value (iii) Lower Quartile (iv) Upper Quartile for the following data.

94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, editing, and formatting. The text area below is empty.

Following data shows the total number of overtime hours worked for 30 consecutive weeks by workers in a machine shop. Find (i) Minimum value (ii) Maximum value (iii) Lower Quartile (iv) Upper Quartile for the following data.

94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85

Answer ([Please click here to Add Answer](#))



- a. In a shipment of 20 computers, 3 are defective. Three computers are randomly selected and tested. What is the probability that all three are defective if the first and second ones are not replaced after being tested?
- b. A fair die is tossed twice. Find the probability of getting a 4 or 5 on the first toss and a 1, 2, or 3 in the second toss.

Answer ([Please click here to Add Answer](#))



- a. In a shipment of 20 computers, 3 are defective. Three computers are randomly selected and tested. What is the probability that all three are defective if the first and second ones are not replaced after being tested?
- b. A fair die is tossed twice. Find the probability of getting a 4 or 5 on the first toss and a 1, 2, or 3 in the second toss.

Answer ([Please click here to Add Answer](#))



94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85
91	89	95	89	94	92						

Answer ([Please click here to Add Answer](#))



94	89	88	90	94	92	88	87	85	88	93	94
93	92	88	94	90	93	84	93	84	91	93	85
91	89	95	89	94	92						

Answer ([Please click here to Add Answer](#))



Which two suits of playing cards are made of black color?

Answer ([Please click here to Add Answer](#))





Why standard deviation is better than mean absolute deviation?



Answer ([Please click here to Add Answer](#))



Write down the two normal equations of the regression line of Y on X.

Answer ([Please click here to Add Answer](#))



The numbers of airplane accidents in a year are: 1, 2, 3, 4 with corresponding probabilities $1/6$, $2/6$, $2/6$ and $1/6$. What are the expected number of annual accidents?

Answer ([Please click here to Add Answer](#))



The numbers of airplane accidents in a year are 1, 2, 3, 4 with corresponding probabilities $1/6$, $2/6$, $2/6$ and $1/6$. What is the variance of annual accidents?

Answer ([Please click here to Add Answer](#))



Fit the regression line Y on X from the following data.

$$\Sigma X = 15, \Sigma Y = 10, \Sigma XY = 37, \Sigma X^2 = 55, \bar{Y} = 2, \bar{X} = 3, n = 5$$

Answer ([Please click here to Add Answer](#))

