VU Quiz Collection

Total Questions: 10 from 10 Quiz(es)

Courses: MTH603

Generated: 1/6/2026, 1:06:23 PM

Powered by Firewall Bypass VU Extension
Waseem Akram | wasii.dev | +1 (226) 798-2360

Quiz 1 - MTH603 (Q1/10)

Question:

At which of the following points the Maximum value of 2nd derivative of function
f(x) = -(2/x) in the interval:[1,4] exits?

Options:

A. At x=1

B. At x=4

C. At x=3

D. At x=2

Copied: 1/6/2026, 1:00:46 PM

Quiz 2 - MTH603 (Q2/10)

Question:

point degree interpolation

Options:

A. y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.518) + (x" 0.3)(x" 0.9)(0.7" 0.3)(0.7" 0.3)(0.9" 0.7)(0.067) y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.518) + (x" 0.3)(x" 0.3)(x" 0.7)(0.9" 0.3)(0.9" 0.7)(0.067) y = f(x) = \frac{{(x - 0.7)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.518) + \frac{{(x - 0.3)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.248) + \frac{{(x - 0.3)(x - 0.7)}}{{(0.9 - 0.3)(0.9 - 0.7)}}(0.067)

B. y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.067) + (x" 0.3)(x" 0.9)(0.7" 0.3)(0.7" 0.3)(0.9" 0.7)(0.248) y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.067) + (x" 0.3)(x" 0.3)(x" 0.7)(0.9" 0.3)(0.9" 0.7)(0.248) y = f(x) = \frac{{(x - 0.7)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.518) + \frac{{(x - 0.3)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.248) + \frac{{(x - 0.3)(x - 0.7)}}{{(0.9 - 0.3)(0.9 - 0.7)}}(0.067)

C. y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.248) + (x" 0.3)(x" 0.9)(0.7" 0.3)(0.7" 0.3)(0.9" 0.7)(0.518) y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.248) + (x" 0.3)(x" 0.3)(x" 0.7)(0.9" 0.3)(0.9" 0.7)(0.518) y = f(x) = \frac{{(x - 0.7)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.067) + \frac{{(x - 0.3)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.518) + \frac{{(x - 0.3)(x - 0.7)}}{{(0.9 - 0.3)(0.9 - 0.7)}}(0.518)

D. y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.067) + (x" 0.3)(x" 0.9)(0.7" 0.3)(0.7" 0.3)(0.9" 0.7)(0.518) y = f(x) = (x" 0.7)(x" 0.9)(0.3" 0.7)(0.3" 0.9)(0.067) + (x" 0.3)(x" 0.3)(x" 0.7)(0.9" 0.3)(0.9" 0.7)(0.518) y = f(x) = \frac{{(x - 0.7)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.248) + \frac{{(x - 0.3)(x - 0.9)}}{{(0.7 - 0.3)(0.7 - 0.9)}}(0.248) + \frac{{(x - 0.3)(x - 0.7)}}{{(0.9 - 0.3)(0.9 - 0.7)}}(0.518)

Copied: 1/6/2026, 1:01:11 PM

Quiz 3 - MTH603 (Q3/10)

Question:

Zero-th order divided difference is defined as

Options:

A. None of the given choices

B. y[x0]=y1

C. y[x0]=x0

D. y[x0]=y0

Copied: 1/6/2026, 1:02:14 PM

Quiz 4 - MTH603 (Q4/10)

Question:

points

Options:

A. -3

B. -1

C. 0

D. -2

Copied: 1/6/2026, 1:02:47 PM

Quiz 5 - MTH603 (Q5/10)

Question:

Geometrically the definite integral of any continuous function f(x) in the interval [a,b] gives ----------.

Options:

A. Area of Trapezoid with dimension of ‘a’ and ‘b’

B. Volume with dimensions f(x), ‘a’ and ‘b’

C. Length of segment AB on real line

D. Area under f(x) on [a,b]

Copied: 1/6/2026, 1:03:09 PM

Quiz 6 - MTH603 (Q6/10)

Question:

To evaluate a definite integral of tabular function f(x), piecewise quardratic approximation led to ---------

Options:

A. Trapezoidal Method

B. Simpson’s Rule

Copied: 1/6/2026, 1:03:51 PM

Quiz 7 - MTH603 (Q7/10)

Question:

points zero

Options:

A. none

B. 46

C. 35

D. 42

Copied: 1/6/2026, 1:04:14 PM

Quiz 8 - MTH603 (Q8/10)

Question:

Which of the following is the Richardson’s Extrapolation limit: F1(h/2) provided that F(h/2) = F(h) = 1 ?

Options:

A. 3

B. 1

C. 0

D. 4

Copied: 1/6/2026, 1:04:37 PM

Quiz 9 - MTH603 (Q9/10)

Question:

1st ordered divided difference formula is defined as

Options:

A. y[x0,x1]=(y1-y0)/(x1+x0)

B. y[x0,x1]=(y1+y0)/(x1-x0)

C. None of the given choices

D. y[x0,x1]=(y1-y0)/(x1-x0)

Copied: 1/6/2026, 1:05:06 PM

Quiz 10 - MTH603 (Q10/10)

Question:

interpolation

Options:

A . y = f (x) = 2 . 2 + (x" 2) ((x" 6) (0 . 3 2 5) + (x" 2) (" 0 . 0 2 1 9) y = f (x) = 2 . 2 + (x" 2) ((x" 6) (0 . 3 2 5

(x - 2)((x - 6)(0.325) + (x - 2)(- 0.0219)

B. y=f(x)=2.2+(x" 2)(0.325)+(x" 2)((x" 6)(" 0.0219)y=f(x)=2.2+(x" 2)(0.325)+(x" 2)((x" 6)(" 0.0219)y = 6)(- 0.0219)

C. y=f(x)=2.2+(x" 6)(0.325)+(x" 12)((x" 6)(" 0.0219)y=f(x)=2.2+(x" 6)(0.325)+(x" 12)((x" 6)(" 0.0219) 12)((x - 6)(- 0.0219)

D. y=f(x)=2.2+(x" 12)(0.325)+(x" 6)((x" 2)(" 0.0219)y=f(x)=2.2+(x" 12)(0.325)+(x" 6)((x" 2)(" 0.0219) 6)((x - 2)(- 0.0219)

Copied: 1/6/2026, 1:05:44 PM