CS 201 midterm mcqs preparation - Microsoft Word Picture Tools

Page Layout References Mailings Review View MathType Format

Font Paragraph Styles

Question No : 11 of 26

What will be the correct syntax for initialization of a pointer ptr with string "programming"?

www.thundershare.net

Answer (Please select your correct option)

- char ptr = 'programming' ;
- char *ptr = "programming" ;
- char *ptr = 'programming' ;

English (United States) 140%

e to search

CS 201 midterm mcqs preparation - Microsoft Word

Page Layout References Mailings Review View MathType

Calibri (Body) 11

AaBbCcDdE ¶ Normal | AaBbCcDdE ¶ No Spacing | AaBbCcI Heading 1 | AaBbCcD Heading 2 | AaBb Title | Change Styles

Font Paragraph Styles

Question No : 12 of 26

Which one of the given option is not a mode for reading/writing the data from a file?

get –

www.thundershare.net

Answer (Please select your correct option)

- in — For read
- out — For write
- trunc

English (United States) 140%

Type here to search

Channel... CS201 H... CS 201 ... cs302 fi...

CS 201 midterm mcqs preparation - Microsoft Word

Picture Tools

Page Layout | References | Mailings | Review | View | MathType | Format

Font | Paragraph | Styles

Question No : 14 of 26

In C/C++, _____ are the doors through which data can enter and come out of a program.

Answer (Please select your cwww.thundershare.net

- Streams
- Fields
- Variables

English (United States)

140%

e to search

Channel... | CS201 H... | CS 201 ... | cs302 fi...

Question No : 17 of 26

Computers can do _____ what we tell them to do.

www.thundershare.net

Answer (Please select your correct option)

- More than
- Less than
- Exactly

CS 201 midterm mcqs preparation - Microsoft Word

Layout References Mailings Review View MathType

Font Paragraph Styles

AaBbCcDdE ¶ Normal | AaBbCcDdE ¶ No Spacing | AaBbCcI Heading 1 | AaBbCcD Heading 2 | AaBb Title | Change Styles

Question No : 13 of 20

All structure elements are_____ by default.

Answer (Please select your correct option)

www.thundershare.net

- Public
- Protected
- Private ✓

lish (United States) 140%

Channel... CS201 H... CS 201 ... cs302 fi... ENG

CS 201 midterm mcqs preparation - Microsoft Word

Layout References Mailings Review View MathType

Font Paragraph Styles

The function write () take..

Answer (Please select your correct option)

- String of pointer type

www.thundershare.net

- String of variable lengths, no. of bytes to be read
- Pointer array of characters and a delimiter
- String and no. of bytes to be written





Question No : 18 of 26

When the logical operator AND (&&) combines two expressions exp1 and exp2 then the result will be true only _____

Answer (Please select your correct option)

www.thundershare.net

- When both exp1 and exp2 are true ✔
- When both exp1 and exp2 are false
- When exp1 is true and exp2 is false
- When exp1 is false and exp2 is true

CS 201 midterm mcqs preparation - Microsoft Word

Picture Tools

Page Layout | References | Mailings | Review | View | MathType | Format

Font | Paragraph | Styles

Question No : 5 of 26

To access rand(), which library is required to be included in program ?

Answer (Please select your correct option)

- conio.h
- stdio.h
- stdlib.h

correct

www.vuhelp4share.net

English (United States)

search

Question No : 6 of 26

What is the highest legal index for the following array?

int arr[4]

www.thundershare.net

Answer (Please select your correct option)

- 4
- 3 correct
- 2

Question No : 14 of 26

C is widely known as development language of _____ operating system.

www.thundershare.net

Answer (Please select your correct option)

- Windows
- Unix

correct

- Mac OS

Question No : 7 of 26

When an array element is passed to a function, it is passed by _____.

www.thundershare.net

Answer (Please select your correct option)

- reference

correct

- data type
- value

CS 201 midterm mcqs preparation - Microsoft Word

Picture Tools

Page Layout | References | Mailings | Review | View | MathType | Format

Font | Paragraph | Styles

Question No : 19 of 26

Null character is used to indicate the _____ of string.

www.thundershare.net

Answer (Please select your correct option)

- Start
- End ✔
- Begin

English (United States)

search

Question No : 9 of 26

'while' loop may execute _____ or more times.

www.thundershare.net

Answer (Please select your correct option)

- three
- zero
- two



Question No : 8 of 26

Which of the following values are used in C/C++ to represent true and false?

www.thundershare.net

Answer (Please select your correct option)

- 1 and 0
- 1 and -1

Question No : 4 of 26

Matrix is defined as_____.

www.thundershare.net

Answer (Please select your correct option)

- Single dimensional array
- Multi-dimensional array
- Vector product

Question No : 20 of 26

The microsoft word document(.doc) is a kind of _____



www.thundershare.net

Answer (Please select your correct option)

- Sequential File
- Random Access File
- Binary Access File

Question No : 19 of 26

The default mode for writing into a file using ofstream object is _____.

www.thundershare.net

Answer (Please select your correct option)

- out file ✓ correct
- bin
- app

Question No : 18 of 26

Structure is a collection of _____ under a single name

www.thundershare.net

Answer (Please select your correct option)

- only functions
- only variables
- both functions and variables ✓

C++ views each file as a sequential stream of _____



Answer (Please select your [illegible]are.net

- Bits
- Bytes
- Numbers

Question No : 16 of 26

The parameter passed to isdigit() function is _____.

www.thundershare.net

Answer (Please select your correct option)

- a character variable
- a boolean variable
- an integer variable

Question No : 15 of 26

TWAIN stands for _____ .

www.thundershare.net

Answer (Please select your correct option)

- Technology With An Interesting Name
- Technology Without An Informative Name
- Technology Without An Interesting Name

Question No : 14 of 26

Both compiler and _____ are used to translate program into machine language code.

Interpreter

www.thundershare.net

Answer (Please select your correct option)

- debugger
- linker
- loader

Switch statement deals with _____ type of data.

a & c

www.thundershare.net

Answer (Please select your correct option)

- Integer ✓
- Float
- Character ✓

Question No : 12 of 26

Whenever we use a library function or a predefined object or macro, we need to use a _____.

header file

Answer (Please select your correct option)

- source file
- object file

Which of the following if missing would result in infinite recursion in case of recursive function?

Answer (Please select your correct option)

www.tutorialshare.net

- Recursive call

correct

- Base case
- Function parameters

Question No : 10 of 26

Suppose that an integer type pointer contains a memory address 0x22f230. What will be the new memory address if we increment this pointer by one?

www.thundershare.net

Answer (Please select your correct option)

- 0x22f231
- 0x22f234
- 0x22f226

correct

Question No : 5 of 20

When the if statement consists more than one statement then enclosing these statement in curly braces is,



Answer (Please select your correct option)

www.thundershare.net

- Not required
- Good programming
- Relevant

Question No : 8 of 26

How many bytes of memory are occupied by array 'str'?
char str[] = "programming";

www.thundershare.net

Answer (Please select your correct option)

- 10
- 11

correct

What is the correct syntax to declare an array of size 10 of int data type?

Answer (Please select your correct option)

www.thundershare.net

- int [10] name ;
- name[10] int ;
- int name[10] ;

correct

Question No : 6 of 26

In order to get the right most digit of a number, we divide this number by 10 and take _____.

Answer (Please select your correct option)

www.thundershare.net

- Its remainder

correct

- Its quotient
- Its divisor

Question No : 5 of 20

In C/C++, the string constant is enclosed in _____

Double quotes

www.thundershare.net

Answer (Please select your correct option)

- curly braces {}
- parentheses()
- single quotes ' '

Question No : 4 of 26

The loop which is most suitable to be used when the number of iterations is known is called _____.



www.thundershare.net

Answer (Please select your correct option)

- for

correct

- while

Question No : 3 of 26

The operators ++ and -- are used to increment or decrement the value of a variable by _____

Answer (Please select your correct option)

www.thundershare.net

- 3
- 2
- 1

correct

Question No : 2 of 26

Which of the following function call is "call by reference" for the following function prototype?
void func (int *);

www.thundershare.net

Answer (Please select your correct option)

- func(int &num) ;
- func(&num) ;

correct

Lecture 1 to 18

Question No : 1 of 26

How many dimensions does n-dimensional array has?

www.thundershare.net

Answer (Please select your correct option)

- n dimensions

CS201 - Introduction to Programming (Quiz 2)

Quiz Start Time: 10:58 AM, 23 May 20

Question # 6 of 10 (Start time: 11:03:02 AM, 23 May 2024)

Total Mark

Which is the correct syntax to define a structure named 'student'?

Page no 230

Select the correct option

- struct student{
  //variables
  };
- structure student{
  //variables
  };
- structure student{
  //variables
  };
- struct student{
  //variables
  };

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz 2)

Quiz Start Time: 10:58 AM, 23

Question # 2 of 10 (Start time: 10:58:53 AM, 23 May 2024)

Tot

Which is not true regarding structures?

Select the correct option

- b) We can take the size of structure
- a) We can declare arrays of structure
- c) We can't declare pointers to structure
- d) Both b & c



Click to Save Answer & Move to Next Qu

CS201 - Introduction to Programming (Quiz 1)

Quiz Start Time: 03:39 PM, 06 May 2

Question # 2 of 10 (Start time: 03:40:11 PM, 06 May 2024)

Total Mar

When the logical operator AND (&&) combines two expressions exp1 and exp2 then the result will be true only. _____

Select the correct option

- When both exp1 and exp2 are false
- When exp1 is false and exp2 is true
- When both exp1 and exp2 are true
- When exp1 is true and exp2 is false

Click to Save Answer & Move to Next Question

Which of the following is an example of logical operator?

Select the correct option

○	/,%
○	&&,||
○	+,*
○	<,>

CS201 - Introduction to Programming (Quiz 2) Quiz Start Time: 10:58 AM, 23 Ma

Question # 3 of 10 (Start time: 11:00:03 AM, 23 May 2024) Total M

When we access a multidimensional array, each array index is surrounded by _____.

Select the correct option

- Double quotes " "
- Brackets [] 
- Single quotes ' '
- Commas , ,

Click to Save Answer & Move to Next Questi

CS201 - Introduction to Programming (Quiz 2) Quiz Start Time: 10:58 AM, 2

Question # 4 of 10 (Start time: 11:01:00 AM, 23 May 2024) To

How can we declare an array of characters whose size is 12 with array name "country"?

Select the correct option

- char country[12];
- char [12] country;
- char country[11];
- char country[0-11];

Click to Save Answer & Move to Next Q

CS201 - Introduction to Programming (Quiz 2) Quiz Start Time: 10:58 AM, 23

Question # 5 of 10 (Start time: 11:02:13 AM, 23 May 2024) To

Which of the following is used to create an output stream?

Select the correct option

- fsstream
- iostream
- ofstream
- ifstream

Click to Save Answer & Move to Next Q

CS201 - Introduction to Programming (Quiz 1)

Question # 1 of 10 (Start time: 10:17:10 AM, 06 May 2024)

What will be the correct output for the given program?

```
int num = 1;
switch ()
{
case 1 :
cout << "15 " ;
break;
```

Select the correct option

- Error
- 20
- 15
  20
- 15

CS201 - Introduction to Programming (Quiz 2)

Quiz Start Time: 10:58 AM, 23

Question # 9 of 10 (Start time: 11:07:54 AM, 23 May 2024)

Tot

char **argv can be read as_____.

Page no 177

Select the correct option

- pointer to pointer to char ✔
- pointer to pointer
- None of the given
- pointer to char

Click to Save Answer & Move to Next Q

CS201 - Introduction to Programming (Quiz 1)

Question # 4 of 10 (Start time: 10:20:43 AM, 06 May 2024)

If x is declare as an integer, what will be result of the given expression?

x = 2 + 3 * 5 % 2

Select the correct option

- 4.5
- 5
- 2
- 3

CS201 - Introduction to Programming (Quiz 1)

Question # 3 of 10 (Start time: 10:19:43 AM, 06 May 2024)

What will be the output of following code segment?

```
for (int i = 2; i<10; i++){
    if ( i == 5)
        continue;
    cout << i << "," ;
}
```

Select the correct option

- 2,3,4,6,7,8,9
- 4,6,7,8,9
- 2,3,7,8,9
- 2,3,4

CS201 - Introduction to Programming (Quiz 1)

Question # 10 of 10 (Start time: 10:24:47 AM, 06 May 2024)

When a = 26; then the expression a % = 5; will calculate the value of a as,

Select the correct option

- 3
- 1
- 5
- 0

CS201 - Introduction to Programming (Quiz 2)

Quiz Start Time: 10:58 AM

Question # 8 of 10 (Start time: 11:06:55 AM, 23 May 2024)

The name of the array is a constant pointer which contains the memory address of the _____of the array.

Page no 158

Select the correct option

- second element
- Last element
- None of the given
- first element ✓

Click to Save Answer & Move to Next

Question # 7 of 10 (Start time: 11:04:57 AM, 23 May 2024) Tot

What will be the correct syntax of declaration of the following statement?
" ptr is a pointer to const int "

Page no 154

Select the correct option

- const int *ptr
- const* int ptr
- int const* ptr
- int * const ptr ✓

Click to Save Answer & Move to Next Q

CS201 - Introduction to Programming (Quiz 1)

Question # 9 of 10 (Start time: 10:24:15 AM, 06 May 2024)

According to C++ norms; the first character of a variable name must be an alphabet or _____ .

Select the correct option

- Underscore
- None of the given options
- Digit
- Special character

CS201 - Introduction to Programming (Quiz 1)

Question # 2 of 10 (Start time: 10:18:17 AM, 06 May 2024)

What will be the result of z = x % y; if
x = 29 and y = 5?

Select the correct option

- 4
- 1
- 2
- 3

CS201 - Introduction to Programming (Quiz 1)

Question # 6 of 10 (Start time: 10:22:58 AM, 06 May 2024)

When the if statement consists of more than one statement then enclosing these statement in braces is _____.

Select the correct option

- Relevant
- Optional
- Compulsory
- Not required

CS201 - Introduction to Programming (Quiz 1)

Question # 8 of 10 (Start time: 10:23:48 AM, 06 May 2024)

Which step is not performed during a proper program design?

Select the correct option

- Pay attention to detail
- Formulate statements and comments in a precise language
- Analyze a problem statement, typically expressed as a word problem
- Write details about the performance of program

CS201 - Introduction to Programming (Quiz 1)

Quiz Start Time: 03:39 PM, 06 May 20

Question # 1 of 10 (Start time: 03:39:06 PM, 06 May 2024)

Total Mark

_____ Keyword is used to return some value from a function.

Select the correct option

- return
- continue
- break
- goto

Click to Save Answer & Move to next Question

Question # 5 of 10 (Start time: 03:44:05 PM, 06 May 2024) Total Mark

A variable of character data type occupies _____ byte(s) in memory

Select the correct option

- 2
- 4
- 8
- 1



Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 03:44:55 PM, 06 May 2024) Total Mar

C is widely known as development language of _____ operating system.

Select the correct option

- Mac OS
- Linux
- Windows
- Unix



Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 03:04:43 PM, 08 May 2024) **Total Marks:** 1

Suppose we want to transmit the data "10001101", and an "Even-Parity" bit scheme is used to detect errors, the parity bit added to this data will be ____

Select the correct option

○	"0" ✓
○	Parity bit is not needed in this case.
○	"1"
○	Both "0" and "1" can be used

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 03:04:22 PM, 08 May 2024) **Total Marks:** 1

XOR is an abbreviation of_____.

Select the correct option

- Expendable-NOR
- Extended-NOR
- Inclusive-OR
- Exclusive-OR

Click to Save Answer & Move to Next Question

Learning to program is important to develop _____and ____objectives.

4:10 pm

Learning to program is important to develop:

Problem-solving and Critical-thinking objectives

Programming helps individuals develop problem-solving skills by breaking down complex problems into smaller, manageable parts, and critical thinking skills by analyzing and evaluating solutions. Additionally, programming also develops other important skills such as:

- Logical reasoning
- Analytical thinking
- Creativity
- Attention to detail
- Troubleshooting and debugging

By learning to program, individuals can develop a strong foundation in these essential skills, which can benefit them in various areas of life, including academics, career, and personal projects.

4:10 pm

The Logical And operator is:

And (&&)

The Logical And operator (&&) is a binary operator that returns true if both the operands are true, and returns false otherwise. It is often used in conditional statements and expressions to test multiple conditions.

Example:

```
if (x > 5 && x < 10) { ... }
```

In this example, the code inside the if statement will only be executed if x is greater than 5 and less than 10.

Note that the Logical And operator has a shorter circuit behavior, meaning that if the first operand is false, the second operand will not be evaluated, as the overall result is already determined to be false.

4:14 pm

Question # 5 of 10 (Start time: 03:03:58 PM, 08 May 2024) **Total Marks:** 1

Arithmetic and Logic Units can perform any of the arithmetic operations and logic operations on _____ input values.

Select the correct option

- Two
- One
- Three
- Four

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 03:07:13 PM, 08 May 2024) **Total Marks:** 1

Modern information transmission techniques are relying more on _____ transmission.

Select the correct option

○	Analogue
○	Digital
○	Both Digital and Analogue
○	None of given

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 02:56:32 PM, 08 May 2024) **Total Marks:** 1

We can access a global variable _____

Select the correct option

- ◯ From anywhere in the program
- ◯ From the functions only
- ◯ From the loops only
- ◯ From the main() function only

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 02:56:14 PM, 08 May 2024) **Total Marks:** 1

Operating System is a type of _____ software.

Select the correct option

- Application
- Device Driver
- System
- Utility

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 02:55:48 PM, 08 May 2024) **Total Marks:** 1

!(x > 3) means in C++ that

Select the correct option

- x is less than 3
- x is less than or equal to 3
- x is equal to 3
- x is greater than 3

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 02:57:33 PM, 08 May 2024) **Total Marks:** 1

The result of 4 % 3 will be

Select the correct option

○	1.33
○	1.5
○	2
○	1

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz 1)

Question # 1 of 10 (Start time: 07:49:03 PM, 07 May 2024)

What is the output of the following code?

```
for (int i=0; i<5; i++) cout << i%2 << " ";
```

Select the correct option

- ○ 0 1 0 1 0
- ◉ 0 1 2 3 4 5
- ○ 1 0 1 0 1
- ○ 0 2 4 6 8 10

Click to

sec(s)

CS201 - Introduction to Programming (Quiz 1) **Quiz Start Time: 02:55 PM, 08 May 2024**

Question # 4 of 10 (Start time: 02:56:50 PM, 08 May 2024) **Total Marks:** 1

Using a segment of source code again by adding new functionalities with minor or without modification is termed as _____.

Select the correct option

Reload Math Equations

○	Code efficiency
●	Code modification
○	Code Reusability
○	Code Generation

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 02:57:23 PM, 08 May 2024) **Total Marks:** 1

A _____is a precise sequence of steps to solve a particular problem.

Select the correct option

- Analysis
- Program
- Statement
- Code

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 07:49:26 PM, 07 May 2024)

_____statement is used to terminate the processing of a particular case and exit from switch structure.

Select the correct option

- (●) if
- ( ) continue
- ( ) break
- ( ) goto



Click to Save Answer & Mo

CS201 - Introduction to Programming (Quiz 1) Quiz Start Tir

Question # 5 of 10 (Start time: 07:50:36 PM, 07 May 2024)

When the break statement is encountered in a loop's body, it transfers the control _____from the current loop.

Select the correct option

- (●) To break statement
- ( ) Inside
- ( ) To continue statement
- ( ) Outside



Click to Save Answer &

Question # 8 of 10 (Start time: 07:52:05 PM, 07 May 2024)

Find out the logical error in following lines of code.

```
If (x = 10)
cout << "x is 10";
```

Select the correct option

- 10 should be enclosed in quotations
- There is no semicolon at the end of if condition
- Variable x should not be inside parenthesis
- Assignment operator should not be used for comparison



Click to Save Answ

Question # 7 of 10 (Start time: 07:51:53 PM, 07 May 2024)

C++ is a_____ language.

Select the correct option

- ○ Machine
- ○ Low level
- ◉ High level 
- ○ Assembly language

Click to Save Ans

CS201 - Introduction to Programming (Quiz 1) Quiz Start

Question # 3 of 10 (Start time: 07:49:43 PM, 07 May 2024)

What will be the output for the following code segment?

```
for ( int num = 3; num <= 5; num++ )
{
if ( num % 2 != 0)
 continue;
cout << num << " ";
}
```

Select the correct option

○	5
○	4
○	3
●	2

Click to Save Answer

CS201 - Introduction to Programming (Quiz 1)

Question # 9 of 10 (Start time: 07:52:37 PM, 07 May 2024)

Return type of a function that does not return any value must be _____.

Select the correct option

- char
- int
- void 
- double

Click to

Question # 4 of 10 (Start time: 07:50:12 PM, 07 May 2024)

Which of the following is a reserve word for data types in C/C++?

Select the correct option

- integer
- doubles
- character
- int



Click to Save Answer & Move

Question # 10 of 10 (Start time: 07:52:54 PM, 07 May 2024) To

In the following nested For Loop, which loop will run most number of times?

```
for( int i = 0; i < 5; i++)
  {
    for(int k = 0; k < 5; k++)
    {
    ____
    }
```

Select the correct option

- ( ) Outer loop
- ( ) Both loops run equal number of times
- (•) Inner loop
- ( ) Depends upon the statements in the inner loop's body

Click to Save Answer & Move to Next Q

CS201 - Introduction to Programming (Quiz 2)

Question # 2 of 10 (Start time: 09:30:24 AM, 24 May 2024)

We must include the header file _____to convert the value of one type into another type using built-in functions.

Pg# 191

Select the correct option

- ○ iostream.h
- ○ conio.h
- ○ string.h
- ◉ stdlib.h

CS201 - Introduction to Programming (Quiz 2)

Question # 9 of 10 (Start time: 09:35:09 AM, 24 May 2024)

For the following statement, how much memory will be allocated to myarray[0]?
char * myarray[] = {"Arif", "Sadia"};

Select the correct option

- 7 Bytes
- 5 Bytes
- 6 Bytes
- 4 Bytes

CS201 - Introduction to Programming (Quiz 2)

Question # 10 of 10 (Start time: 09:35:57 AM, 24 May 2024)

Following is the declaration of a 2D array, how many rows are declared for this array.
int arr[3][2];

Select the correct option

- ○ 32
- ◉ 3
- ○ 23
- ○ 2

CS201 - Introduction to Programming (Quiz 2)

Question # 1 of 10 (Start time: 09:29:47 AM, 24 May 2024)

How we declare an array of integer data whose size is 20 with array name "count".

Select the correct option

- (●) int count[20];
- ( ) int count[21];
- ( ) int count[19];
- ( ) float count[20];

CS201 - Introduction to Programming (Quiz 2)

Question # 8 of 10 (Start time: 09:34:28 AM, 24 May 2024)

What is the use of ios::trunc mode?

Select the correct option

- (●) To truncate an existing file to zero
- ( ) To open a file in input mode
- ( ) To open a file in output mode
- ( ) To truncate an existing file to half

CS201 - Introduction to Programming (Quiz 2)

Question # 7 of 10 (Start time: 09:33:55 AM, 24 May 2024)

Which header file is required to use file I/O operations?

Select the correct option

- (●) <fstream>
- ( ) <ostream>
- ( ) <iostream>
- ( ) <ifstream>

CS201 - Introduction to Programming (Quiz 2)

Question # 6 of 10 (Start time: 09:33:04 AM, 24 May 2024)

We use dot operator to access the data members of both _____ and _____.

Select the correct option

- unions, arrays
- unions, structures
- none of them
- arrays, structures

CS201 - Introduction to Programming (Quiz 2)

Question # 3 of 10 (Start time: 09:31:14 AM, 24 May 2024)

The string in the array is terminated by a _____

Pg no: 289

Select the correct option

- ○ one
- ○ nil
- ◉ null
- ○ zero

CS201 - Introduction to Programming (Quiz 2)

Question # 4 of 10 (Start time: 09:31:43 AM, 24 May 2024)

A _____is an array of characters that can store number of character specified.

Pg No: 113

Select the correct option

- (●) String
- ( ) Data type
- ( ) Multidimensional array
- ( ) Char

CS201 - Introduction to Programming (Quiz 2)

Question # 5 of 10 (Start time: 09:32:24 AM, 24 May 2024)

Each array declaration must provide the information about all these things except _____.

Select the correct option

- ○ Name of the array
- ○ Number of elements of the array
- ◉ The location of the first element to be stored
- ○ Type of data stored in the array

CS201 - Introduction to Programming (Quiz 2)

Question # 2 of 10 (Start time: 08:10:10 PM, 23 May 2024)

'\0' takes _____ space in the memory.

Select the correct option

- ○ 1 Byte
- ○ 4 Bytes
- ○ 2 Bytes
- ○ 8 Bytes

Type here to search

CS201 – Introduction to Programming (Quiz 2)

Question # 1 of 10 (Start time: 08:09:25 PM, 23 May 2024)

Following is the declaration of a 2D array, how many columns are declared for this array.
int arr[3][2];

Select the correct option

- ○ 3
- ○ 23
- ○ 2 ✓
- ○ 32

Type here to search

CS201 - Introduction to Programming (Quiz 2)

Question # 3 of 10 (Start time: 08:10:53 PM, 23 May 2024)

Given a two dimensional array of integers, what would be the correct way of assigning the value 6 to the element at third row and fourth column?

Select the correct option

- array[4][3] = 6;
- array[2][3] = 6;
- array[3][4] = 6;
- array[2][4] = 6;

Type here to search
38°C Haze

CS201 - Introduction to Programming (Quiz 2)

Quiz Start Time: 08:09 PM, 23 May 2024

Question # 4 of 10 (Start time: 08:11:45 PM, 23 May 2024)

Total Marks:

student s[100]; means that 's' is an array of hundred students of type 'student' structure. What will be the correct statement to access the 'name' data element of the fifty sixth student from the array?

Select the correct option

- s[55].name;
- s[56].name;
- s.name[55];
- s.name[56];

Type here to search

Live

8:11 pm
23/05/2024

CS201 - Introduction to Programming (Quiz 2)

Question # 5 of 10 (Start time: 08:12:28 PM, 23 May 2024)

In two-dimensional array, we use _____ 'for loop(s)' to populate the array.

Select the correct option

○	4
○	1
○	3
○	2

Type here to search

CS201 - Introduction to Programming (Quiz 2)

Question # 6 of 10 (Start time: 08:13:13 PM, 23 May 2024)

There is a pointer variable named ptr of type float. Which type of variable address can be stored by ptr?

Select the correct option

- ○ int
- ○ float
- ○ char
- ○ double

CS201 - Introduction to Programming (Quiz 2)

Question # 7 of 10 (Start time: 08:14:05 PM, 23 May 2024)

How many elements are stored in the following?
int matrix [4][5];

Select the correct option

- ○ 20
- ○ 9
- ○ 10
- ○ 25

Type here to search

CS201 - Introduction to Programming (Quiz 2)

Question # 8 of 10 (Start time: 08:14:57 PM, 23 May 2024)

suppose we have int y[10];
To access the 4th element of the array we write_____

Select the correct option

- ○ y[4];
- ○ y[2];
- ○ y[3];
- ○ none of given

Type here to search

Question # 9 of 10 (Start time: 08:15:44 PM, 23 May 2024)

These functions seekg() and seekp() requires an argument of type _____to determine that how many bytes to be move forward or backward

Page # 215

Select the correct option

- double
- short
- long
- int

Click to Save Answer

Type here to search

USD/KES +0.57%

Question # 10 of 10 (Start time: 08:16:38 PM, 23 May 2024)

We have opened a file stream myfile for reading (getting), myfile.tellg () gives us the current get position of the file pointer. It returns a whole number of type___

Page # 215

Select the correct option

- double
- short
- int
- long ✓

Click to Save Ans