vulms.vu.edu.pk/Quiz/(

BC200402756: MUHAMMAD TAHIR

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 08:31:13 PM, 17 February 2022)

_____data isn't accessible by non-member functions or outside classes

Select the correct option

- Public
- Globally declared
- private
- Static

BC200402756: MUHAMMAD TAHIR

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 08:27:52 PM, 17 February 2022)

We can _____references.

Select the correct option

- decrement
- none of the given
- reassign
- increment

8:27

vulms.vu.edu.pk/Quiz/Q

Question # 10 of 10 (Start time: 08:27:35 PM, 17 February 2022)

Which of the following is unary operator?

Select the correct option

- ++i
- i++
- All of the Given
- i--

Click to Save Answ

8:26

vulms.vu.edu.pk/Quiz/Q

Question # 9 of 10 (Start time: 08:26:51 PM, 17 February 2022)

While using _____ operator we do not need to supply number of bytes allocated.

Select the correct option

- new
- insertion
- dot
- malloc

Click to Save Answer & M

8:25

vulms.vu.edu.pk/Quiz/Q

Question # 8 of 10 (Start time: 08:25:18 PM, 17 February 2022)

Default constructor generated by _____does _____for us.

Select the correct option

- main program, memory management
- compiler, no initialization
- classes , initialization
- compiler , initialization

Click to Save Answer & Mov

8:24

vulms.vu.edu.pk/Quiz/Q

Question # 7 of 10 (Start time: 08:24:33 PM, 17 February 2022)

A class is _____.

Select the correct option

- a built in function
- a member function
- an array
- a user defined data type

Click to Save Answ

8:23

vulms.vu.edu.pk/Quiz/Q

Question # 6 of 10 (Start time: 08:23:41 PM, 17 February 2022)

In C++ operators, which of the following operator cannot be overloaded _____.

Select the correct option

- <<
- ?:
- +
- -

Click to Save An

8:22

vulms.vu.edu.pk/Quiz/Q

The friend keyword provides access _____.

Select the correct option

- in two directions
- to all classes
- to the data members of the friend class only
- in one direction only

Click to Save Ans

8:22

vulms.vu.edu.pk/Quiz/Q

Question # 4 of 10 (Start time: 08:22:09 PM, 17 February 2022)

free function is available in _____ header file.

Select the correct option

- iostream.h
- conio.h
- string.h
- stdlib.h

Click to Save Answer & M

8:21

vulms.vu.edu.pk/Quiz/Q

Question # 3 of 10 (Start time: 08:21:28 PM, 17 February 2022)

C++ offers _____ levels of data access control inside a class

Select the correct option

- five
- two
- four
- three

Click to Save Answer & Move

Question # 2 of 10 (Start time: 08:20:53 PM, 17 February 2022)

In a class we can have _____ constructor(s).

Select the correct option

- ○ no
- ○ only one
- ○ two
- ○ many

Click to Save Answer & Move to

8:19

vulms.vu.edu.pk/Quiz/Q

int &i; It means that i is a _____to an integer.

Select the correct option

- reference
- constant pointer
- data type
- pointer

Click to Save

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:42 PM, 17 February 2022

Question # 10 of 10 (Start time: 07:49:49 PM, 17 February 2022)

Total Marks: 1

A class is a user defined data type it takes _____.

Select the correct option

- 4 bytes in memory
- no space in memory unless we create an object from it.
- No space in memory unless we create constructors
- 2 bytes in memory

Click to Save Answer & Move to Next Question

sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:42 PM, 17 February 2022

Question # 9 of 10 (Start time: 07:48:56 PM, 17 February 2022)

Total Marks: 1

new operator can be used for _____.

Select the correct option

- integer , float, char and double data types
- only integer data type
- dot operator
- only char and integer data types

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:42 PM, 17 February 2022

Question # 8 of 10 (Start time: 07:47:41 PM, 17 February 2022)

Total Marks: 1

Which function is used to delete the allocated memory space?

Select the correct option

- free()
- malloc
- calloc
- Dealloc()

Click to Save Answer & Move to Next Question

sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:42 PM, 17 February 2022

Question # 6 of 10 (Start time: 07:46:08 PM, 17 February 2022)

Total Marks: 1

Within the statement obj1=obj2; obj1 will call the assignment operator function and obj2 will be passed as an argument to function.

Select the correct option

- True
- False

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 07:42 PM, 17 February 2022

Question # 5 of 10 (Start time: 07:45:27 PM, 17 February 2022) **Total Marks:** 1

Default constructor generated by _____does _____for us.

Select the correct option

- compiler, no initialization
- classes , initialization
- main program, memory management
- compiler , initialization

Click to Save Answer & Move to Next Question

sec(s)

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 07:42 PM, 17 February 2022

Question # 4 of 10 (Start time: 07:44:27 PM, 17 February 2022) Total Marks: 1

We can _____ pointer.

Select the correct option

- reassign
- increment
- decrement
- all of the given

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:42 PM, 17 February 2022

Question # 3 of 10 (Start time: 07:43:56 PM, 17 February 2022)

Total Marks: 1

date+=1; is equivalent to _____.

Select the correct option

Reload Math Equations

- date++
- date+1
- 1+date
- ++date

Click to Save Answer & Move to Next Question

sec(s)

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 07:42 PM, 17 February 2022

Question # 2 of 10 (Start time: 07:43:16 PM, 17 February 2022) Total Marks: 1

The destructor is used to _____.

Select the correct option

- allocate static memory
- allocate memory
- deallocate memory
- create objects

Click to Save Answer & Move to Next Question

Time Left sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:42 PM, 17 February 2022

Question # 1 of 10 (Start time: 07:42:35 PM, 17 February 2022)

Total Marks: 1

While using _____ operator we do not need to supply number of bytes allocated.

Select the correct option

- malloc
- dot
- new
- insertion

Click to Save Answer & Move to Next Question

7:42 14.9 K/s 35

vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2)

Total Questions :10

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button** / **Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
   - Saving...
   - Question Timeout: Now loading next question...
7. **Javascript MUST be enabled** in your browser, otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

Important Announcement

1. It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz.
2. The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their Mid-Term quiz.

Start Quiz

Question # 4 of 10 (Start time: 07:02:41 PM, 17 February 2022) **Total Marks:** 1

public or private keywords can be _____

Select the correct option

- written only for once in the class or structure declaration
- written outside the class
- written only twice in the class declaration
- written multiple times in the class or structure declaration

Click to Save Answer & Move to Next Question

19:06 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

malloc function returns _____to the _____ from the available memory.

Select the correct option

- void pointer, starting of the chunk of memory allocated from the array
- integer pointer, middle of the chunk of memory allocated from the heap
- NULL pointer, end of the chunk of memory allocated from the stack
- void pointer , starting of the chunk of memory allocated from the heap

Click to Save

sec(s)

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time: 06:59 PM, 17 February 2022**

Question # 5 of 10 (Start time: 07:04:19 PM, 17 February 2022) **Total Marks:** 1

free function is available in _____ header file.

Select the correct option

○	stdlib.h
○	conio.h
○	iostream.h
○	string.h

Click to Save Answer & Move to Next Question

19:04 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

Question # 7 of 10 (Start time: 07:04:50 PM, 17 February 2022)

The heap memory structure _____.

Select the correct option

- is just like stack
- remains constant
- constantly changes in size
- contains no space

19:04 100%
nce between pointer

59. Reference is not really an address it is_____.

A synonym

60. What is meant by the following statement?
String str[5] = {String("Programming"), String("CS201")};

Parameterized constructor will be called for all objects of arra

61. When an operator function is defined as member function for a bi operator then the number of argument it take is/are.

Two...confirm

62. Friend classes are used in cases where one class is ____ to another cl

Independent

63. The difference between pointers and references is that _____

We can do arithmetic with pointers....confirm

64. When an operator function is defined as member function for a Unary then the number of extra arguments it takes is/are.

One.....confirm

65. *This is a pointer that always points to

Current pointer of the class

Remember Own Pray

7:04 76%

vulms.vu.edu.pk/Quiz/Quiz(

MC200201765: MUHAMMAD SAQIB

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:00 PM, 17 February 2022

Question # 4 of 10 (Start time: 07:04:39 PM, 17 February 2022)

Total Marks: 1

The reference data types are used as _____ variables without any _____ operator

Select the correct option

- global , dot
- static , deference
- ordinary , deference
- local , &

Click to Save Answer & Move to Next Question

7:03 77%

vulms.vu.edu.pk/Quiz/Quiz(

MC200201765: MUHAMMAD SAQIB

Time Left 84 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:00 PM, 17 February 2022

Question # 3 of 10 (Start time: 07:03:24 PM, 17 February 2022)

Total Marks: 1

Let suppose
int a, b, c, d, e;
a = b = c = d = e = 42;
This can be interpreted by the complier as

Select the correct option

- a = b = (c = (d = (e = 42)));
- (a = b = (c = (d = (e = 42))));
- a = (b = (c = (d = (e = 42))));
- (a = b) = (c = d) = (e = 42);

Click to Save Answer & Move to Next Question

7:01 77%

vulms.vu.edu.pk/Quiz/Quiz(

MC200201765: MUHAMMAD SAQIB

Time Left 85 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:00 PM, 17 February 2022

Question # 2 of 10 (Start time: 07:01:39 PM, 17 February 2022)

Total Marks: 1

What will be the output of the given code

```
#include<iostream>
#include<conio.h>
using namespace std;
 void display( int = 1, float = 2.3, char = '@' );
 main()
 {
display();
display(5);
display(6,7.8);
display(9,10.11,'$');
getch();
}
 void display( int first, float second, char third )
 { cout << "\nfirst = " << first; cout << ", second = " << second; cout << ", third = " << third; }
```

Select the correct option

Reload Math Equations

- first = 1, second = 2.3, third = 10 first = 5, second = 2.3, third = @ first = 6.5, second = 7.8, third = @ first = 9, second = 10.11, third = $
- first = 1, second = 2.3, third = @ first = 2.3, second = 23, third = @ first = 6, second = 7.8, third = @ first = 9, second = 10.11, third = $
- first = 1, second = 2.3, third = @ first = 5, second = 2.3, third = @ first = 6, second = 7.8, third = @ first = 9, second = 10.11, third = $
- first = 1, second = 2.3, third = @ first = 5, second = 3, third = @ first = 6, second = 7.8, third = @ first = 9, second = 10.11, third = $

Click to Save Answer & Move to Next Question

7:00 77%

vulms.vu.edu.pk/Quiz/Quiz(

MC200201765: MUHAMMAD SAQIB

Time Left 90 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:00 PM, 17 February 2022

Question # 1 of 10 (Start time: 07:00:37 PM, 17 February 2022)

Total Marks: 1

For console input and output we use _____.

Select the correct option

- conio.h header file
- getch.h header file
- process.h header file
- stdlib.h header file

Click to Save Answer & Move to Next Question

6:56 324 B/s 56

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time

Question # 10 of 10 (Start time: 06:56:08 PM, 17 February 2022)

Friend function declaration can go _____ the class

Select the correct option

- (●) anywhere in
- ( ) in the member function of
- ( ) only outside
- ( ) only within

Click to Save Answer

6:54 146.5 K/s 56

Quiz
vulms.vu.edu.pk

BC200410732: SYED MUHAMMAD EHTASHAM BUKHARI

Time Left 76 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 06:45 PM, 17 February 2022

Question # 8 of 10 (Start time: 06:54:11 PM, 17 February 2022)

Total Marks: 1

What will be the output of the given code? #include<iostream> using namespace std; #define MAX(A, B) ((A) > (B) ? (A) : (B)) int main() { int i, x, y; x = 23; y = 45; i = MAX(x++, y++); // side-effect: // larger value incremented twice cout << "x = " << x << " y = " << y << "\n"; }

Select the correct option

Reload Math Equations

- x=24 y=46
- x=23 y=45
- x=24 y=47
- x=22 y=47

Click to Save Answer & Move to Next Question

6:55 130 B/s 56

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 06:45 PM, 17 F

Question # 8 of 10 (Start time: 06:54:11 PM, 17 February 2022)

What will be the output of the given code? #include<iostream>
using namespace std; #define MAX(A, B) ((A) > (B) ? (A) : (B)) int main() { int i, x, y; x = 23; y = 45; i = MAX(x++, y++); // Side-effect: // incremented twice cout << "x = " << x << " y = " << y << "\n"; }

Select the correct option

Reload Mat

- (●) x=24 y=46
- ( ) x=23 y=45
- ( ) x=24 y=47
- ( ) x=22 y=47

Click to Save Answer & Move to Next

6:55 108 B/s 56

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 06:

Question # 9 of 10 (Start time: 06:55:22 PM, 17 February 2022)

It is possible to return an object from function using this pointer.

Select the correct option

- (●) True
- ( ) False

Click to Save Answer & Mo

6:53 20.9 K/s 57

Question # 7 of 10 (Start time: 06:53:36 PM, 17 February 2022)

In overloading the assignment (=) operator, which object(s) will call the operator function?

Select the correct option

- ○ Both objects will call the operator function
- ○ Right object of the assignment operator
- ○ Left object of the assignment operator
- ○ No object will call the operator function

Clic

6:53 20.9 K/s 57

Question # 6 of 10 (Start time: 06:52:08 PM, 17 February 2022)

Public member functions of the class _____main program.

Select the correct option

○	are accessible in
○	are not accessible in
○	are defined within the
○	are private to

6:52 638 B/s 57

Quiz
vulms.vu.edu.pk

BC200410732: SYED MUHAMMAD EHTASHAM BUKHARI

Time Left 81 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 06:45 PM, 17 February 2022

Question # 6 of 10 (Start time: 06:52:08 PM, 17 February 2022)

Total Marks: 1

Public member functions of the class _____main program.

Select the correct option

Reload Math Equations

- are accessible in
- are not accessible in
- are defined within the
- are private to

Click to Save Answer & Move to Next Question

◻ ○ ◁

6:46 0 B/s 58

Quiz
vulms.vu.edu.pk

Question # 2 of 10 (Start time: 06:46:18 PM, 17 February 2022)

What will be the output of the following c++ code?

```
#include<iostream.h>
#define max 100
main()
{
  #ifdef max
  Cout<<"Hellow;
```

Select the correct option

- Max is 100
- Hello
- Error
- "Hellow"

Click to S

6:50 4.6 K/s 57

Quiz
vulms.vu.edu.pk

BC200410732: SYED MUHAMMAD EHTASHAM BUKHARI

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 06:45 PM, 17 February 2022

Question # 5 of 10 (Start time: 06:50:51 PM, 17 February 2022)

Total Marks: 1

Assignment operator is used to initialize a newly declared object from existing object.

Select the correct option

- False
- True

Click to Save Answer & Move to Next Question





18:30

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

Time Left 83 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 06:23 PM, 17 February 202

Question # 10 of 10 (Start time: 06:30:46 PM, 17 February 2022)

Total Mark

Within the statement obj1=obj2; obj1 will call the assignment operator function and obj2 will be passed as an argument to function.

Select the correct option

- True
- False

Click to Save Answer & Move to Next Question

18:29 13 B/s 69
Quiz
vulms.vu.edu.pk

Question # 9 of 10 (Start time: 06:29:53 PM, 17 February 2022)

If we do not write our own assignment operator then which of the following

Select the correct option

- NULL pointer
- Memory leak
- Unreferenced memory
- Dangling pointer

18:28 10.8 K/s 69

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

CS201 - Introduction to Programming (Quiz # 2)

Question # 8 of 10 (Start time: 06:29:15 PM, 17 February 2022)

_____ operators are the ones that require two operands on both sides of the operator.

Select the correct option

- Double
- Binary
- Unary
- Tow sided

18:28

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

CS201 - Introduction to Programming (Quiz # 2)

Question # 7 of 10 (Start time: 06:28:42 PM, 17 February 2022)

malloc function returns _____to the _____ from the av

Select the correct option

○	NULL pointer, end of the chunk of memory allocated from the stack
○	void pointer , starting of the chunk of memory allocated from the heap
○	void pointer, starting of the chunk of memory allocated from the array
○	integer pointer, middle of the chunk of memory allocated from the heap

18:27

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 06:28:12 PM, 17 February 2022)

Destructor _____.

Select the correct option

- ○ cannot be overloaded and have no return type
- ○ cannot be overloaded and have return type
- ○ can be overloaded and have return type
- ○ takes no arguments and can be overloaded

18:26

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 06:27:10 PM, 17 February 2022)

int &i; It means that i is a _____to an integer.

Select the correct option

- ○ pointer
- ○ data type
- ○ reference
- ○ constant pointer

18:24

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

CS201 - Introduction to Programming (Quiz # 2)

Question # 4 of 10 (Start time: 06:25:34 PM, 17 February 2022)

Identify the correct syntax for making a class friend of other class

Select the correct option

- ClassOne
  {
  friend OtherClass ;
  private:
- friend ClassOne
  {
  OtherClass ;
  private:
- Friend class ClassOne
  {
  friend OtherClass ;
  private:
- class ClassOne
  {
  friend OtherClass ;
  private:

Cli

18:24

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2)

Question # 3 of 10 (Start time: 06:24:38 PM, 17 February 2022)

Constructor has _____.

Select the correct option

○	the same name as data member
○	return type
○	no name
○	the same name as of class

6:24 799 B/s 61

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 06:24:26 PM, 17 February 2022)

Destructor _____.

Select the correct option

○	cannot be overloaded and have no return type
○	takes no arguments and can be overloaded
○	cannot be overloaded and have return type
○	can be overloaded and have return type

18:23

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 06:23:56 PM, 17 February 2022)

Ternary operator is shown as _____.

Select the correct option

○	||
○	===
○	?:
○	&&

18:22 167.0 K/s 69

Quiz
vulms.vu.edu.pk

MC210202280: SHARQA KIRAN

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 06:23:06 PM, 17 February 2022)

i+=2 is equivalent to _____.

Select the correct option

○	i=i+2;
○	i=1+l;
○	2+=l;
○	i=i++;

6:22 23.1 K/s 61

Quiz
vulms.vu.edu.pk

Question # 3 of 10 (Start time: 06:22:30 PM, 17 February 2022)

malloc function returns _____to the _____ from the available memory.

Select the correct option

- NULL pointer, end of the chunk of memory allocated from the stack
- void pointer, starting of the chunk of memory allocated from the array
- integer pointer, middle of the chunk of memory allocated from the heap
- void pointer , starting of the chunk of memory allocated from the heap

Click to Sav

18:21

565 B/s 69

Start Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2) **Total Questions :10**

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button** / **Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
   - Saving...
   - Question Timeout: Now loading next question...
7. **Javascript MUST be enabled** in your browser, otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of Internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

Important Announcement

1. It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz.
2. The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their Mid-Term quiz.

Start Quiz



6:21 48.9 K/s 62

Quiz
vulms.vu.edu.pk

BC200416481: SHANZA MUNEER

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 06:21:27 PM, 17 February 2022)

In C language, the region of memory allocated at runtime is called _____.

Select the correct option

- stack
- heap
- available memory
- free store

Click t

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=9885775c-eeaf-48e2-b

Apps Suggested Sites

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 10 of 10 (Start time: 06:03:25 PM, 17 February 2022)

_____ operators are the ones that require only one operator to work.

Select the correct option

- Single
- Unit
- Binary
- Unary

PHCL1207

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 9 of 10 (Start time: 06:02:31 PM, 17 February 2022)

The object code of our program is combined with the _____.

Select the correct option

- source program
- machine code of the operating system
- with header files
- object code of the library functions



PHCL1207

6:01

21 K/s

vulms.vu.edu.pk

CS201 - Quiz Finished

Dear Student,

Your Quiz has been finished successfully!
Click here to open Quiz List.

February 17, 2022 06:01 PM

Virtual University of Pakistan


CS201 - Introduction to Programming (Quiz # 2)

Question # 8 of 10 (Start time: 06:01:41 PM, 17 February 2022)

References cannot be uninitialized. Because it is impossible to _____

Select the correct option

- reinitialize a reference
- initialize a NULL pointer
- cast a pointer
- reinitialize a pointer



6:01

vulms.vu.edu.pk

Question # 10 of 10 (Start time: 06:00:58 PM, 17 February 2022)

In overloading the assignment (=) operator, which object(s) will call the operator function?

Select the correct option

- No object will call the operator function
- Both objects will call the operator function
- Left object of the assignment operator
- Right object of the assignment operator

Click to Save Answer

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=9973bac9-4c66-4864-a664-b

Apps Suggested Sites

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 7 of 10 (Start time: 06:00:37 PM, 17 February 2022)

_____ is a special type of pointer we have to cast it before we use it.

Select the correct option

- integer
- void
- double
- float

PHCL1207

6:00 456 B/s 31
vulms.vu.edu.pk

Question # 9 of 10 (Start time: 06:00:20 PM, 17 February 2022)

Identify the correct method of adding two strings, s1 and s2.

Select the correct option

○	s1+s2 and strcat(s1,s2)
○	s1, s2+
○	strcat(s1, s2);
○	s1+s2

Click to Save Answer &

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 05:59:38 PM, 17 February 2022)

In a class we can have _____ constructor(s).

Select the correct option

- only one
- two
- no
- many

PHCL1207

5:58

vulms.vu.edu.pk

Question # 7 of 10 (Start time: 05:58:47 PM, 17 February 2022)

The function overloading requires_____.

Select the correct option

- no arguments
- the argument list to be the same
- the arguments of integer type only
- the argument list to be different.

Click to Save Answ

5:59

vulms.vu.edu.pk

Question # 8 of 10 (Start time: 05:59:42 PM, 17 February 2022)

getche() is a _____ function and defined in _____ header file.

Select the correct option

- built-in function, stlib.h
- user-define function , conio.h
- built -in function, iostream.h
- built-in function , conio.h

Click to Save Ans

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=1ff24016-a3c5-4520-bed9-afd697da71fd

Apps Suggested Sites

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 05:58:43 PM, 17 February 2022)

An address is a _____, while a pointer is a _____.

Select the correct option

- constant , variable
- non static variable , constant
- global , variable
- variable , constant

PHCL1207

Question # 6 of 10 (Start time: 05:57:47 PM, 17 February 2022)

_____ operators are the ones that require two operands on both sides of the operator.

Select the correct option

- Binary
- Unary
- Tow sided
- Double

Click to Save An

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=2845c50f-9ab7-4e9a-82b9-18d

Apps Suggested Sites

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 4 of 10 (Start time: 05:57:50 PM, 17 February 2022)

The operator to free the allocated memory using new operator is _____.

Select the correct option

- del
- free
- delete
- remove

PHCL1207

5:57

vulms.vu.edu.pk

Question # 5 of 10 (Start time: 05:57:01 PM, 17 February 2022)

Default constructor takes _____.

Select the correct option

- no parameters
- character type parameter
- one parameter
- two parameters

Click to Sa

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=799faae2-f315-48f3-8de9-c98f758d4fdf

Apps Suggested Sites

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 05:55:41 PM, 17 February 2022)

Operator overloading is to allow the same operator to be bound to more than one implementation, depending on the types of the _____

Select the correct option

- Operands
- Applications
- Compilers
- Function names

5:56

16 K/s

vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 05:53

Question # 4 of 10 (Start time: 05:56:05 PM, 17 February 2022)

The concept of _____ allows us to separate the interface from the implementation of the class.

Select the correct option

- inheritance
- polymorphism
- encapsulation
- pointers

Click to Save Answer & Mo

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=60691eab-f6d7-4dc7-b

Apps Suggested Sites

BC210201939: USMAN SIKANDER

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 05:54:08 PM, 17 February 2022)

*this is a pointer that always points to

Select the correct option

- Current object of the class
- Current pointer of the class
- Current function of the class
- A Value of data member

PHCL1207

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=3716b9e5-06f3-4853-95c1-d34b7de312a8

Apps Suggested Sites

Question # 3 of 10 (Start time: 05:56:52 PM, 17 February 2022)

```
if (day == daysOfMonth ( *this ) )
{
// this is the last day of the month
}
```

In the above condition, we have checked that day is equal to the number of days in the month or not.

If the condition returns true it means loop will make its _____ iteration with _____ day of the month.

Select the correct option

- Last, Last
- First, First
- First, Last
- Last, First

PHCL 1207

5:55

vulms.vu.edu.pk

Question # 3 of 10 (Start time: 05:55:22 PM, 17 February 2022)

For accessing data members we use _____ operator

Select the correct option

- dot .
- multiplication *
- plus +
- Division /

Click to Sa

5:53 160 B/s 32

vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2) Quiz

Question # 1 of 10 (Start time: 05:53:17 PM, 17 February 2022)

Once the _____ are created, they exist for the life time of the program

Select the correct option

- automatic variables
- non static variables
- static variables
- local variables

Click to Sa

5:54

vulms.vu.edu.pk

Question # 2 of 10 (Start time: 05:54:04 PM, 17 February 2022)

In C language, the region of memory allocated at runtime is called _____.

Select the correct option

- free store
- heap
- stack
- available memory

Click to Save

4G 16:25 42

Quiz
vulms.vu.edu.pk

MC210402353: AYESHA IQBAL

Time Left 90 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 04:18 PM, 17 February 2022

Question # 7 of 10 (Start time: 04:26:26 PM, 17 February 2022)

Total Marks: 1

Functions declared with the _____ specifier in a class member list are called friend functions of that class.

Select the correct option

- friend
- protected
- private
- public

Click to Save Answer & Move to Next Question

3:52

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 10 of 10 (Start time: 03:52:09 PM, 17 February 2022)

Total Marks: 1

Overloaded assignment operator must be

Select the correct option

- Friend function of class
- Member function of class
- Global function
- Non-member function of class

Click to Save Answer & Move to Next Question

3:51

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

Time Left 50 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 8 of 10 (Start time: 03:50:21 PM, 17 February 2022)

Total Marks: 1

Default constructor generated by _____does _____for us.

Select the correct option

- classes , initialization
- main program, memory management
- compiler, no initialization
- compiler , initialization

Click to Save Answer & Move to Next Question

3:51

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

Time Left 50 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 8 of 10 (Start time: 03:50:21 PM, 17 February 2022)

Total Marks: 1

Default constructor generated by _____does _____for us.

Select the correct option

- classes , initialization
- main program, memory management
- compiler, no initialization
- compiler , initialization

Click to Save Answer & Move to Next Question

BC200400143: BENISH FAYYAZ

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 7 of 10 (Start time: 03:49:30 PM, 17 February 2022)

Total Marks: 1

When operator function is implemented as member function then return type of function _____.

Select the correct option

- Must be user-defined data type
- Must be an object of same class
- Must be built-in data type
- Can be any data type

Click to Save Answer & Move to Next Question

3:49

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 7 of 10 (Start time: 03:49:30 PM, 17 February 2022)

Total Marks: 1

When operator function is implemented as member function then return type of function _____.

Select the correct option

- Must be user-defined data type
- Must be an object of same class
- Must be built-in data type
- Can be any data type

Click to Save Answer & Move to Next Question

BC200400143: BENISH FAYYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:43 PM

Question # 6 of 10 (Start time: 03:48:18 PM, 17 February 2022)

The destructor is used to _____.

Select the correct option

- deallocate memory
- create objects
- allocate memory
- allocate static memory

Click to Save Answer & Move

3:48

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:43 PM

Question # 6 of 10 (Start time: 03:48:18 PM, 17 February 2022)

The destructor is used to _____.

Select the correct option

- deallocate memory
- create objects
- allocate memory
- allocate static memory

Click to Save Answer & Move t

III O <

BC200400143: BENISH FAYYAZ

Time Left

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 Februa

Question # 5 of 10 (Start time: 03:46:41 PM, 17 February 2022)

Total

Sometimes after allocating memory we need additional space, for this purpose we use _____.

Select the correct option

- reallocation function
- realloc function
- calloc function
- void pointer

Click to Save Answer & Move to Next Ques

3:47

vulms.vu.edu.pk/Quiz/QuizQ

3

BC200400143: BENISH FAYYAZ

Time Left

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 Februa

Question # 5 of 10 (Start time: 03:46:41 PM, 17 February 2022)

Total

Sometimes after allocating memory we need additional space, for this purpose we use _____.

Select the correct option

- reallocation function
- realloc function
- calloc function
- void pointer

Click to Save Answer & Move to Next Ques

III

O

<

BC200400143: BENISH FAYYAZ

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 4 of 10 (Start time: 03:45:55 PM, 17 February 2022)

Total Marks: 1

The reference data types are used as _____ variables without any _____ operator

Select the correct option

- local , &
- static , deference
- global , dot
- ordinary , deference

Click to Save Answer & Move to Next Question

3:45

vulms.vu.edu.pk/Quiz/QuizQ

3

BC200400143: BENISH FAYYAZ

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 4 of 10 (Start time: 03:45:55 PM, 17 February 2022)

Total Marks: 1

The reference data types are used as _____ variables without any _____ operator

Select the correct option

- local , &
- static , deference
- global , dot
- ordinary , deference

Click to Save Answer & Move to Next Question

BC200400143: BENISH FAYYAZ

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 3 of 10 (Start time: 03:45:16 PM, 17 February 2022)

Total Marks: 1

An address is a _____ , while a pointer is a _____.

Select the correct option

- variable , constant
- constant , variable
- non static variable , constant
- global , variable

Click to Save Answer & Move to Next Question

3:45

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:43 PM, 17 February 2022

Question # 3 of 10 (Start time: 03:45:16 PM, 17 February 2022)

Total Marks: 1

An address is a _____ , while a pointer is a _____.

Select the correct option

- variable , constant
- constant , variable
- non static variable , constant
- global , variable

Click to Save Answer & Move to Next Question

BC200400143: BENISH FAYYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz

Question # 2 of 10 (Start time: 03:44:38 PM, 17 February 2022)

getche() is a _____ function and defined in _____ header file.

Select the correct option

- built -in function, iostream.h
- built-in function , conio.h
- built-in function, stlib.h
- user-define function , conio.h

Click to Sa

3:44 vulms.vu.edu.pk/Quiz/QuizQ 3

BC200400143: BENISH FAYYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz

Question # 2 of 10 (Start time: 03:44:38 PM, 17 February 2022)

getche() is a _____ function and defined in _____ header file.

Select the correct option

- built -in function, iostream.h
- built-in function , conio.h
- built-in function, stlib.h
- user-define function , conio.h

Click to Sa

BC200400143: BENISH FAYYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time:

Question # 1 of 10 (Start time: 03:43:44 PM, 17 February 2022)

Let suppose

```
int a, b, c, d, e;
a = b = c = d = e = 42;
```

This can be interpreted by the complier as

Select the correct option

- a = (b = (c = (d = (e = 42))));
- (a = b = (c = (d = (e = 42))));
- (a = b) = (c = d) = (e = 42);
- a = b = (c = (d = (e = 42)));

Click to Save Answer

3:43

vulms.vu.edu.pk/Quiz/QuizQ

BC200400143: BENISH FAYYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time:

Question # 1 of 10 (Start time: 03:43:44 PM, 17 February 2022)

Let suppose
int a, b, c, d, e;
a = b = c = d = e = 42;
This can be interpreted by the complier as

Select the correct option

- a = (b = (c = (d = (e = 42))));
- (a = b = (c = (d = (e = 42))));
- (a = b) = (c = d) = (e = 42);
- a = b = (c = (d = (e = 42)));

Click to Save Answer

3:43

vulms.vu.edu.pk/Quiz/QuizS

CS201 - Introduction to Programming (Quiz # 2)	Total Questions :10

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button** / **Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
   - Saving...
   - Question Timeout: Now loading next question...
7. **Javascript MUST be enabled** in your browser, otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

Important Announcement

1. It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz.
2. The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their Mid-Term quiz.

Start Quiz

(5) WhatsApp | Quiz | getche() is a _____ functio

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=fa5f0841-c46d-47f6-b7c8-56865567a0c0

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 10 of 10 (Start time: 03:39:40 PM, 17 February 2022) **Total Marks:** 1

For casting, we normally declare a pointer of type _____.

Select the correct option

- void
- integer
- we are going to use
- NULL

Click to Save Answer & Move to Next Question

23°C Haze 3:39 PM 2/17/2022

(5) WhatsApp | Quiz | The friend functions are _____ | For the joining of two strings in

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=3a8b2418-cce6-48c4-9c7e-6bc275b0bf36

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 9 of 10 (Start time: 03:38:27 PM, 17 February 2022) **Total Marks:** 1

getche() is a _____ function and defined in _____ header file.

Select the correct option

- built-in function, stlib.h
- user-define function , conio.h
- built -in function, iostream.h
- built-in function , conio.h

Click to Save Answer & Move to Next Question

23°C Haze 3:38 PM 2/17/2022

(5) WhatsApp | Quiz | The friend functions are _____

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=4f194c01-782f-4eb8-bed0-22f9c3604cf5

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 8 of 10 (Start time: 03:37:16 PM, 17 February 2022)

Total Marks: 1

For the joining of two strings in string class, we may use "+" operator, can we use "-" operator the same way for subtracting strings?

Select the correct option

Reload Math Equations

- Yes
- Yes along ":?" operator only
- Yes along "+" operator only
- No

Click to Save Answer & Move to Next Question

23°C Haze 3:37 PM 2/17/2022

(6) WhatsApp | Quiz | Which of the following is unary

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=113d9239-0a56-4d4d-81f7-2d2e2af3050a

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 84 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 7 of 10 (Start time: 03:35:58 PM, 17 February 2022) **Total Marks:** 1

The friend functions are _____.

Select the correct option

- member of a class
- inline functions
- not member of a class
- void functions

Click to Save Answer & Move to Next Question

23°C Haze 3:36 PM 2/17/2022

(5) WhatsApp | Quiz | The compiler generates _____

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f4aeed69-3fff-4a3c-887d-67254d1893de

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 77 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 6 of 10 (Start time: 03:34:55 PM, 17 February 2022)

Total Marks: 1

Which of the following is unary operator?

Select the correct option

Reload Math Equations

- i--
- ++i
- All of the Given
- i++

Click to Save Answer & Move to Next Question

23°C Haze 3:35 PM 2/17/2022

(5) WhatsApp | Quiz | The compiler generates _____

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=d52853f4-6692-4d9d-a9c1-5ab3fdc07258

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 42 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 5 of 10 (Start time: 03:33:02 PM, 17 February 2022) **Total Marks:** 1

Identify the correct syntax for making a class friend of other class

Select the correct option

- friend ClassOne { OtherClass ; private:
- class ClassOne { friend OtherClass ; private:
- ClassOne { friend OtherClass ; private:
- Friend class ClassOne { friend OtherClass ; private:

Click to Save Answer & Move to Next Question

23°C Haze 3:34 PM 2/17/2022

(6) WhatsApp | Quiz | The compiler generates _____

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=d52853f4-6692-4d9d-a9c1-5ab3fdc07258

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 5 of 10 (Start time: 03:33:02 PM, 17 February 2022) **Total Marks:** 1

Identify the correct syntax for making a class friend of other class

Select the correct option

- friend ClassOne { OtherClass ; private:
- class ClassOne { friend OtherClass ; private:
- ClassOne { friend OtherClass ; private:
- Friend class ClassOne { friend OtherClass ; private:

Click to Save Answer & Move to Next Question

23°C Haze 3:33 PM 2/17/2022

3:32 4G 58

https://vulms.vu.edu.pk/Quiz, 1

Question # 10 of 10 (Start time: 03:32:28 PM, 17 February 2022)

For casting, we normally declare a pointer of type _____.

Select the correct option

- integer
- we are going to use
- NULL
- void

Click to Save Answer & Move to

3:31 4G 58

https://vulms.vu.edu.pk/Quiz,

Question # 9 of 10 (Start time: 03:31:44 PM, 17 February 2022)

Once the _____ are created, they exist for the life time of the program

Select the correct option

- static variables
- local variables
- automatic variables
- non static variables

Click to Save Answer & Move to Ne

3:30 4G
58
https://vulms.vu.edu.pk/Quiz,
1

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:23 PM, 17 F

Question # 8 of 10 (Start time: 03:30:35 PM, 17 February 2022)

Name the function whose definition can be substituted at a place where its function call is made _____.

Select the correct option

- friend function
- static function
- volatile function
- inline function

Click to Save Answer & Move to Next

(6) WhatsApp | Quiz | C++ Tutorial: Memory Allocation | The members of a class declared | CS201 Introduction to Programm

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=26d9af10-9aff-47b4-937b-5255e53f8833

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 4 of 10 (Start time: 03:30:31 PM, 17 February 2022)

Total Marks: 1

The compiler generates _____ automatically

Select the correct option

- constructors
- objects of a class
- classes
- member functions

Click to Save Answer & Move to Next Question

23°C Haze 3:30 PM 2/17/2022

3:30 4G
58
https://vulms.vu.edu.pk/Quiz,
1

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:23 PM

Question # 7 of 10 (Start time: 03:29:55 PM, 17 February 2022)

A _____ function of a class is defined outside that class scope, but it can access all private and protected member

Select the correct option

Reload

- Private
- Global
- Protected
- Friend

Click to Save Answer & Move to

(6) WhatsApp | Quiz | C++ Tutorial: Memory Allocation | While using ____ op | CS201 Introduction to Programm
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=b9979eb7-e903-4770-98a6-bc04db397a6a
Apps Gmail Inbox (70) - mc190... YouTube Maps 2 Study Skills for Ex... MTH633 final term... Telenor Quiz Today... MATLAB Online R2... Live trial class 1 - Y... vulms.vu.edu.pk (11) Pinterest Reading list

MC190402133: HASEENA NAZAR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 3 of 10 (Start time: 03:29:20 PM, 17 February 2022) **Total Marks:** 1

The members of a class declared without any keyword are _____ by default

Select the correct option

- constant
- private
- public
- protected

Click to Save Answer & Move to Next Question

23°C Haze 3:29 PM 2/17/2022

3:29 4G 59

https://vulms.vu.edu.pk/Quiz, 1

Question # 6 of 10 (Start time: 03:28:57 PM, 17 February 2022)

When the compiler overloads the assignment (=) operator by default then

Select the correct option

- Compiler does member wise assignment.
- Class members are not assigned properly
- Compiler does not allow default assignment operator
- Compiler does not do member wise assignment.

Click to Save Answer & M

3:28 4G
59
https://vulms.vu.edu.pk/Quiz,
1

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:23

Question # 5 of 10 (Start time: 03:28:05 PM, 17 February 2022)

For accessing data members we use _____ operator

Select the correct option

- multiplication *
- dot .
- plus +
- Division /

Click to Save Answer & Mov

(6) WhatsApp | Quiz | C++ Tutorial: Memory Allocation | New Tab
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=7cd4f116-5b54-4e6a-b922-a852d42428db
Apps Gmail Inbox (70) - mc190... YouTube Maps 2 Study Skills for Ex... MTH633 final term... Telenor Quiz Today... MATLAB Online R2... Live trial class 1 - Y... vulms.vu.edu.pk (11) Pinterest Reading list

MC190402133: HASEENA NAZAR

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 2 of 10 (Start time: 03:27:56 PM, 17 February 2022)

Total Marks: 1

While using _____ operator we do not need to supply number of bytes allocated.

Select the correct option

- new
- insertion
- malloc
- dot

Click to Save Answer & Move to Next Question

23°C Haze 3:27 PM 2/17/2022

3:27 4G
59
https://vulms.vu.edu.pk/Quiz,
1

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:23 PM, 17 Fe

Question # 4 of 10 (Start time: 03:27:21 PM, 17 February 2022)

The function will return a reference to the global variable that exists throughout the program and thus there will be no danger of _____.

Select the correct option

- dangling reference.
- system crash
- garbage collection
- wastage of memory

Click to Save Answer & Move to Next

3:26 4G 59

https://vulms.vu.edu.pk/Quiz,

The constructor contains _____.

Select the correct option

- classes
- objects
- return type
- no return type

Click to Save Answer & Move t

(6) WhatsApp | Quiz | New Tab

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=665ee8b2-7ab6-482b-ad58-8ea431d5b1b3

Apps | Gmail | Inbox (70) - mc190... | YouTube | Maps | 2 Study Skills for Ex... | MTH633 final term... | Telenor Quiz Today... | MATLAB Online R2... | Live trial class 1 - Y... | vulms.vu.edu.pk | (11) Pinterest | Reading list

MC190402133: HASEENA NAZAR

Time Left 84 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:26 PM, 17 February 2022

Question # 1 of 10 (Start time: 03:26:12 PM, 17 February 2022) **Total Marks:** 1

In c++ the region of available memory is called _____.

Select the correct option

- empty space
- free store
- allocated memory
- heap

Click to Save Answer & Move to Next Question

23°C Haze 3:26 PM 2/17/2022

3:25 4G 59

https://vulms.vu.edu.pk/Quiz,

Question # 2 of 10 (Start time: 03:25:51 PM, 17 February 2022)

Ternary operator is shown as _____.

Select the correct option

- ?:
- |||
- ===
- &&

Click to Save Answer & M

3:23 4G
60
https://vulms.vu.edu.pk/Quiz,
1

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 03:23 PM, 17 Februa

Question # 1 of 10 (Start time: 03:23:52 PM, 17 February 2022) Total

Special name which is substituted in code by its definition and as a result we get an expanded code is called.

Select the correct option

Reload Math Equa

- Union
- Directive
- Macro
- Array

Click to Save Answer & Move to Next Ques

3:14 21.0 KB/S 73
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 10 of 10 (Start time: 03:14:20 PM, 17 February 2022)

Total Marks: 1

Once we have defined a symbolic constant value using #define, that value _____during program execution.

Select the correct option

Reload Math Equations

- can be changed
- varies
- becomes zero
- cannot be changed

Click to Save Answer & Move to Next Question

3:13 14.0 KB/S 73
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 87 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 9 of 10 (Start time: 03:13:05 PM, 17 February 2022)

Total Marks: 1

When operator function is implemented as member function then return type of function _____.

Select the correct option

- Must be an object of same class
- Can be any data type
- Must be user-defined data type
- Must be built-in data type

Click to Save Answer & Move to Next Question

3:12 354 KB/S 74
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 8 of 10 (Start time: 03:12:16 PM, 17 February 2022)

Total Marks: 1

_____ is a special type of pointer we have to cast it before we use it.

Select the correct option

- integer
- float
- double
- void

Click to Save Answer & Move to Next Question

3:11 8.00 KB/S 74
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 7 of 10 (Start time: 03:11:26 PM, 17 February 2022)

Total Marks: 1

Constructor has _____.

Select the correct option

- return type
- the same name as of class
- no name
- the same name as data member

Click to Save Answer & Move to Next Question

3:10 28.0 KB/S 74
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 6 of 10 (Start time: 03:10:11 PM, 17 February 2022)

Total Marks: 1

The malloc function takes _____ argument(s).

Select the correct option

- four
- two
- three
- one

Click to Save Answer & Move to Next Question

3:09 23.0 KB/S 74
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 5 of 10 (Start time: 03:09:27 PM, 17 February 2022)

Total Marks: 1

The _____ data type always represents an empty set of values in C++

Select the correct option

- zero
- void
- nil
- null

Click to Save Answer & Move to Next Question

3:08 8.00 KB/S 74
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 4 of 10 (Start time: 03:08:34 PM, 17 February 2022)

Total Marks: 1

A _____ function of a class is defined outside that class scope, but it can access all private and protected members of the class.

Select the correct option

Reload Math Equations

- Private
- Protected
- Global
- Friend

Click to Save Answer & Move to Next Question

3:07 216 KB/S 75
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 3 of 10 (Start time: 03:07:15 PM, 17 February 2022)

Total Marks: 1

The memory allocation functions return a chunk of memory with a pointer of type_____.

Select the correct option

- integer
- float
- void
- ptr

Click to Save Answer & Move to Next Question

3:06 485 KB/S 75
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 2 of 10 (Start time: 03:06:19 PM, 17 February 2022)

Total Marks: 1

*this is a pointer that always points to

Select the correct option

- Current object of the class
- Current pointer of the class
- A Value of data member
- Current function of the class

Click to Save Answer & Move to Next Question

3:05 35.0 KB/S 75
vulms.vu.edu.pk/Quiz/Q 3

BC200417715: WALEED ARSHAD VIRK

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 03:05 PM, 17 February 2022

Question # 1 of 10 (Start time: 03:05:23 PM, 17 February 2022)

Total Marks: 1

Which one of the following is the correct statement about operator overloading?

Select the correct option

Reload Math Equations

- Associativity and precedence of operators do not change.
- Precedence of operators are changed after overloading.
- N-arithmetic operators can be overloaded only.
- Arithmetic operators can be overloaded only.

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2)

Question # 10 of 10 (Start time: 03:04:58 PM, 17 February 2022)

To avoid dangling reference, don't return _____.

Select the correct option

- the reference of a global variable from the function
- the reference of a private data member from the function
- the reference of a local variable from the function
- the reference of a static variable from the function

Question # 9 of 10 (Start time: 03:03:43 PM, 17 February 2022)

If class A is a friend of class B, and class B is a friend of class C. If class A wants class C to be a friend, _

Select the correct option

- it has to declare, class C as a friend
- it has to declare , class A as a friend
- it has to declare, class B as a friend
- it has to declare, class B and class A as friend classes

Click to S

CS201 - Introduction to Programming (Quiz # 2)

Question # 8 of 10 (Start time: 03:02:34 PM, 17 February 2022)

We cannot use _____ pointer for storing and reading data from it.

Select the correct option

- integer
- zero
- double
- NULL

CS201 - Introduction to Programming (Quiz # 2)

Question # 7 of 10 (Start time: 03:01:29 PM, 17 February 2022)

Ternary operator is shown as _____.

Select the correct option

○	&&
○	?:
○	===
○	|||

CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 03:00:18 PM, 17 February 2022)

The function overloading requires_____.

Select the correct option

- the arguments of integer type only
- the argument list to be different.
- no arguments
- the argument list to be the same

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 02:59:27 PM, 17 February 2022)

The constructor contains _____.

Select the correct option

○	no return type
○	objects
○	return type
○	classes

CS201 - Introduction to Programming (Quiz # 2)

Question # 4 of 10 (Start time: 02:58:14 PM, 17 February 2022)

The difference between pointers and references is that _____.

Select the correct option

○	we cannot reassign pointers
○	we cannot do arithmetic with pointers
○	we can assign references
○	we can do arithmetic with pointers

Click

Question # 3 of 10 (Start time: 02:56:32 PM, 17 February 2022)

The concept of _____ allows us to separate the interface from the implementation of the class.

Select the correct option

- pointers
- encapsulation
- inheritance
- polymorphism

Click to Save Answe

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 02:53 PM, 17 February 2022

Question # 2 of 10 (Start time: 02:55:08 PM, 17 February 2022) Total Marks: 1

When an operator function is defined as member function for a binary Plus (+) operator then the number of extra arguments it takes is/are.

Select the correct option

Reload Math Equations

- One
- Zero
- Two
- N arguments

Click to Save Answer & Move to Next Question

Telenor 82% 2:53 PM

Quiz
vulms.vu.edu.pk

BC190404495: TUBA

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 02:53:22 PM, 17 February 2022)

If B is designated as friend of A, B can access A's non-public members

Select the correct option

- B cannot access private member of A
- A cannot access B
- A can access non-public members of B
- B cannot access protected member of A

2:40

4G

vulms.vu.edu.pk/Quiz/Quiz(

2

BC200403018: HUSSNAIN ASHRAF

CS201 - Introduction to Programming (Quiz # 2)

Question # 10 of 10 (Start time: 02:40:53 PM, 17 February 2022)

For casting, we normally declare a pointer of type _____.

Select the correct option

- ○ void
- ○ NULL
- ○ we are going to use
- ○ integer

◀ ● ■

2:40 4G
vulms.vu.edu.pk/Quiz/Quiz(

CS201 - Introduction to Programming (Quiz # 2)

Question # 9 of 10 (Start time: 02:39:56 PM, 17 February 2022)

The memory allocation functions return a chunk of memory with a pointer of type_____

Select the correct option

- ptr
- float
- void
- integer

Cli

2:39 4G
vulms.vu.edu.pk/Quiz/Quiz(
2

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time:

Question # 8 of 10 (Start time: 02:38:59 PM, 17 February 2022)

malloc function returns _____to the _____ from the available memory.

Select the correct option

- integer pointer, middle of the chunk of memory allocated from the heap
- NULL pointer, end of the chunk of memory allocated from the stack
- void pointer , starting of the chunk of memory allocated from the heap
- void pointer, starting of the chunk of memory allocated from the array

Click to Save Answer &

2:38

4G

vulms.vu.edu.pk/Quiz/Quiz(

2

BC200403018: HUSSNAIN ASHRAF

Time Left 80 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 02:31 PM, 17 February 2022

Question # 7 of 10 (Start time: 02:38:07 PM, 17 February 2022)

Total Marks: 1

When an operator function is defined as member function for a binary Plus (+) operator then the number of extra arguments it takes is/are.

Select the correct option

Reload Math Equations

- Two
- N arguments
- One
- Zero

Click to Save Answer & Move to Next Question





2:37

4G

vulms.vu.edu.pk/Quiz/Quiz(

2

BC200403018: HUSSNAIN ASHRAF

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time**

Question # 6 of 10 (Start time: 02:37:03 PM, 17 February 2022)

Windows operating system may itself takes memory from _____.

Select the correct option

- lists
- array
- heap
- stack

Click to Save Answer &

2:36

4G

vulms.vu.edu.pk/Quiz/Quiz(

2

BC200403018: HUSSNAIN ASHRAF

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time: 02**

Question # 5 of 10 (Start time: 02:35:53 PM, 17 February 2022)

In overloading the assignment (=) operator, which object will be passed as an argument(s) in the operator function?

Select the correct option

- Both objects will be passed
- Right object of the assignment operator
- No objects will be passed
- Left object of the assignment operator

Click to Save Answer & M

2:35 4G
vulms.vu.edu.pk/Quiz/Quiz(

BC200403018: HUSSNAIN ASHRAF

CS201 - Introduction to Programming (Quiz # 2)

Question # 4 of 10 (Start time: 02:34:55 PM, 17 February 2022)

Friend functions are _____.

Select the correct option

- ○ private
- ○ public
- ○ unidirectional
- ○ bidirectional

2:33

4G

vulms.vu.edu.pk/Quiz/Quiz(

2

BC200403018: HUSSNAIN ASHRAF

CS201 - Introduction to Programming (Quiz # 2) Quiz

Question # 3 of 10 (Start time: 02:33:39 PM, 17 February 2022)

While using _____ operator we do not need to supply number of bytes allocated.

Select the correct option

- dot
- insertion
- malloc
- new

Click to Sa

2:32 4G vulms.vu.edu.pk/Quiz/Quiz(2

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 02:32:35 PM, 17 February 2022)

We cannot increment _____.

Select the correct option

- arrays
- references
- variables
- pointers

Click t

2:31 4G
vulms.vu.edu.pk/Quiz/Quiz(

BC200403018: HUSSNAIN ASHRAF

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 02:31:50 PM, 17 February 2022)

_____ for parameters is also done for inline functions.

Select the correct option

- ○ Automatic type checking
- ○ Syntax checking
- ○ Value checking
- ○ Testing

Click to

BC200412005: USAMA UMAR

CS201 - Introduction to Programming (Quiz # 2)

Time Le

Quiz Start Time: 01:57 PM, 17 Febru


Question # 5 of 10 (Start time: 02:00:05 PM, 17 February 2022)

Tota

While using _____ operator we do not need to supply number of bytes allocated.

Select the correct option

- malloc
- insertion
- new
- dpt*


Assignment Operators Overload
Not secure
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=7c92b6d0-2c45-46c1-b1da-3886ad7bba5b
CS201 - Introduction to Programming (Quiz # 2)
Quiz Start Time: 01:57 PM
Question # 4 of 10 (Start time: 01:59:24 PM, 17 February 2022)
Care must be taken about the correct _____ of operator while overloading. (Choose the most appropriate).
Select the correct option
None of the given options
Semantic
Complexity
Both Semantic and Complexity

Quiz

int &i; It means that i is a _____

Not secure | https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=c89327ed-8887-4fc1-a2e9-5125842d4203

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:57 PM, 17 February 2022

Question # 3 of 10 (Start time: 01:58:10 PM, 17 February 2022)

Total Marks:

In overloading the assignment (=) operator, which object(s) will call the operator function?

Select the correct option

- Both objects will call the operator function
- Left object of the assignment operator
- Right object of the assignment operator
- No object will call the operator function

Click to Save Answer & Move to Next Question

1:58 PM
2/17/2022

CS201 - Introduction to Programming (Quiz # 2)

Quiz

Question # 2 of 10 (Start time: 01:57:33 PM, 17 February 2022)

int &i; It means that i is a _____ to an integer.

Select the correct option

- reference
- constant pointer
- data type
- pointer

Click to Save

...QuizQuestion.aspx?ver=eb6dd067-d69f-4f2f-b9e1-4d0fd53307df

BC200412005: USAMA UMAR

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:57 PM, 17 Fe

Question # 1 of 10 (Start time: 01:57:02 PM, 17 February 2022)

In a class we can have _____ constructor(s).

Select the correct option

- two
- no
- many
- only one

1:27 15.91 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 10 of 10 (Start time: 01:27:47 PM, 17 February 2022)

Total Marks: 1

When an operator function is defined as member function for a Unary operator then the number of extra arguments it takes is/are,

Select the correct option

Reload Math Equations

- One
- Two
- Zero
- N arguments

Click to Save Answer & Move to Next Question

1:27 43.22 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 9 of 10 (Start time: 01:26:58 PM, 17 February 2022)

Total Marks: 1

_____ for parameters is also done for inline functions.

Select the correct option

Reload Math Equations

- Automatic type checking
- Syntax checking
- Testing
- Value checking

Click to Save Answer & Move to Next Question

1:25 30.0 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 8 of 10 (Start time: 01:25:34 PM, 17 February 2022)

Total Marks: 1

Consider the following code segment. Which of the following will be called while executing code at line 2?

```
String s1 , s2;
s1 = s2 ;
```

Select the correct option

- ○ Parameterized constructor
- ○ Copy constructor
- ○ Assignment operator
- ○ Default constructor

Click to Save Answer & Move to Next Question

1:24 0.37 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 90 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 7 of 10 (Start time: 01:24:23 PM, 17 February 2022)

Total Marks: 1

A reference cannot be _____.

Select the correct option

- 1
- Integer
- NULL
- zero

Click to Save Answer & Move to Next Question

1:23 39.46 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 6 of 10 (Start time: 01:23:16 PM, 17 February 2022)

Total Marks: 1

Friend function declaration can go _____ the class

Select the correct option

- in the member function of
- anywhere in
- only within
- only outside

Click to Save Answer & Move to Next Question

1:21 34.67 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 5 of 10 (Start time: 01:21:34 PM, 17 February 2022)

Total Marks: 1

public or private keywords can be _____

Select the correct option

- written only twice in the class declaration
- written only for once in the class or structure declaration
- written multiple times in the class or structure declaration
- written outside the class

Click to Save Answer & Move to Next Question

1:20 0.92 KB/s 54%

vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 78 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 4 of 10 (Start time: 01:20:21 PM, 17 February 2022)

Total Marks: 1

Identify the correct method of adding two strings, s1 and s2.

Select the correct option

Reload Math Equations

- s1, s2+
- strcat(s1, s2);
- s1+s2
- s1+s2 and strcat(s1,s2)

Click to Save Answer & Move to Next Question

1:19 0.65 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 3 of 10 (Start time: 01:19:01 PM, 17 February 2022)

Total Marks: 1

In overloading the assignment (=) operator, which object(s) will call the operator function?

Select the correct option

- Left object of the assignment operator
- Right object of the assignment operator
- Both objects will call the operator function
- No object will call the operator function

Click to Save Answer & Move to Next Question

1:17 31.84 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 89 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 2 of 10 (Start time: 01:17:54 PM, 17 February 2022)

Total Marks: 1

The constructor contains _____.

Select the correct option

- objects
- no return type
- return type
- classes

Click to Save Answer & Move to Next Question

1:16 23.46 KB/s 54%
vulms.vu.edu.pk/Quiz/Quiz(

BC200418213: MUEEN MANZOOR

Time Left 90 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 01:16 PM, 17 February 2022

Question # 1 of 10 (Start time: 01:16:50 PM, 17 February 2022)

Total Marks: 1

The only operator that the compiler overloads for user define data type by default is

Select the correct option

- Assignment (=) operator
- Plus (+) operator
- Minus (-) operator
- Equal (==) operator

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 12:43:23 PM, 17 February 2022)

Assignment operator is used to initialize a newly declared object from existing object.

Select the correct option

- False
- True

Question # 7 of 10 (Start time: 12:10:19 PM, 17 February 2022) **Total Marks:** 1

The data members of the class are initialized _____.

Select the correct option

- at runtime
- at compile time
- within main program
- outside the function

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 12:09:10 PM, 17 February 2022) **Total Marks:** 1

The name of the destructor is the same as that of a class proceeding with a _____

Select the correct option

- @ sign
- # sign
- & sign
- ~ sign

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 12:08:06 PM, 17 February 2022) **Total Marks:** 1

The object code of our program is combined with the _____.

Select the correct option

Reload Math Equations

- machine code of the operating system
- source program
- with header files
- object code of the library functions

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 12:06:25 PM, 17 February 2022) **Total Marks:** 1

For console input and output we use _____.

Select the correct option

- process.h header file
- stdlib.h header file
- getch.h header file
- conio.h header file

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 12:07:16 PM, 17 February 2022) **Total Marks:** 1

The main advantage of function overloading is that _____.

Select the correct option

Reload Math Equations

- The program becomes more readable
- The program becomes portable
- The program becomes complex
- The function becomes inline

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 12:03:49 PM, 17 February 2022) **Total Marks:** 1

Encapsulation means _____.

Select the correct option

- that data becomes public
- that the data of a class cannot be accessed from outside
- that the data can be accessible anywhere within a main program
- that the data of a class can be accessed from outside

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time: 10:33 AM,**

Question # 2 of 10 (Start time: 10:34:17 AM, 17 February 2022)

Friend classes are used in cases where one class is _____to another class

Select the correct option

◉	independent
○	encapsulated
○	tightly coupled
○	loosely coupled

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 10:33 AM, 17 F

Question # 3 of 10 (Start time: 10:34:51 AM, 17 February 2022)

The members of a class declared with the keyword struct are _____by default.

Select the correct option

- protected
- static
- public
- private

Click to Save Answer & Move to Next

Question # 8 of 10 (Start time: 10:40:52 AM, 17 February 2022)

All the preprocessors directives starts with _____.

Select the correct option

○	&
○	_
○	$
◉	#

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 10:33 AM

Question # 6 of 10 (Start time: 10:38:34 AM, 17 February 2022)

_____ operators are the ones that require two operands on both sides of the operator.

Select the correct option

Reload

○	Tow sided
○	Double
◉	Binary
○	Unary

Click to Save Answer & Move to

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 10:33:41 AM, 17 February 2022)

The default visibility for the data members of the class is

Select the correct option

◉	private
○	public
○	protected
○	accessible outside the class

Question # 2 of 10 (Start time: 10:22:00 AM, 17 February 2022)

_____data isn't accessible by non-member functions or outside classes

Select the correct option

○	Public
○	Static
○	Globally declared
◉	private

Question # 3 of 10 (Start time: 10:22:34 AM, 17 February 2022) **Total Mark**

Functions declared with the _____ specifier in a class member list are called friend functions of that class.

Select the correct option

○	public
○	private
◉	friend
○	protected

Question # 10 of 10 (Start time: 10:42:09 AM, 17 February 2022)

Reference is not really an address it is _____.

Select the correct option

- ○ a number
- ◉ a synonym
- ○ an antonym
- ○ a value

CS201 - Introduction to Programming (Quiz # 2)

Question # 10 of 10 (Start time: 10:29:10 AM, 17 February 2022)

Reference variables must _____.

Select the correct option

- (●) be initialized after they are declared
- ( ) contain integer value
- ( ) not be initialized after they are declared
- ( ) contain zero value

CS201 - Introduction to Programming (Quiz # 2)

Question # 9 of 10 (Start time: 10:27:40 AM, 17 February 2022)

Friend functions are _____.

Select the correct option

- (●) private
- ( ) unidirectional
- ( ) bidirectional
- ( ) public

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time: 10:21 AM**

Question # 5 of 10 (Start time: 10:24:28 AM, 17 February 2022)

_____will return the number of bytes reserved for a variable or data type.

Select the correct option

- (●) sizeof operator
- ( ) free operator
- ( ) void pointer
- ( ) new operator

Question # 6 of 10 (Start time: 10:25:05 AM, 17 February 2022)

With user data type variables (Objects) self assignment can produce

Select the correct option

○	Run time error
○	Syntax error
○	Link error
◉	Logical error

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time: 10:21**

Question # 7 of 10 (Start time: 10:25:43 AM, 17 February 2022)

Friend classes are used in cases where one class is _____to another class

Select the correct option

- (●) independent
- ( ) tightly coupled
- ( ) encapsulated
- ( ) loosely coupled

Question # 4 of 10 (Start time: 10:23:01 AM, 17 February 2022)

In C language, the region of memory allocated at runtime is called ___

Select the correct option

- ○ available memory
- ◉ heap
- ○ stack
- ○ free store

Question # 1 of 10 (Start time: 10:21:34 AM, 17 February 2022)

C++ was developed by _____.

Select the correct option

●	Bejarne Stroustrup
○	Charles Babbage
○	Von Nuemann
○	Graham Bell

Question # 10 of 10 (Start time: 10:18:14 AM, 17 February 2022)

Constructor has _____.

Select the correct option

○	return type
○	the same name as data member
○	no name
●	the same name as of class

Question # 9 of 10 (Start time: 10:17:33 AM, 17 February 2022) **Total Marks:**

When operator function is implemented as member function then return type of function _____.

Select the correct option

○	Must be built-in data type
○	Must be an object of same class
○	Must be user-defined data type
●	Can be any data type

Question # 6 of 10 (Start time: 10:15:14 AM, 17 February 2022) **Total Mar**

The function calloc takes two arguments, first argument is the _____ and the second argument is the _____.

Select the correct option

◉	required space in terms of numbers , size of space
○	size of space, number of bytes
○	space in terms of string character, size of list
○	size of array , number of bytes

Question # 8 of 10 (Start time: 10:16:45 AM, 17 February 2022) Total Marks

Once we have defined a symbolic constant value using #define, that value _____during program execution.

Select the correct option

Reload Math Equations

- (●) cannot be changed
- ( ) varies
- ( ) can be changed
- ( ) becomes zero

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 10:13:02 AM, 17 February 2022)

The concept of friend function negates the concept of _____.

Select the correct option

○	polymorphism
○	persistence
○	inheritance
◉	encapsulation

Question # 2 of 10 (Start time: 10:11:28 AM, 17 February 2022)

Constructor is a special function, called whenever we _____.

Select the correct option

○	destroy an object
◉	instantiate an object of a class
○	create a function
○	create a class

Question # 3 of 10 (Start time: 10:12:40 AM, 17 February 2022)

A class is _____.

Select the correct option

○	a built in function
○	a member function
●	a user defined data type
○	an array

Question # 1 of 10 (Start time: 10:10:40 AM, 17 February 2(

Bugs can occur due to _____

Select the correct option

○	initialization of a variable
◉	uninitialized data
○	default values
○	object destruction

2:08

vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 02:08:35 AM, 17 February 2022)

i+=2 is equivalent to _____.

Select the correct option

◉	i=i+2;
○	i=i++;
○	i=1+l;
○	2+=l;

2:11

vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 02:11:36 AM, 17 February 2022)

The _____ is called automatically when an object destroys

Select the correct option

- ○ constructor
- ○ default constructor
- ○ main program
- ◉ destructor

2:15

vulms.vu.edu.pk/Quiz/QuizQ

BC200405340: ABDUL REHMAN KHALID

CS201 - Introduction to Programming (Quiz # 2)

Question # 8 of 10 (Start time: 02:14:04 AM, 17 February 2022)

For casting, we normally declare a pointer of type _____

Select the correct option

- (●) we are going to use
- ( ) void
- ( ) integer
- ( ) NULL

2:13

vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2)

Question # 7 of 10 (Start time: 02:13:31 AM, 17 February 2022)

If the memory in the free store is not sufficient, _____

Select the correct option

○	malloc function returns free space
○	malloc function returns 0
●	malloc function returns NULL pointer
○	malloc function returns 1

2:11 • vulms.vu.edu.pk/Quiz/QuizQ 2

CS201 - Introduction to Programming (Quiz # 2)

Question # 4 of 10 (Start time: 02:10:42 AM, 17 February 2022)

The friend function of a class can have access _____.

Select the correct option

○	to the public data members only
●	to the private data members
○	to the protected data members
○	to public, private and protected data members

2:09

vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 02:08:57 AM, 17 February 2022)

When the compiler overloads the assignment (=) operator by default then

Select the correct option

○	Compiler does not do member wise assignment.
○	Compiler does not allow default assignment operator
○	Class members are not assigned properly
●	Compiler does member wise assignment.

CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 02:12:03 AM, 17 February 2022)

Constructor is special type of function :

Select the correct option

- ○ which returns integer type data
- ◉ which has no return type
- ○ which returns NULL pointer
- ○ which returns zero

2:17

vulms.vu.edu.pk/Quiz/QuizQ

BC200405340: ABDUL REHMAN KHALID

CS201 - Introduction to Programming (Quiz # 2)

Question # 9 of 10 (Start time: 02:15:36 AM, 17 February 2022)

Friend classes are used in cases where one class is _____to another class

Select the correct option

- ○ tightly coupled
- ○ independent
- ◉ encapsulated
- ○ loosely coupled

Click

2:17

vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2)

Question # 10 of 10 (Start time: 02:17:06 AM, 17 February 2022)

Identify the correct method of adding two strings, s1 and s2.

Select the correct option

◉	strcat(s1, s2);
○	s1, s2+
○	s1+s2 and strcat(s1,s2)
○	s1+s2

CS201 - Introduction to Programming (Quiz # 2)

Question # 9 of 10 (Start time: 04:09:07 PM, 17 February 2022)

Reference variables must _____.

Select the correct option

- ○ contain zero value
- ○ contain integer value
- ○ be initialized after they are declared
- ○ not be initialized after they are declared

Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (quiz # 2)

Question # 8 of 10 (Start time: 04:08:04 PM, 17 February 2022)

Name the function whose definition can be substituted at a place where its function call is made

Select the correct option

- static function
- inline function
- volatile function
- friend function

C180401866- MUHAMMAD SALMAN CHAUDRY

5201 - Introduction to Programming (Quiz # 2) Quiz Sta


uestion # 10 of 10 (Start time: 04:10:00 PM, 17 February 2022)


The concept of _____ allows us to separate the interface from the implementation of the cl

elect the correct option

- encapsulation
- inheritance
- polymorphism
- pointers

Click to Save A


Quiz
BCZ102102220: MANAHIL ABID
CS201 - Introduction to Programming (Quiz # 2)
Quiz Start Time: 03:40
Question # 1 of 10 (Start time: 03:40:45 PM, 17 February 2022)
Once we have defined a symbolic constant/value using #define, that value _____ during program execution
Select the correct option
cannot be changed
varies
becomes zero
can be changed
DELL


Quiz
BC210210220 MANAHIL AEID
CS201 - Introduction to Programming (Quiz # 2)
Question # 2 of 10 (Start time: 03:42:28 PM, 17 February 2022)
The members of a class declared with the keyword struct are _____ by default.
Select the correct option:
private
public
protected
DELL

BC210210592: SEHRISH KANWAL

CS201 - Introduction to Programming (Quiz # 2)

Question # 3 of 10 (Start time: 06:45:35 PM, 17 February 2022)

A reference cannot be NULL it has to point a data type.

Select the correct option

- false
- true

Type here to search

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 06:44:26 PM, 17 February 2022)

free function is available in _____ header file.

Select the correct option

- string.h
- stdlib.h
- conio.h
- iostream.h

Type here to search

Esc F1 F2 F3 F4 F5 F6

Quiz | WhatsApp | Microsoft Word - CS201 Latest

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f288aec3-034d-400a-93d9-5a9441781714


Bookmarks | Google | facebook | YouTube | 9xmovies | 300mb... | Bolly4u.org — Worl... | Live Cricket -

Question # 10 (Start time: 08:02:45 PM, 17 February 2022)

The name of the destructor is the same as that of a class proceeding with a _____

Select the correct option

- @ sign
- & sign
- # sign
- ~ sign


Quiz
WhatsApp
Microsoft Word - CS201 Latest
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=973e2711-9cd0-40ad-964c-fc82d7d57bf6
Bookmarks
Google
facebook
YouTube
9xmovies | 300mb...
Bolly4u.org — Worl...
Live
The syntax of declaration of a function that returns the reference to an integer is _____
Select the correct option
int myfunc();
int myfunc() &;
integer & myfunc();
int & myfunc();

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=5e926219-b
Bookmarks Google facebook YouTube 9xmovies | 300mb...

Question # 5 of 10 (Start time: 08:09:42 PM, 17 February 2022)

Bugs can occur due to _____

Select the correct option

- initialization of a variable
- uninitialized data
- object destruction
- default values

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 08:12:27 PM, 17 February 2022)

The memory allocation in C++ is carried out with the help of _____

Select the correct option

- new operator
- * operator
- dot operator
- NULL pointer

Click to Save A

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=08505719-6
Bookmarks Google facebook YouTube 9xmovies | 300mb...


CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 08:10:15 PM, 17 February 2022)

#define CIRCUMFERENCE(X) (2 * PI * R) is a.

Select the correct option

- user defined function
- utility function
- library.function
- definition of a macro


Quiz
WhatsApp
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=e3c97dbe-c445-488d-bcd7-7912
Bookmarks
Google
facebook
YouTube
9xmovies | 300mb...
Bolly4u.org — Wor
CS201 - Introduction to Programming (Quiz # 2)
Question # 2 of 10 (Start time: 08:05:31 PM, 17 February 2022)
Destructor _____.
Select the correct option
can be overloaded and have return type
cannot be overloaded and have no return type
cannot be overloaded and have return type
takes no arguments and can be overloaded

WhatsApp
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=eb4e704f-e
Bookmarks Google facebook YouTube 9xmovies | 300mb...

CS201 - Introduction to Programming (Quiz # 2)

Question # 3 of 10 (Start time: 08:07:14 PM, 17 February 2022)

i+=2 is equivalent to _____.

Select the correct option

- 2+=I;
- i=1+I;
- i=i++; .
- i=i+2;

5:52 PM

vulms.vu.edu.pk/Quiz/Q

BC210423641: HALEEMA AYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz S

Question # 1 of 10 (Start time: 05:52:21 PM, 17 February 2022)

Let suppose
a = b = c
In such situation, it is necessary to return a reference of an object from assignment operator function.

Select the correct option

- False
- True

Click to Sav

VU

5:53 PM

28.2 K/s

vulms.vu.edu.pk/Quiz/Q

8

BC210423641: HALEEMA AYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time:

Question # 2 of 10 (Start time: 05:53:07 PM, 17 February 2022)

Once we have defined a symbolic constant value using #define, that value _____during program execution.

Select the correct option

- can be changed
- varies
- cannot be changed
- becomes zero

Click to Save Answer

VU

5:54 PM
vulms.vu.edu.pk/Quiz/Q

Which of the following permits function overloading in C++.

Select the correct option

- Both type and arguments
- Type only
- Number of arguments only
- Number of function names

5:54 PM

vulms.vu.edu.pk/Quiz/Q

Question # 4 of 10 (Start time: 05:54:41 PM, 17 February 2022)

Constructor is a special function, called whenever we _____

Select the correct option

- instantiate an object of a class
- destroy an object
- create a class
- create a function

5:55 PM
vulms.vu.edu.pk/Quiz/Q

BC210423641: HALEEMA AYAZ

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 05:55:20 PM, 17 February 2022)

_____data isn't accessible by non-member functions or outside classes

Select the correct option

- Globally declared
- private
- Static
- Public

5:56 PM

vulms.vu.edu.pk/Quiz/Q

BC210423641: HALEEMA AYAZ

CS201 - Introduction to Programming (Quiz # 2)

Question # 7 of 10 (Start time: 05:56:28 PM, 17 February 2022)

For accessing data members we use _____ operator

Select the correct option

- plus +
- dot .
- Division /
- multiplication *

5:55 PM

vulms.vu.edu.pk/Quiz/Q

Question # 6 of 10 (Start time: 05:55:55 PM, 17 February 2022)

The malloc function takes _____ argument(s).

Select the correct option

- three
- one
- four
- two

5:58 PM 18.9 K/s 87

vulms.vu.edu.pk/Quiz/Q 8

BC210423641: HALEEMA AYAZ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 05:52 PM.

Question # 8 of 10 (Start time: 05:58:50 PM, 17 February 2022)

The dynamic memory allocation uses _____ whereas static memory allocation uses _____.

Select the correct option

- heap , stack
- array , stack
- classes , array
- stack , lists

Click to Save Answer & Move to N

VU

5:59 PM

17.7 K/s 86

vulms.vu.edu.pk/Quiz/Q 8

BC210423641: HALEEMA AYAZ

Time Left 82 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 05:52 PM, 17 February 2022

Question # 9 of 10 (Start time: 05:59:26 PM, 17 February 2022)

Total Marks: 1

When an operator function is defined as member function for a Unary operator then the number of extra arguments it takes is/are.

Select the correct option

Reload Math Equations

- Zero
- N arguments
- Two
- One

Click to Save Answer & Move to Next Question

LMS VU LMS

6:00 PM
vulms.vu.edu.pk/Quiz/Q

The friend keyword provides access _____.

Select the correct option

○	in two directions
○	to all classes
○	to the data members of the friend class only
○	in one direction only

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 08:19 PM, 17 February 2022

Question #1 of 10 (Start time: 08:19:03 PM, 17 February 2022)

Total Marks: 1

A friend function of a class is a function defined _____.

Select the correct option

- outside that class and that has the right to access public members of the class only
- outside that class and that has the right to access all members of the class
- inside that class and that has no access to the members of the class
- outside that class and that has the right to access protected members of the class only

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 08:19 PM, 17 February 2022

Question # 2 of 10 (Start time: 08:20:25 PM, 17 February 2022) Total Marks: 1

Let suppose
a = b = c
In such situation, it is necessary to return a reference of an object from assignment operator function.

Select the correct option

- False
- True

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 08:19 PM, 17 February 2022

Question # 3 of 10 (Start time: 08:21:06 PM, 17 February 2022) Total Marks: 1

Sometimes after allocating memory we need additional space, for this purpose we use _____.

Select the correct option

- reallocation function
- void pointer
- realloc function
- calloc function

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 08:19 PM, 17 February 2022

Question # 4 of 10 (Start time: 08:22:35 PM, 17 February 2022) Total Marks: 1

The malloc function takes _____ argument(s).

Select the correct option

- four
- one
- two
- three

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 08:23:20 PM, 17 February 2022)
Total Marks: 1

```
if (day == daysOfMonth ( *this ) )
{
 // this is the last day of the month
}
```

In the above condition, we have checked that day is equal to the number of days in the month or not.

If the condition returns true it means loop will make its _____ iteration with _____ day of the month.

Select the correct option

Reload Math Equations

- Last, Last
- First, First
- Last, First
- First, Last

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 08:24:43 PM, 17 February 2022) Total Marks: 1

Destructor _____

Select the correct option

Reload Math Equations

- takes no arguments and can be overloaded
- cannot be overloaded and have no return type
- can be overloaded and have return type
- cannot be overloaded and have return type

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 08:19 PM, 17 February 2022

Question # 7 of 10 (Start time: 08:25:52 PM, 17 February 2022) Total Marks: 1

Look at the statement given below

int & a; and tell what will happen ?

Select the correct option

- Compiler will show a warning to you
- Null value will be assigned to a
- Compiler will compile successfully
- Compiler will generate an error: 'a' declared as reference but not initialized

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 08:19 PM, 17 February 2022

Question # 8 of 10 (Start time: 08:27:28 PM, 17 February 2022) Total Marks: 1

The constructor contains _____

Select the correct option

- return type
- classes
- objects
- no return type

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 08:28:33 PM, 17 February 2022) Total Marks: 1

A _____ function of a class is defined outside that class scope, but it can access all private and protected members of the class.

Select the correct option

Reload Math Equations

- Global
- Protected
- Friend
- Private

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 08:19 PM, 17 February 2022

Question # 10 of 10 (Start time: 08:29:25 PM, 17 February 2022)

Total Marks: 1

A reference cannot be _____.

Select the correct option

- zero
- Integer
- 1
- NULL

Click to Save Answer & Move to Next Question

19:03 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

BC210209470: MUHAMMAD AMJAD ALI

CS201 - Introduction to Programming (Quiz # 2)

Question # 6 of 10 (Start time: 07:03:08 PM, 17 February 2022)

The difference between pointers and references is that _____.

Select the correct option

- we cannot do arithmetic with pointers
- we can do arithmetic with pointers
- we can assign references
- we cannot reassign pointers

19:01 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2)

Question # 5 of 10 (Start time: 07:01:35 PM, 17 February 2022)

_____ operators are the ones that require only one operator to work.

Select the correct option

- Binary
- Single
- Unit
- Unary

Click t

Question # 3 of 10 (Start time: 07:00:59 PM, 17 February 2022) **Total Marks:** 1

If B is designated as friend of A, B can access A's non-public members

Select the correct option

○	B cannot access protected member of A
○	B cannot access private member of A
○	A cannot access B
○	A can access non-public members of B

Click to Save Answer & Move to Next Question

19:00 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

BC210209470: MUHAMMAD AMJAD ALI

CS201 - Introduction to Programming (Quiz # 2)

Question # 4 of 10 (Start time: 07:00:33 PM, 17 February 2022)

To avoid dangling reference, don't return _____.

Select the correct option

- the reference of a local variable from the function
- the reference of a static variable from the function
- the reference of a global variable from the function
- the reference of a private data member from the function

C

Question # 2 of 10 (Start time: 07:00:09 PM, 17 February 2022) **Total Marks:** 1

A class is a user defined data type it takes _____.

Select the correct option

○	No space in memory unless we create constructors
○	no space in memory unless we create an object from it.
○	2 bytes in memory
○	4 bytes in memory

Click to Save Answer & Move to Next Question

18:59 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

CS201 - Introduction to Programming (Quiz # 2)

Question # 3 of 10 (Start time: 06:59:21 PM, 17 February 2022)

#define CIRCUMFERENCE(X) (2 * PI * R) is a.

Select the correct option

○	utility function
○	library function
○	definition of a macro
○	user defined function

Question # 1 of 10 (Start time: 06:59:01 PM, 17 February 2022) **Total Marks:** 1

In overloading the assignment (=) operator, which object will be passed as an argument(s) in the operator function?

Select the correct option

- ○ Right object of the assignment operator
- ○ Both objects will be passed
- ○ No objects will be passed
- ○ Left object of the assignment operator

Click to Save Answer & Move to Next Question

18:58 4G LTE2
Quiz
vulms.vu.edu.pk

Question # 2 of 10 (Start time: 06:58:05 PM, 17 February 2022)

Friend classes are used in cases where one class is _____to another class

Select the correct option

- tightly coupled
- independent
- encapsulated
- loosely coupled

Click to Save An

18:57 4G Vo)) LTE2
Quiz
vulms.vu.edu.pk

Question # 1 of 10 (Start time: 06:57:28 PM, 17 February 2022)

new operator can be used for _____.

Select the correct option

- dot operator
- integer , float, char and double data types
- only integer data type
- only char and integer data types

Click to Save Answe

Question # 6 of 10 (Start time: 07:05:23 PM, 17 February 2022) **Total Marks:** 1

We should not use such variable names that are starting with _____ because in C++, there are lots of internal constants and symbolic names that start with it.

Select the correct option

- ○ none of the given options
- ○ double underscore
- ○ lower case alphabets
- ○ upper case alphabets

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 07:07:08 PM, 17 February 2022) **Total Marks:** 1

The data members of the class are initialized _____.

Select the correct option

- within main program
- outside the function
- at runtime
- at compile time

Click to Save Answer & Move to Next Question

19:08 4G Vo)) LTE2

Quiz
vulms.vu.edu.pk

BC210209470: MUHAMMAD AMJAD ALI

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Time: 06:57

Question # 9 of 10 (Start time: 07:08:32 PM, 17 February 2022)

Once we have defined a symbolic constant value using #define, that value _____during program execution.

Select the correct option

Rela

- varies
- cannot be changed
- can be changed
- becomes zero

Click to Save Answer & Move

Question # 8 of 10 (Start time: 07:08:33 PM, 17 February 2022) **Total Marks:** 1

Constructor is a special function, called whenever we _____.

Select the correct option

- instantiate an object of a class
- create a class
- destroy an object
- create a function

Click to Save Answer & Move to Next Question

WhatsApp Business
Cs201 by Vu
(messages
.vu.edu.pk

Question # 10 of 10 (Start time: 07:09:16 PM, 17 February 2022)

For binary member operators, operands on the _____ drives (calls) the operation.

Select the correct option

- ○ Both left and right
- ○ Left
- ○ Right
- ○ None of the given options.

Click to Save Answ

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:12 PM, 17 February 2022

Question # 1 of 10 (Start time: 07:12:08 PM, 17 February 2022) Total Marks: 1

We cannot use _____ pointer for storing and reading data from it.

Select the correct option

- zero
- double
- NULL
- integer

Click to Save Answer & Move to Next Question

7:13 68

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=6f1de2

MC190403625: MUHAMMAD NADEEM

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:12 PM, 17 February 2022

Question # 2 of 10 (Start time: 07:13:18 PM, 17 February 2022) Total Marks: 1

This reference to a variable can be obtained by preceding the identifier of a variable with _____.

Select the correct option

- ampersand sign &
- dot operator
- * operator
- ^ sign

Click to Save Answer & Move to Next Question

(Quiz # 2)

Question # 3 of 10 (Start time: 07:14:24 PM, 17 Februar

We can _____references.

Select the correct option

○	increment
○	decrement
○	reassign
○	none of the given

Click to Save Answer & Move

MC190403625: MUHAMMAD NADEEM

Time Left 85 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:12 PM, 17 February 2022

Question # 4 of 10 (Start time: 07:15:16 PM, 17 February 2022) Total Marks: 1

A friend function of a class is a function defined _____.

Select the correct option

- ○ outside that class and that has the right to access all members of the class.
- ○ outside that class and that has the right to access protected members of the class only.
- ○ outside that class and that has the right to access public members of the class only
- ○ inside that class and that has no access to the members of the class

Click to Save Answer & Move to Next Question

(Quiz # 2)

Question # 6 of 10 (Start time: 07:17:17 PM, 17 February

Macros are categorized into _____ type(s).

Select the correct option

Reloc

○	four
○	one
○	three
○	two

Click to Save Answer & Move

Question # 5 of 10 (Start time: 07:16:40 PM, 17 Februar

i+=2 is equivalent to _____.

Select the correct option

Relo

○	i=1+l;
○	2+=l;
○	i=i+2;
○	i=i++;

Click to Save Answer & Move

7:17 25.0 KB/S Vo LTE1 4G 92
vulms.vu.edu.pk/Quiz/Q 1

BC200406284: ALI RAZA

Time Left 88 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:17 PM, 17 February 2022

Question # 1 of 10 (Start time: 07:17:44 PM, 17 February 2022)

Total Marks: 1

We should not use such variable names that are starting with _____ because in C++, there are lots of internal constants and symbolic names that start with it.

Select the correct option

- upper case alphabets
- none of the given options
- double underscore
- lower case alphabets

Click to Save Answer & Move to Next Question

≡ ▢ ◁

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:12 Februa

Question # 7 of 10 (Start time: 07:17:55 PM, 17 February 2022) Total M

The object code of our program is combined with the _____.

Select the correct option

Reload Math Equa

○	object code of the library functions
○	source program
○	with header files
○	machine code of the operating system

Click to Save Answer & Move to Next Quest

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Ti

Question # 8 of 10 (Start time: 07:18:50 PM, 17 February 2022

The friend function of a class can have access _____

Select the correct option

Reload Mo

○	to the private data members
○	to the public data members only
○	to public, private and protected data members
○	to the protected data members

Click to Save Answer & Move to Ne

7:19 4G 50%
vulms.vu.edu.pk/Quiz/QuizQues

BC190202315: NOSHEEN BASHEER

CS201 - Introduction to Programming (Quiz # 2)

Question # 1 of 10 (Start time: 07:18:45 PM, 17 February 2022)

#define CIRCUMFERENCE(X) (2 * PI * R) is a.

Select the correct option

○	library function
○	definition of a macro
○	utility function
○	user defined function

7:20 20.0 KB/S Vo LTE1 4G 92
vulms.vu.edu.pk/Quiz/Q 1

BC200406284: ALI RAZA

Time Left 86 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:17 PM, 17 February 2022

Question # 2 of 10 (Start time: 07:20:01 PM, 17 February 2022)

Total Marks: 1

*this is a pointer that always points to

Select the correct option

- Current object of the class
- Current function of the class
- Current pointer of the class
- A Value of data member

Click to Save Answer & Move to Next Question

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:12 PM
February 2

Question # 9 of 10 (Start time: 07:20:17 PM, 17 February 2022) Total Mar

The reference data types are used as _____ variables without any _____ operator

Select the correct option

○	local , &
○	static , deference
○	ordinary , deference
○	global , dot

Click to Save Answer & Move to Next Question

MC190403625: MUHAMMAD NADEEM

Time Left 80 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:12 PM, 17 February 2022

Question # 10 of 10 (Start time: 07:21:05 PM, 17 February 2022) Total Marks:

_____data isn't accessible by non-member functions or outside classes

Select the correct option

- Static
- private
- Public
- Globally declared

Click to Save Answer & Move to Next Question

7:21 49%
vulms.vu.edu.pk/Quiz/QuizQues

CS201 - Introduction to Programming (Quiz # 2)

Question # 2 of 10 (Start time: 07:21:48 PM, 17 February 2022)

In C language, the region of memory allocated at runtime is called ____

Select the correct option

- ○ stack
- ○ heap
- ○ available memory
- ○ free store

7:23 49%

vulms.vu.edu.pk/Quiz/QuizQues

CS201 - Introduction to Programming (Quiz # 2)

Question # 3 of 10 (Start time: 07:23:18 PM, 17 February 2022)

Sometimes after allocating memory we need additional space, for this purpose we use ____

Select the correct option

- calloc function
- reallocation function
- realloc function
- void pointer

7:51
vulms.vu.edu.pk/Quiz/QuizQ

Question # 1 of 10 (Start time: 07:51:45 PM, 17 February 2022)

The memory allocation in C++ is carried out with the help of _____

Select the correct option

- new operator
- dot operator
- + operator
- NULL pointer

Click to Sa

7:53
vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2) Qu

Question # 2 of 10 (Start time: 07:52:58 PM, 17 February 2022)

References cannot be uninitialized. Because it is impossible to _____.

Select the correct option

- initialize a NULL pointer
- reinitialize a reference
- cast a pointer
- reinitialize a pointer

Click to S

7:54

vulms.vu.edu.pk/Quiz/QuizQ

CS201 - Introduction to Programming (Quiz # 2) Quiz Start Ti

Question # 3 of 10 (Start time: 07:54:15 PM, 17 February 2022)

In c++ the region of available memory is called _____.

Select the correct option

- allocated memory
- empty space
- free store
- heap

Click to Save Answ

7:57

vulms.vu.edu.pk/Quiz/QuizQ

BC210211456: AREEJ AZHAR

Time Left 84 sec(s)

CS201 - Introduction to Programming (Quiz # 2)

Quiz Start Time: 07:51 PM, 17 February 2022

Question # 6 of 10 (Start time: 07:57:17 PM, 17 February 2022)

Total Marks:

Header files provide _____ so the program running on one operating system can run without an error on the other system.

Select the correct option

- accuracy
- accessibility
- portability
- reliability

Click to Save Answer & Move to Next Question

7:58

vulms.vu.edu.pk/Quiz/QuizQ

Question # 7 of 10 (Start time: 07:58:31 PM, 17 February 2022)

For the joining of two strings in string class, we may use "+" operator, can we use "-" operator the same way for subtracting strings?

Select the correct option

Reload Math

- No
- Yes along "?" operator only
- Yes along "+" operator only
- Yes

Click to Save Answer & Move to Next

8:00
vulms.vu.edu.pk/Quiz/QuizQ

Question # 8 of 10 (Start time: 07:59:55 PM, 17 February 2022)

Reference is a thing by which we can create _____of any data type.

Select the correct option

○	Pointer
○	Antonym
○	Synonym
○	copy

8:01
vulms.vu.edu.pk/Quiz/QuizQ

Question # 9 of 10 (Start time: 08:01:00 PM, 17 February 2022)

NULL has been defined in _____ header file.

Select the correct option

- String.h
- Stdlib.h
- Iostream.h
- Stdio.h

8:01 PM

vulms.vu.edu.pk/Quiz/QuizStart.as

CS201 - Introduction to Programming (Quiz # 2)	Total Questions :10

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button** / **Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
   - Saving...
   - Question Timeout; Now loading next question...
7. **Javascript MUST be enabled** in your browser; otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

Important Announcement

1. It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz.
2. The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their Mid-Term quiz.

Start Quiz

8:02 CS 201 (4 messa... B 2

Question # 10 of 10 (Start time: 08:02:01 PM, 17 February 2022)

getche() is a _____ function and defined in _____ header file.

Select the correct option

- ○ user-define function , conio.h
- ○ built-in function, stlib.h
- ○ built-in function , conio.h
- ○ built -in function, iostream.h

Click to Save Answer & N

III O <

8:02 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

The data members of the class are initialized _____

Select the correct option

- at compile time
- outside the function
- within main program
- at runtime

Click to Save Answer & Move

8:04 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

Overloaded assignment operator must be

Select the correct option

- Member function of class
- Global function
- Non-member function of class
- Friend function of class

Click to Save Answer & Move to Nex

8:06 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

While using _____ operator we do not need to supply number of bytes allocated.

Select the correct option

- malloc
- dot
- new
- insertion

Click to Save Answer & Move to Next Qu

8:05 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

When an operator function is defined as member function for a Unary operator then the number of extra arguments it takes is/are,

Select the correct option

Reload Math Ed

- N arguments
- Zero
- Two
- One

Click to Save Answer & Move to Next Qu

8:08 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

new operator can be used for _____.

Select the correct option

- only char and integer data types
- only integer data type
- dot operator
- integer , float, char and double data types

Click to Save Answer & Move t

8:13 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

CS201 - Introduction to Programming (Quiz # 2) **Quiz Start Time: 08:13 PM, 17 Febru**

Question # 1 of 10 (Start time: 08:13:31 PM, 17 February 2022) **Tota**

What will be the output of the given code

```
#include<iostream>
#include<conio.h>
using namespace std;
 void display( int = 1, float = 2.3, char = '@' );
 main()
  {
display();
display(5);
display(6,7.8);
display(9,10.11,'$');
getch();
}
  void display( int first, float second, char third )
  { cout << "\nfirst = " << first; cout << ", second = " << second; cout << ", third = " << third; }
```

Select the correct option

Reload Math Equ

- first = 1, second = 2.3, third = @ first = 5, second = 3, third = @ first = 6, second = 7.8, third = @ first = 9, second = 10.11, third = $
- first = 1, second = 2.3, third = @ first = 5, second = 2.3, third = @ first = 6, second = 7.8, third = @ first = 9, second = 10.11, third = $
- first = 1, second = 2.3, third = 10 first = 5, second = 2.3, third = @ first = 6.5, second = 7.8, third = @ first = 9, second = 10.11, third = $
- first = 1, second = 2.3, third = @ first = 2.3, second = 2.3, third = @ first = 6, second = 7.8, third = @ first = 9, second = 10.11, third = $

Click to Save Answer & Move to Next Que

8:15 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

Question # 2 of 10 (Start time: 08:15:24 PM, 17 February 2022)

A friend function of a class is a function defined _____.

Select the correct option

- inside that class and that has no access to the members of the class
- outside that class and that has the right to access public members of the class only
- outside that class and that has the right to access all members of the class.
- outside that class and that has the right to access protected members of the class only.

Click to Save Answer & Move

8:38 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

Question # 10 of 10 (Start time: 08:38:10 PM, 17 February 2022)

Once the _____ are created, they exist for the life time of the program

Select the correct option

- non static variables
- automatic variables
- local variables
- static variables

Click to Save Answer & Move to

8:41 PM

vulms.vu.edu.pk/Quiz/QuizQuestio

25

Question # 9 of 10 (Start time: 08:41:07 PM, 17 February 2022) To

With user data type variables (Objects) self assignment can produce

Select the correct option

- Run time error
- Logical error
- Link error
- Syntax error

Click to Save Answer & Move to Next Q

HI 00681

GAME OVER



No internet

Try:

- Checking the network cables, modem, and router
- Reconnecting to Wi-Fi
- Running Windows Network Diagnostics

ERR_INTERNET_DISCONNECTED

att Downloads web.whatsapp.com...