

Coupling is a measure of -----of a module or component.

▶ Independent (Page 71)

▶ Dependent

▶ Closeness

▶ All of the given

If a problem is identified and fixed at a -----stage in the software development process, it will cost much more than if it was fixed at and -----stage.

▶ earlier & later

▶ after & before

▶ none of the above

▶ later and earlier (Page 17)

Once these requirements have been finalized, the ----- process starts.

▶ Construction (Page 18)

▶ Development

▶ Maintenance phase

▶ Construction and Development

Identifying Whole-Part structures (Aggregations) means what are my -----

-

▶ Components (Page 95)

▶ Structures

▶ Objects

▶ Classes

Data design actually begins during the creation of the analysis model, not the architectural model.

▶ True Click here for detail

▶ False

System Architecture is important to consider because it helps in making -----
--

▶ Mutual communication.

▶ Early design decisions.

▶ Reusable abstraction of a system.

▶ All of the above (Page 118)

Software architecture is "the ----- of the components of a program/system, their interrelationships, and principles and guidelines governing their design and evolution over time."

▶ combination

► collection

► structure (Page 117)

► unification

Cohesion is about making sure each component does _____ thing and does it well.

► three

► two

► infinite

► one [Click here for detail](#)

Following are some statements associated with data flow diagrams. Identify the correct statement from among them.

► DFDs are used to model complex interfaces.

► DFDs are used to represent only functional processing, data stores and data movements between functions. DFD over flow charts(Page 2)

► DFDs depict only processes which can be decomposed.

► DFDs do not show external data sources and external data sinks

The data flow diagram must be augmented by descriptive text in order to describe the functional requirements for a software product.

▶ True [Click here for detail](#)

▶ False

It is not possible to use ordinary data flow diagrams to model the functional requirements of real-time systems.

▶ True

▶ False [Click here for detail](#)

An object or class may further be classified on the basis of

▶ Behavior Driven attributes

▶ Data Driven attributes

▶ Responsibility Driven attributes

▶ All of the above (Page 85)

A public Interface provides a way for with other Classes.

▶ Communication

▶ Accessibility [Click here for detail](#)

▶ Reaching

▶ All of the above

DFD Notation contains

- ▶ Data Store
- ▶ External Agents
- ▶ Processes
- ▶ All of the given (Page 51)

A complex System evolves from a

- ▶ smaller system (Page 69)
- ▶ medium system
- ▶ bigger system
- ▶ non of the given

Requirement engineering mainly deals with the ----- of the system

- ▶ definition phase (Page 16)
- ▶ development phase
- ▶ maintenance
- ▶ non of the above

Insufficient user involvement leads to ----- products.

- ▶ unacceptable (Page 19)
- ▶ ambiguous

- ▶ dissatisfaction of customer to
- ▶ non of the above

Which one is not the purpose of Interaction Diagrams ?

- ▶ Model interactions between objects
- ▶ Assist in understanding how a system (a use case) actually works
- ▶ Identify responsibilities/operations and assign them to classes
- ▶ Identify dependencies among objects (Page 106)

Collaboration diagrams have basically two types of components: objects and ----

- ▶ messages (Page 111)
- ▶ methods
- ▶ classes
- ▶ non of the above

The scope description establishes the -----between the system we are developing and everything else in the universe

- ▶ Boundary (Page 31)
- ▶ Balance
- ▶ Constraint

► None of the given

Questions:

Question No: 1 (Marks: --) What is Textual Analysis? Explain it

Answer:- (Page 90) Textual analysis was developed by Abbot and then extended by Graham and others. In this technique different parts of speech are identified within the text of the specification and these parts are modeled using different components.

Question No: 2 (Marks: --) What is Software Architecture?

Answer:- (Page 116) Architecture is the organizational structure of a system. Architecture can be recursively decomposed into parts that interact through interfaces, relationships that connect parts, and constraints for assembling parts. Parts that interact through interfaces include classes, components and subsystems.

Question No: 3 (Marks: --) What is the Cardinality of Objective?

Answer :- (Software engineering ---Page 334) Cardinality. The data model must be capable of representing the number of occurrences Objects in a given relationship. Tillmann [TIL93] defines the cardinality of an object/relationship pair in the following manner:

* One-to-one (1:1)—An occurrence of [object] 'A' can relate to one and only one occurrence of [object] 'B,' and an occurrence of 'B' can relate to only one occurrence of 'A.'

* One-to-many (1:N)—One occurrence of [object] 'A' can relate to one or many occurrences of [object] 'B,' but an occurrence of 'B' can relate to only one occurrence of 'A.' For example, a mother can have many children, but a child can have only one mother.

* Many-to-many (M:N)—An occurrence of [object] 'A' can relate to one or more occurrences of 'B,' while an occurrence of 'B' can relate to one or more occurrences of 'A.' For example, an uncle can have many nephews, while a nephew can have many uncles.

Question No: 4 (Marks: 2) Define abstraction?

Answer:- (Page 79) An abstraction is a technique in which we construct a model of an entity based upon its essential characteristics and ignore the inessential details.

Question No: 5 (Marks: 2) Is the design of software architecture a creative process?

Answer:- (Page 120) Design of software architecture is a creative and iterative process. This involves performing a number of activities, not necessarily in any particular order or sequence.

VU Insider