



MTH202 Midterm Solved MCQS By Junaid

Bs Computer science (Virtual University of Pakistan)



Scan to open on Studocu

MTH202-Descrate Mathematics Mid TERM Solved MCQS Prepared by: JUNAID MALIK

AL-JUNAID TECH INSTITUTE



www.vulmshelp.com



Language Courses Training Available

I'm providing paid courses in different languages within 3 Months, Certificate will be awarded after completion.

- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAPS
- IQUERY
- PHP MYSQL
- NODES.JS
- REACT JS

LMS Handling Services

LMS Activities Paid Task

Assignments 95% Results

Quizes 95% Results

GDB 95% Results

For CS619 Project Feel Free To Contact With Me

Ph# 0304-1659294
Email: junaidfazal08@gmail.com

AL-JUNAID TECH INSTITUTE

Question No. 1:

If p = It is raining q = She will go to college

"It is raining and she will not go to college" will be denoted by

$$p \wedge \sim q$$

$$p \wedge q$$

$$\sim p \wedge q$$

Question No. 2:

The negation of "Today is Friday" is

- Today is Saturday
- **Today is not Friday**
- Today is Thursday
- None of given

Question No. 3:

The converse of the conditional statement $p \rightarrow q$ is

$$\frac{q}{p}$$

$$\frac{\sim q}{p} \rightarrow \sim$$

$$\frac{\sim p}{q} \rightarrow \sim$$

None of these

Question No. 4:

Contra-positive of given statement "If it is raining, I will take an umbrella" is

- **I will not take an umbrella if it is not raining. (Pg 19)**
- I will take an umbrella if it is

raining.

- It is not raining or I will take an umbrella.
- None of these.

Question No. 5:

A statement is also referred to as a

- **Proposition (pg 4)**
- Conclusion
- Order
- None of these

Question No. 6:

The statement "It is not raining if and only if roads are dry" is logically equivalent to

- If roads are dry then it is not raining.
- None of these.
- **Roads are dry if and only if it is not raining**
- If it is not raining then roads are dry.

Question No. 7:

The statement $\sim(\sim p) \rightarrow p$ Describes

- Commutative Law
- Implication Laws
- **Double negative law**
- Equivalence

Question No. 8:

An arrangement of rows and columns that specifies the truth value of a compound

AL-JUNAID TECH INSTITUTE

proposition for all possible truth values of its constituent propositions is called

- **Truth Table**

- Venn diagram
- False Table
- None of these

Question No. 9:

An argument is __ if the conclusion is true when all the premises are true.

- **Valid (Pg 25)**
- Invalid
- False
- None of these

Question No. 10:

The row in the truth table of an argument where all premises are true is called

- Valid row
- Invalid row
- **Critical row (Pg 27)**
- None of these

Question No. 11:

$p \sqcap q$ is logically equivalent to $(p \sqcap q)$

$\sqcap (q \sqcap p)$

TRUE

FALSE

AL-JUNAID TECH INSTITUTE

Question No. 12:

According to biconditional $1+1=3$ if and only if sky is yellow.

- **TRUE (Pg 20)**
- FALSE

Question No. 13:

A statement that is always true regardless of the truth values of the statement variables is called Tautology.

- **TRUE (Pg 10)**
- FALSE

Question No. 14:

If p and q are statement variables, then the conjunction of p and q is “p and q” denoted as “ $p \sqcap q$ ”.

- TRUE
- **FALSE**

Question No: 15

For two sets A,B

$A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$ is called

- ▶ Distributivity of intersection over union
- ▶ Distributivity of union over intersection
- ▶ None of these
- ▶ **Distributivity Law**

Question No: 16

Check whether

$36 \sqcap 1 \pmod{5}$ 36 Modulus 5 = 1 remainder

$33 \sqcap 3 \pmod{10}$ 33 Modulus 10 = 3 remainder

▶ **Both are equivalent**

- ▶ Second one is equivalent but first one is not
- ▶ First one is equivalent but second one is not

Question No:17

A binary relation R is called Partial order relation if

- ▶ It is Reflexive and transitive
- ▶ It is symmetric and transitive
- ▶ It is reflexive, symmetric and transitive

▶ **It is reflexive, anti-symmetric and transitive (Pg 92)**

Question No: 18


The order pairs which are not present in a relation, must be present in

- ▶ Inverse of that relation
- ▶ Composition of relations
- ▶ **Complementary relation of that relation (pg 97)**

AL-JUNAID TECH INSTITUTE

Question No: 19

The relation as a set of ordered pairs as shown in figure is



- ▶ $\{(a,b), (b,a), (b,d), (c,d)\}$
- ▶ $\{(a,b), (b,a), (a,c), (b,a), (c,c), (c,d)\}$
- ▶ **$\{(a,b), (a,c), (b,a), (b,d), (c,c), (c,d)\}$**
- ▶ $\{(a,b), (a,c), (b,a), (b,d), (c,d)\}$

Question No: 20

A circuit with two input signals and one output signal is called

- ▶ NOT-gate (or inverter)

▶ **AND- gate**

- ▶ None of these

Question No: 21

If $f(x)=2x+1$ then its inverse =

- ▶ $x-1$

▶ **$\frac{1}{2}(x-1)$**

- ▶ $x^2 + 2$

Question No: 22

Null set is denoted by

▶ **(ϕ) or $\{\}$. (pg 39)**

- ▶ A
- ▶ None of these

Question No: 23

The total number of elements in a set is called

- ▶ Strength
- ▶ **Cardinality (pg 141)**
- ▶ Finite

Question No: 24

If $f(x)=x+1$ and $g(x)=2x^2-1$ then $(2f-1g)x=$

- ▶ $2x^2-x$
- ▶ $3x+2$
- ▶ **$2x^2-2x-1$**

AL-JUNAID TECH INSTITUTE

Question No: 25

Let

$$a_0 \square 1, a_1 \square \square 2 \text{ and } a_2 \square 3$$

$$\text{then } \sum_{j=0}^2 a_j \square$$

► -6

► **2**

► 8

Question No: 26

Which of the given statement is incorrect?

- The process of defining an object in terms of smaller versions of itself is called recursion. (Pg 159)
- A recursive definition has two parts: Base and Recursion.
- **Functions cannot be defined recursively (Pg 159)**
- Sets can be defined recursively. (Pg 165)

Question No: 27

The operations of intersection and union on sets are commutative

► **True (Pg 42)**

► False

► Depends on the sets given

Question No: 28

The power set of a set A is the set of all subsets of A, denoted $P(A)$.

► False

► **True (Pg 68)**

Question No: 29

What is the output state of an OR gate if the inputs are 0 and 1?

► 0

► **1**

► 2

► 3

Question No: 30

The product of the positive integers from 1 to n is called

► Multiplication

► **n factorial**

► Geometric sequence

Question No: 31

Let $A = \{1, 2, 3, 4\}$ and $R = \{(1, 1), (2, 2), (3, 3), (4, 4)\}$ then

► R is symmetric.

► R is anti symmetric.

► R is transitive.

► R is reflexive.

► **All given options are true**

Question No: 32

The inverse of given relation

$R = \{(1, 1), (1, 2), (1, 4), (3, 4), (4, 1)\}$ is

► $\{(1, 1), (2, 1), (4, 1), (2, 3)\}$

► $\{(1, 1), (1, 2), (4, 1), (4, 3), (1, 4)\}$

► **$\{(1, 1), (2, 1), (4, 1), (4, 3), (1, 4)\}$ (Pg 95)**

Question No: 33

AL-JUNAID TECH INSTITUTE

$$(A \sqcup B)^c = (A^c \cap B^c)$$

- ▶ True
- ▶ False

Question No: 34

Let g be the functions defined by $g(x) = 3x + 2$ then $g \circ g(x) =$

- ▶ $9x^2 + 4$
- ▶ $6x + 4$
- ▶ $9x + 8$

Question No: 35

The Common fraction for the recurring decimal 0.81 is

▶ $\frac{81}{100}$

▶ $\frac{81}{98}$

▶ $\frac{9}{11}$

Question No: 36

A collection of rules indicating how to form new set objects from those already known to be in the set is called

- ▶ Base
- ▶ Restriction
- ▶ Recursion (Pg159)

Question No: 37

The statement of the form $p \sqcup \sim p$ is:

▶ Tautology (Pg 10)

- ▶ Contradiction
- ▶ Fallacy

Question No: 38

Let A, B, C be the subsets of a universal set U.

$$(A \sqcup B) \sqcup C$$

Then $A \sqcup (B \sqcup C)$ is equal to:

- ▶ $A \sqcup (B \sqcup C)$
- ▶ $A \sqcup (B \sqcup C)$
- ▶ $A \sqcup (B \sqcup C)$
- ▶ $A \sqcup (B \sqcup C)$

Associative Law

Question: 39

If $R = \{(a, a), (b, b), (c, c)\}$ is a relation on the set $A = \{a, b, c\}$ Then R is

- ☐ Symmetric only.
- ☐ Symmetric and reflexive only.
- ☐ Reflexive only.
- ☐ Equivalence relation. (Pg 85)

AL-JUNAID TECH INSTITUTE

Question: 40

The negation of the implication "If P is a square then P is a rectangle" is

☒ If P is not a square then P is not a rectangle

- ☐ P is not a square and P is a rectangle
- ☐ P is a square and P is not a rectangle.
- ☐ None of the above

Question: 41

Identify the false statement

☒ $0 \in \emptyset$

- ☐ $\{\emptyset\} \subseteq \{\emptyset\}$
- ☐ If A and B are two sets $A \subseteq B$ and $B \subseteq A$ then $A = B$.
- ☐ Two sets are disjoint if their intersection is empty set.
- ☐ $A \cap A = A$

Question: 42

Let A be a set containing 3 elements then the total number of relations from A to A is

- ☐ 2^9
- ☐ 2^3
- ☒ 3^3
- ☐ $2n$

Question: 43

Let $A = \{1,2,3\}$ and $B = \{2,3,4,5\}$ then

- ☐ $A = B$.
- ☐ A is a subset of B.
- ☐ A is improper subset of B.
- ☒ Both 2 and 3.

Question: 44

Which of the following is not a Proposition?

- ☒ $x > 11$.
- ☐ Sun rounds about the Earth
- ☐ $11+7=18$
- ☐ None of above.

Question: 45

$F = \{x \in \mathbb{R} \mid x^3 + 29x^2 - 3 = 0\}$

- ☒ finite
- ☐ infinite
- ☐ (c) none of above

Question: 46

Let A has the same cardinality as B if and only if, there is a ----- correspondence between sets A and B

- ☐ one-one
- ☐ onto
- ☒ (c) Both (a) and (b) (Pg 141)

Question: 47

Let $A = \{0,1,2,3,4,5\}$ and we define functions $f: A \rightarrow A$ and then $g: A \rightarrow A$

$f(3)=3, f(4)=2, f(5)=2, f(2)=5, f(1)=2$

$g(1)=4, g(3)=3, g(5)=3, g(2)=1$

then $f \circ g(5)$ and $g \circ f(2)$

- ☒ (a) $f \circ g(5) = g \circ f(2)$
- ☐ (b) $f \circ g(5) \neq g \circ f(2)$
- ☐ (c) $f(3) = g(1)$
- ☐ (d) None of the above

Question: 48

If f and g are two one-to-one functions, then their composition of $g \circ f$ is

- ☐ onto

AL-JUNAID TECH INSTITUTE

☐ one-to-one (Pg 134)

☐ (c) bijective

Question:49

If $1=1$ then $2=2$, the conditional statement is

☐ True

☐ False

☐ None of other.

Question:50

A set Z has n elements. How many functions are from Z to Z ?

☐ $2n$

☒ $n \times n$

☐ nn

☐ None of the other

Question: 51

Compute the summation

$$\sum_{i=0}^2 i^2$$

☐ 5

☐ 3

☐ 0

☒ None of these.

Question: 52

Let $S = \{n \in \mathbb{Z} / n = (-1)^k, \text{ for some integer } k\}$

☐ $S = \{1\}$

☐ $S = \{-1\}$

☐ $S = \{-1, 1\}$

☐ None of the other

Question: 53

If $p=T, q=T, r=F$

Then

$((\sim p) \wedge r) \rightarrow (q \wedge r)$

Must be

☐ F

☒ T

☐ $q \vee r$

☐ None of these.

Question: 54

If $A = \{a, b, c, d\}$ then the number of elements of power set $P(A)$ are

☒ 2^4

☐ 2^5

☐ 2^6

☐ 2^7

Question:55

Consider the relation $R = \{(1,1), (1,2), (1,4), (2,1), (2,2), (3,3), (4,4)\}$ on $A = \{1, 2, 3, 4\}$ is

► Symmetric

► Transitive


AL-JUNAID TECH INSTITUTE

► Reflexive

► All of these

Question: 56

The function defined by the following diagram is $f: X \rightarrow Y$



► One-to-one

► Onto

► **Both one-to-one and onto**

► None of these

Question: 57

$10, 10^2, 10^3, 10^4, 10^5, 10^6, 10^7, \dots$ is

► **Arithmetic series (Pg 145)**

► Geometric series

► Arithmetic sequence

► Geometric sequence

Question: 58

Negations for the given statement “The train is late or my watch is fast” is

► **The train is not late or my watch is not fast.**

► The train is not late and my watch is not fast.

► The train is not late or my watch is fast

► None of these.

Question: 59

Let R be the relation from $A = \{a_1, a_2, a_3\}$ (Elements of A are ordered by their subscript) to itself given by the matrix representation. Then R is

$$\begin{pmatrix} 0 & 1 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}$$

► Reflexive and Symmetric.

► Symmetric and Transitive.

► **Irreflexive and Symmetric.**

► Irreflexive and Anti-Symmetric.

Question: 60

If out of 35 people each person like Discrete Mathematics or Data Structures, 25 like Discrete Mathematics, and 20 like Data structures then the number of people who like both Discrete and Data Structures is

AL-JUNAID TECH INSTITUTE

- ▶ **5**
- ▶ 15
- ▶ 10
- ▶ None of these.

Question: 60

Inverse of a function may not be a function

- ☒ **True (Pg 124)**
- ☐ False

Question No: 61

The inverse of given relation $R = \{(1,1), (1,2), (1,4), (3,4), (4,1)\}$ is

- ▶ $\{(1,1), (2,1), (4,1), (2,3)\}$
- ▶ $\{(1,1), (1,2), (4,1), (4,3), (1,4)\}$
- ▶ **$\{(1,1), (2,1), (4,1), (4,3), (1,4)\}$**

Question No: 62

2Symmetric and antisymmetric are

- ▶ Negative of each other
- ▶ Both are same
- ▶ **Not negative of each other (Pg 90)**

Question No: 63

Let $A = \{a, b, c\}$ and

$R = \{(a, c), (b, b), (c, a)\}$ be a relation on A. Is R

- ▶ Transitive
- ▶ Reflexive
- ▶ **Symmetric**
- ▶ Transitive and Reflexive

Question:64

In Boolean addition $1+1=$

- ▶ 2
- ▶ **1 (Pg 99)**
- ▶ 0

Question No: 65

The same element can never appear twice in a set

- ▶ True
- ▶ **False**

Question No: 66

If $f(x)=2x+1$, $g(x)=x^2-1$ then $fg(x)=$

- ▶ x^2-1
- ▶ **$2x^2-1$**
- ▶ $2x^3-1$

Question No: 67

If a set contains exactly m distinct elements where m denotes some

AL-JUNAID TECH INSTITUTE

non negative integer then the set is.

▶ Finite

▶ Infinite

▶ None of these

Question No: 68

$f(4) = 1$ and $g(1) = 4$ then $f \circ g(1) =$

▶ 3

▶ 1

▶ 4

Question No: 69

If $(A \cap B) = A$, then $(A \cup B) = B$

▶ True

▶ False

▶ Cannot be determined

Question No: 70

The total number of elements in a set is called

▶ Strength

▶ Cardinality

▶ Finite

Question No: 71

If $f(x) = x$ and $g(x) = -2x$ then $(f+g)x =$

▶ $3x$

▶ $2x^2$

▶ $-x$

Question No: 72

Which term of the sequence $4, 1, -2, \dots$ is -77

▶ 26

▶ 27

▶ 28

Question No: 73

If a set A has 5 elements then power set of A. $P(S)$ contains elements. Which are?

▶ 5^5

▶ 2^n

▶ 4^5

▶ 2^5

Question No: 74

Let g be the functions

defined by $g(x) = 3x+2$ then

$g \circ g(x) =$

▶ $9x^2 + 4$

▶ $6x+4$

▶ $9x+8$