CS-401 Assembly Language Update MCQS For Quiz-2 File Solve By Vu Topper RM

80 To 100% Marks



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

The instruction for permanent diversion in Intel 8088 is _____.

A. Rot
B. Mov
C. Call
D. Jump **Page 56**

Question No:2 **(Marks:1)** **Vu-Topper RM**

There are _____ types of address wraparound.

A. 2 **Page 29**
B. 4
C. 6
D. 8

Question No:3 **(Marks:1)** **Vu-Topper RM**

The top of stack is contained in _____ register.

A. Bx
B. Sp **Page 63**
C. Ax
D. Bp

Question No:4 **(Marks:1)** **Vu-Topper RM**

There are _____ registers in Intel 8088 that can hold the address of data.

A. 4 **Page 22**
B. 8
C. 10
D. 12

Question No:5 **(Marks:1)** **Vu-Topper RM**

"mov [bp], al" moves the one byte contents of the AL register to the address contained in the BP register in the current _____.

A. Data segment.
B. Stack segment. **Page 27**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Code segment.
D. Extra segment.

Question No:6 **(Marks:1)** **Vu-Topper RM**
Which of the following is the number of operands for ADC (Add with Carry) instruction?
A. 1
B. 2 **Page 48**
C. 3
D. 4

Question No:7 **(Marks:1)** **Vu-Topper RM**
The jump is taken if the last arithmetic operation has changed the sign unexpectedly.
A. JZN
B. JZ
C. JNO
D. JO **Page 35**

Question No:8 **(Marks:1)** **Vu-Topper RM**
Which of the following is shifted right in the 4-bit multiplication algorithm?
A. Multiplicand
B. Multiplier **Page 46**
C. RCL
D. OLC

Question No:9 **(Marks:1)** **Vu-Topper RM**
Which of the following is an illegal instruction?
A. Mov BX, 10
B. MOV AX, BX **Page 22**
C. MOV AX, 65
D. MOV AX, [BX+BP]

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:10 **(Marks:1)** **Vu-Topper RM**

Extended Shifting Algorithm consists of:

A. 4 instructions
B. 2 instructions **Page 48**
C. 1 instruction
D. 5 instructions

Question No:11 **(Marks:1)** **Vu-Topper RM**

All the addressing mechanisms in iAPX88 return a number called the _____ address.

A. Faulty
B. Direct
C. Indirect
D. Effective **Page 25**

Question No:12 **(Marks:1)** **Vu-Topper RM**

Call instruction takes _____ argument(s).

A. 0
B. 1 **Page 64**
C. 2
D. 3

Question No:13 **(Marks:1)** **Vu-Topper RM**

With the execution of CALL instruction, the value of _____is decremented by 2.

A. SP **Page 66**
B. BX
C. CX
D. DX

Question No:14 **(Marks:1)** **Vu-Topper RM**

Which bit of the attribute byte represents the red component of foreground color?

A. 2 **Page 73**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. 4
C. 6
D. 8

Question No:15 **(Marks:1)** **Vu-Topper RM**

In MUL instruction, if the source operand is a byte, then the result is returned in ____ and

A. AH,AL **Page 79**
B. AX,BL
C. HL,AX
D. AH,LX

Question No:16 **(Marks:1)** **Vu-Topper RM**

Which of the following is also called intro-segment call?

A. Far call
B. Near call **Page 72**
C. Short call
D. Long call

Question No:17 **(Marks:1)** **Vu-Topper RM**

Which bit of the attribute byte represents the Blinking of foreground character?

A. 7 **Page 73**
B. 1
C. 3
D. 5

Question No:18 **(Marks:1)** **Vu-Topper RM**

Which bit of the attribute byte represents the Red component of background color?

A. 2
B. 4
C. 8
D. 6 **Page 7**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:19 **(Marks:1)** **Vu-Topper RM**

Which bit of the attribute byte represents the Green component of background color?

A. 3

B. 5 **Page 73**

C. 9

D. 11

Question No:20 **(Marks:1)** **Vu-Topper RM**

Which bit of the attribute byte represents the Blue component of background color?

A. 4 **Page 73**

B. 6

C. 8

D. 10

Question No:21 **(Marks:1)** **Vu-Topper RM**

Which bit of the attribute byte represents the Intensity component of foreground color?

A. 3 **Page 73**

B. 4

C. 5

D. 6

Question No:22 **(Marks:1)** **Vu-Topper RM**

---------- can be used to check whether particular bits of a number are set or not.

A. OR

B. AND **Page 52**

C. NOT

D. XOR

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:23 **(Marks:1)** **Vu-Topper RM**

RET Instruction takes _____ argument(s).

A. 0 Page 64

B. 1

C. 2

D. 3

Question No:24 **(Marks:1)** **Vu-Topper RM**

When the RET instruction is executed, it recovers the value of the _____ from the stack.

A. Current instruction

B. Accumulator register

C. Previous instruction

D. Instruction pointer Page 68

Question No:25 **(Marks:1)** **Vu-Topper RM**

Stack is a data structure that behaves in a First in Last ……. manner.

A. In

B. Add

C. Out Page 67

D. Posh

Question No:26 **(Marks:1)** **Vu-Topper RM**

In _____ operation, the Most Significant Bit (MSB) is inserted from the right, causing every bit to move one position to the left. The MSB is also copied into the carry flag.

A. ROR Page 45

B. RCL

C. CLR

D. LOR

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:27 **(Marks:1)** **Vu-Topper RM**

We can convert a digit into its ASCII representation by adding to it.

A. 0X05
B. 0X10
C. 0X20
D. 0x30 Page 80

Question No:28 **(Marks:1)** **Vu-Topper RM**

_____ decrements SP (the stack pointer) by two, and then transfers a word from the source operand to the top of the stack.

A. RET
B. POP
C. CALL
D. PUSH Page 71

Question No:29 **(Marks:1)** **Vu-Topper RM**

In 8088, there is a _____ stack.

A. Stagnant
B. Incrementing
C. Decrementing Page 68
D. Semi-automatic

Question No:30 **(Marks:1)** **Vu-Topper RM**

There are _____ byte(s) for each character on the screen.

A. 2 Page 87
B. 4
C. 1
D. 5

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:31 **(Marks:1)** **Vu-Topper RM**

In case of DIV BX instruction, the quotient is stored in ------register.

A. AX **Page 85**

B. DX

C. AL

D. BL

Question No:32 **(Marks:1)** **Vu-Topper RM**

Call instruction takes a -------- as an argument.

A. Label **Page 64**

B. source register

C. memory address

D. destination register

Question No:33 **(Marks:1)** **Vu-Topper RM**

A decrementing stack moves from _____ to _____ addresses as elements are added in it.

A. lower, higher

B. higher, lower **Page 68**

C. positive, negative

D. negative, positive

Question No:34 **(Marks:1)** **Vu-Topper RM**

Which of the following operations is used to set any specific bit in a binary number?

A. OR **Page 59**

B. AND

C. NOT

D. XOR

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:35 **(Marks:1)** **Vu-Topper RM**

Which of the following operations is used to clear any specific bit in a binary number?

A. AND **Page 59**

B. XOR

C. NOT

D. NAND

Question No:36 **(Marks:1)** **Vu-Topper RM**

Which of the following string instructions is generally used in a loop instead of REP prefix?

A. SCAS

B. CMPS

C. STOS

D. LODS **Page 92**

Question No:37 **(Marks:1)** **Vu-Topper RM**

What the following piece of code does?

A. Shl word [multiplicand], 1

B. Rcl word [multiplicand+2], 1

C. Extended Shift left **Page 58**

Question No:38 **(Marks:1)** **Vu-Topper RM**

In MUL instruction, if the source operand is a word, then it is multiplied with _____ register.

A. AX **Page 87**

B. AH

C. AL

D. BL

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:39 **(Marks:1)** **Vu-Topper RM**

When the operand of DIV instruction is in 16 bits, then the implied dividend will be in _____.

A. AX
B. EX:AX
C. DX:AX **Page 85**
D. DX:BX

Question No:40 **(Marks:1)** **Vu-Topper RM**

What does the PUSH operation do?

A. It increments the stack pointer
B. It increments the stack segment
C. It copies the operand on the stack **Page 68**
D. It deletes the operand from the stack

Question No:41 **(Marks:1)** **Vu-Topper RM**

Which of the following is an incorrect XOR operation?

A. XOR AX
B. XOR BX,AX **Page 59**
C. XOR AX, BX
D. XOR BYTE [VAR], 5

Question No:42 **(Marks:1)** **Vu-Topper RM**

Stack Pointer is _____, when the ret instruction is executed.

A. divided by 2
B. multiplied by 2
C. decremented by 2
D. incremented by 2 **Page 68**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:43 **(Marks:1)** **Vu-Topper RM**

The operand of _____ is called the source operand because the data moves to the stack from the operand.

A. RET
B. CALL
C. POP
D. PUSH **Page 71**

Question No:44 **(Marks:1)** **Vu-Topper RM**

The memory on video controller is accessible to the processor by the _____ bus.

A. Cache
B. Control
C. System **Page 80**
D. Virtual memory

Question No:45 **(Marks:1)** **Vu-Topper RM**

The operand of POP is called the -------- because the data is moving from the stack to the operand.

A. Source
B. Increment
C. Decrement
D. Destination **Page 71**

Question No:46 **(Marks:1)** **Vu-Topper RM**

In a video memory, each screen location corresponds to _____

A. One byte
B. Two bytes **Page 74**
C. Four bytes

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. Eight bytes

Question No:47 (Marks:1) Vu-Topper RM

The iAP888 architecture consists of _____ register.

A. 12

B. 14 Page 15

C. 16

D. 10

Question No:48 (Marks:1) Vu-Topper RM

The unit of stack operations in iAPX88 is a _____.

A. Bit

B. Byte

C. Word Page 68

D. Double word

Question No:49 (Marks:1) Vu-Topper RM

In XOR operation, the output is 1 if both inputs are _____.

A. Same

B. True

C. False

D. Different Page 59

Question No:50 (Marks:1) Vu-Topper RM

Which of the following instructions allows code reusability in 8088?

A. RET

B. MOV

C. ADD

D. CALL Page 64

Question No:51 (Marks:1) Vu-Topper RM

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which bit of the attribute byte represents the green component of foreground color?

A. 0
B. 1 **Page 73**
C. 2
D. 3

Question No:52 **(Marks:1)** **Vu-Topper RM**

Which of the following is also called intra-segment call?

A. Far call
B. Near call **Page 72**
C. Short call
D. Long call

Question No:53 **(Marks:1)** **Vu-Topper RM**

The stack of iAPX88 works on --------- sized elements.

A. Byte
B. Nibble
C. Word **Page 68**
D. Paragraph

Question No:54 **(Marks:1)** **Vu-Topper RM**

In 8051, there is an _____ stack.

A. Stagnant
B. Decrementing
C. Semi-automatic
D. Incrementing **Page 68**

Question No:55 **(Marks:1)** **Vu-Topper RM**

The maximum parameters a subroutine can receive are _____ when all the general purpose registers are used.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. 1
B. 3
C. 5
D. 7 Page 64

Question No:56 (Marks:1) Vu-Topper RM
Which bit is attribute but representing the blue component of foreground color
A. 0 Page 73
B. 1
C. 2
D. 3

Question No:57 (Marks:1) Vu-Topper RM
How many characters are defined by the standard ASCII?
A. 32
B. 64
C. 132
D. 128 Page 71

Question No:58 (Marks:1) Vu-Topper RM
Which of the following statement is used to clear the value of AX register,
A. NOT AX
B. XOR AX,0
C. XOR AX, AX
D. AND AX, AX

Question No:59 (Marks:1) Vu-Topper RM
MUL instruction performs an unsigned multiplication of the source operand and the _____.
A. Base
B. Carry

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Accumulator
D. Word at ES:DI

Question No:60 **(Marks:1)** **Vu-Topper RM**
The clear screen operation initializes whole block of video memory to

A. 0417
B. 0714
C. 0721
D. 0174

Question No:61 **(Marks:1)** **Vu-Topper RM**
Which of the following elements will come out first using the POP instruction if 6,3,5,8,4,7 and 9 were pushed on the stack?

A. 9
B. 8
C. 7
D. 6

Question No:62 **(Marks:1)** **Vu-Topper RM**
To convert the case of a character, we add or subtract _____ from its ASCII code.

A. 0X20
B. 0X10
C. 0X41
D. 0X30

Question No:63 **(Marks:1)** **Vu-Topper RM**
Scrolling is the process of moving one or more lines towards the top or bottom of the screen and this is _____.

A. Cleared
B. Add
C. Different

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. None of these

Question No:64 **(Marks:1)** **Vu-Topper RM**

8051 by the same manufacturer has an_____ stack

A. Incrementing
B. Decrementing
C. Both
D. None of these

Question No:65 **(Marks:1)** **Vu-Topper RM**

Mov [1234] ax is an example of —- addressing.

A. Direct
B. Undirct
C. Pointer
D. Physical

Question No:66 **(Marks:1)** **Vu-Topper RM**

How many are the functions of a register.

A. Four
B. Five
C. One
D. Two

Question No:67 **(Marks:1)** **Vu-Topper RM**

B80500, B8 was the opcode and

A. 0500
B. 5000
C. 0055
D. 0505

Question No:68 **(Marks:1)** **Vu-Topper RM**

This precise synchronization between the processor and the memory is the responsibility of the

A. Control bus
B. System bus
C. Logical

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

bus
D. Digital bus

Question No:69 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a valid instruction in assembly language?

A. MOV AX, 55
B. MOV AX, BX
C. MOV CS, 0xb800
D. MOV BX, AX

Question No:70 **(Marks:1)** **Vu-Topper RM**

By default, BP is associated with _____.

A. CS
B. SS
C. IP
D. SP

Question No:71 **(Marks:1)** **Vu-Topper RM**

Execution of CALL instruction affects _____ number of bits in Flags register.

A. 1
B. 2
C. 3
D. 4

Question No:72 **(Marks:1)** **Vu-Topper RM**

If AND operation is performed between AX and BX, then how many AND operations will be performed in total?

A. 2
B. 8
C. 16
D. 32

Question No:73 **(Marks:1)** **Vu-Topper RM**

Which of the following cannot be pushed on the stack?

A. 1 byte

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. 2 byte
C. 3 byte
D. 4 byte

Question No:74 **(Marks:1)** **Vu-Topper RM**
Call instruction changes the values of _____ and _____ registers.

A. IP,SP
B. IP,DX
C. IP,AX
D. IP,AL

Question No:75 **(Marks:1)** **Vu-Topper RM**
Which combination will you prefer to obtain the physical address of the stack?

A. SP:SI
B. SS:SI
C. SP:DI
D. SS:SP

Question No:76 **(Marks:1)** **Vu-Topper RM**
Which of the following instructions is used for non-destructive AND operation?

A. CMP
B. ADC
C. TEST
D. NAND

Question No:77 **(Marks:1)** **Vu-Topper RM**
When the control is transferred to a subroutine?

A. When the return address is recovered
B. After the arguments are pushed on the stack
C. When the instruction pointer is not available
D. After the arguments are popped out from the stack

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:78 **(Marks:1)** **Vu-Topper RM**

What is the content of stack pointer?

A. Address of the next instruction

B. Address of the current instruction

C. Address of the top element of the stack

D. Address of the lower element of the stack

Question No:79 **(Marks:1)** **Vu-Topper RM**

A 16-bit processor has an accumulator of:

A. Bit Page 12

B. Byte

C. Rate

D. Value

Question No:80 **(Marks:1)** **Vu-Topper RM**

The maximum amount of memory accessible using 8085 processor is

A. 64 KB Page 15

B. 46 MB

C. 66 KB

D. 64 BK

Question No:81 **(Marks:1)** **Vu-Topper RM**

VGA stands for _____.

Video Graphics Array Page 79

Question No:82 **(Marks:1)** **Vu-Topper RM**

The ____ flag has a special role in debugging.

Trap Page 17

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:83 **(Marks:1)** **Vu-Topper RM**

iAPX88 stands for:

Intel Advanced Processor Extensions 88 **Page 14**

Question No:84 **(Marks:1)** **Vu-Topper RM**

In _____, every bit moves one position to the right, and the bit dropped from the right is inserted at the left. The dropped bit is also copied into the carry flag.

Rotate Left (ROL)

Rotate Right (ROR) **Page 53**

Rotate through Carry Left (RCL)

Rotate through Carry Right (RCR)

Question No:85 **(Marks:1)** **Vu-Topper RM**

Which of the following registers hold the address of data in Intel Boss?

BX, BP, SI and DI **Page 30**

Question No:86 **(Marks:1)** **Vu-Topper RM**

Which of the following is the general form of addressing?

Base + Index + Offset **Page 35**

Question No:87 **(Marks:1)** **Vu-Topper RM**

All mathematical and logical operations are performed on the:

Accumulator **Page 12**

Question No:88 **(Marks:1)** **Vu-Topper RM**

Which of the following register is used to hold the address of the next instruction to be executed?

Program Counter **Page 13**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:89 **(Marks:1)** **Vu-Topper RM**

REPE and REPNE prefixes are only meaningful with _____.

A. MOV
B. LODS
C. STOS
D. CMPS **Page 93**

Question No:90 **(Marks:1)** **Vu-Topper RM**

In Shift logical Left (SHL), the _____ bit is dropped into the carry flag.

A. Least significant
B. Most significant **Page 52**
C. Third least significant
D. Second least significant

Question No:91 **(Marks:1)** **Vu-Topper RM**

In STOS, the implied source operand always resides in ------.

AL or AX **Page 92**

Question No:92 **(Marks:1)** **Vu-Topper RM**

Which of the following is an illegal assembly instruction?

mov [num1], [num2] **Page 30**

Question No:93 **(Marks:1)** **Vu-Topper RM**

The above instruction is used to perform a_____ operation on stack.

RET
POP
PUSH **Page76**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

RET N

Question No:94 **(Marks:1)** **Vu-Topper RM**

In direct addressing, the memory address given in the instruction is

Fixed **Page 28**

Question No:95 **(Marks:1)** **Vu-Topper RM**

Which of the following are the basic bitwise logical operations?

AND, OR, XOR, and NOT **Page 58**

Question No:96 **(Marks:1)** **Vu-Topper RM**

To convert the case of character, we add or subtract ____from it its ASCII code…….

0x20 **Page 80**

Question No:97 **(Marks:1)** **Vu-Topper RM**

When the relative address stored with the instruction is in 16-bits, the jump is called a _____ jump.

A. Far

B. Near **Page 45**

C. Long

D. Short

Question No:98 **(Marks:1)** **Vu-Topper RM**

Registers are storage cells ____.

inside the processor **Page 11**

Question No:99 **(Marks:1)** **Vu-Topper RM**

_____ subtracts one from the operand.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

MCE
Shift
DEC Page 47
Modulus

Question No:100 (Marks:1) Vu-Topper RM
STI stands for?
Set the Interrupt flag

Question No:101 (Marks:1) Vu-Topper RM
A symbol associated to a point in the program is called a ___.
Or A symbol associated to an instruction in the program is known as:
Label Page 25

Question No:102 (Marks:1) Vu-Topper RM
CX register is mostly used as a _____ register.
Flag
Base
Counter Page 32
Destination

Question No:103 (Marks:1) Vu-Topper RM
Whenever an instruction needs a memory source, holds the pointer to it.
DS:SI Page 91

Question No:104 (Marks:1) Vu-Topper RM
Keeping in view the downward compatible between the two systems, the codes written for the intel iAPX88 are _____on the intel 386 processor.
Valid Page 14

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:105 **(Marks:1)** **Vu-Topper RM**

In multiplication algorithm, we take the first digit of the multiplier and multiply it with the _____.

A. Result
B. Divider
C. Reminder
D. Multiplicand Page 43

Question No:106 **(Marks:1)** **Vu-Topper RM**

The ordering of a program's instructions is ensured by the ---register.

Program Counter Page 13

Question No:107 **(Marks:1)** **Vu-Topper RM**

When an element is pushed on the stack, SP is decremented by _____.

A. 1
B. 2 Page 68
C. 3
D. 4

Question No:108 **(Marks:1)** **Vu-Topper RM**

In iAPX88, _____flag is specifically related to string instructions.

Direction Page 17

Question No:109 **(Marks:1)** **Vu-Topper RM**

Which of following conditional jump is not dependant on any flag?

JP
JPE
RCL

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

JCXZ Page 43

Question No:110 (Marks:1) Vu-Topper RM

In _____ operation, a zero is inserted from the left and every bit moves one position to the right. The right most bit is dropped into the carry flag.

Shift logical Left (SHL)

Shift Logical Right (SHR) Page 52

Shift Arithmetic Left (SAL)

Shift Arithmetic Right (SAR)

Question No:111 (Marks:1) Vu-Topper RM

Which of the following flags sets when a large number is subtracted from a smaller number?

CF Page 88

Question No:112 (Marks:1) Vu-Topper RM

Stack two manner pr behave krta hy first FILO or second LIFO.

Handsout mai LIFO Nhi hy magr iss ka correct answer LIFO hy.

Which of the following bit is dropped into the carry flag after the execution of "Shift Logical Right" operation?

Right most bit Page 52

Question No:113 (Marks:1) Vu-Topper RM

In ADC instruction, there are _____.

A. two registers only

B. two operands and the ZF

C. two registers and one memory location

D. Two operands and the CF Page 57

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:114 **(Marks:1)** **Vu-Topper RM**

The most convenient place to store local variables is ----------.

Stack **Page 75**

Question No:115 **(Marks:1)** **Vu-Topper RM**

The segment:offset pair is called a/an _____ address.

Virtual

Physical

Logical **Page 22**

Effective

Question No:116 **(Marks:1)** **Vu-Topper RM**

The extra bit produced as a result of an arithmetic operation that does not fit in the target register is stored in:

Carry flag **Page 16**

Question No:117 **(Marks:1)** **Vu-Topper RM**

Cell width refers to the total number of bits in a memory cell while the total number of cells is called the_____.

Depth **Page 10**

Question No:118 **(Marks:1)** **Vu-Topper RM**

Intel 8085 can access up to --------- of memory, whereas Intel 8088 can access up to ---------- of memory.

64 KB, 1 MB **Page 15**

Question No:119 **(Marks:1)** **Vu-Topper RM**

The base pointer accesses local variables using ------- offsets.

Negative **Page 75**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:120 **(Marks:1)** **Vu-Topper RM**

ASCII table is the contiguous arrangement of the uppercase alphabets (41-5A), the lowercase alphabets (61-7A), and the numbers ----------.

30-39 **Page 80**

Question No:121 **(Marks:1)** **Vu-Topper RM**

The correct instruction to subtract with borrow is _____.

SB

SBB **Page 57**

SWB

SUBB

Question No:122 **(Marks:1)** **Vu-Topper RM**

mov [1234], ax is an example of _____ addressing.

A. **Direct** **Page 27**

B. base + index

C. register indirect

D. base register indirect

Question No:123 **(Marks:1)** **Vu-Topper RM**

Which of the following bus is used to inform the memory that whether processor wants to read data or write data?

Control Bus **Page 9**

Question No:124 **(Marks:1)** **Vu-Topper RM**

In far jump,----------.

both offset and segment are given **Page 46**

Question No:125 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A value 0500 is stored in memory. If we transfer this value to a general-purpose register, then it will be shown as:

0005 Page 28

Question No:126 (Marks:1) Vu-Topper RM

In which of the following addressing, both registers are not constant?

Base + Index Page 36

Question No:127 (Marks:1) Vu-Topper RM

The number of ---------- in a cell is called the cell width.

Bits Page 10

Question No:128 (Marks:1) Vu-Topper RM

In extended multiplication, we store the multiplicand in -----bits, and the result is stored in ------- bits.

32, 32 Page 57

Question No:129 (Marks:1) Vu-Topper RM

Synchronization between the processor and the memory for the read and write operations is done by the ----------.

Control bus Page 11

Question No:130 (Marks:1) Vu-Topper RM

Shift logical Left (SHL) moves all the bits one position to the --and inserts a zero from the ---------.

left, right Page 52

Question No:131 (Marks:1) Vu-Topper RM

In MUL instruction, if the source operand is a byte, then it is multiplied with ---------- register.

AH, AL Page 87

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:132 **(Marks:1)** **Vu-Topper RM**

_____ transfers the word at the top of the stack (pointed to by SP) to the destination operand, and increments SP by two.

A. Call

B. POP Page 71

C. Push

D. Ret n

Question No:133 **(Marks:1)** **Vu-Topper RM**

This jump is taken if the last arithmetic operation changed the sign unexpectedly.

JO Page 43

Question No:134 **(Marks:1)** **Vu-Topper RM**

Which of the following jumps is taken if the last arithmetic operation did not change the sign unexpectedly?

A. JO

B. JNO Page 43

C. JE and JZ

D. JNE and JNZ

Question No:135 **(Marks:1)** **Vu-Topper RM**

Which would be the output of MOV AX, BL?

Assembler will declare that this is an illegal instruction Page 30

Question No:136 **(Marks:1)** **Vu-Topper RM**

_____ or _____ are taken if the last arithmetic operation has produced a number in its destination that has odd parity.

A. JP, JPE

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. JS, JNS

C. JNP, JPO Page 43

D. JCX, JNS

Question No:137 (Marks:1) Vu-Topper RM

Group of bits processor uses to inform memory which element to read/write is collectively known as:

Address bus Page 9

Question No:138 (Marks:1) Vu-Topper RM

MOVS is used to --------- a block of memory.

Move Page 92

Question No:139 (Marks:1) Vu-Topper RM

---------- instruction directs the flow of program.

Program Control Page 14

Question No:140 (Marks:1) Vu-Topper RM

Which of the following instructions allows memory to memory movement of data?

MOVS Page 91

Question No:141 (Marks:1) Vu-Topper RM

By default, IP is associated with ----------.

CS Page 34

Question No:142 (Marks:1) Vu-Topper RM

After the execution of Shift Arithmetic Right instruction, the most significant bit _____.

Retains its original value Page 52

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:143 **(Marks:1)** **Vu-Topper RM**

Which part of B80500 (encoded instruction) is an opcode?

B8 Page 25

Question No:144 **(Marks:1)** **Vu-Topper RM**

Which of the following jump is taken if the last arithmetic operation has produced a number in its destination that has even parity?

JPE Page 43

Question No:145 **(Marks:1)** **Vu-Topper RM**

When there is a 16-bit operand with the DIV instruction, then the implied dividend will be in -------- bits.

32 Page 85

Question No:146 **(Marks:1)** **Vu-Topper RM**

During program execution, if any change occurs in AH or AL, is also reflected in ----------.

AX Page 15

Question No:147 **(Marks:1)** **Vu-Topper RM**

In _____, a zero is inserted from the right and every bit moves one position to its left with the most significant bit dropped into the carry flag.

A. SHL
B. SAR
C. Both SHL and SAL Page 52
D. SAL

Question No:148 **(Marks:1)** **Vu-Topper RM**

Conditional jumps can only be _____.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. Far
B. Near
C. Long
D. Short Page 46

Question No:149 (Marks:1) Vu-Topper RM

BP stands for --------- pointer.

Base Page 16

Question No:150 (Marks:1) Vu-Topper RM

In video memory, each screen location corresponds to ---

Bytes Page 82

Question No:151 (Marks:1) Vu-Topper RM

Which of following registers is used as a counter?

A. AX
B. BX
C. CX Page 15
D. DX

Question No:152 (Marks:1) Vu-Topper RM

Which of the following addressing scheme has been used in the instruction MOV [BX], AX?

Based Register Indirect Page 35

Question No:153 (Marks:1) Vu-Topper RM

The multiplier is stored in ---- bits in Extended Multiplication.

16 Page 57

Question No:154 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

To modify the processor's behavior, ---------- instructions are used.
Special Page 14

Question No:155 (Marks:1) Vu-Topper RM
Which of the following uses data segment by default?
Base register or BX Page 35

Question No:156 (Marks:1) Vu-Topper RM
In assembly language, the first executable instruction of the program should be placed at the offset _____.
0x0100 Page 26

Question No:157 (Marks:1) Vu-Topper RM
In the instruction "mov word [es:0], 0x1230", 12 refers to -----color on ------- background.
green, blue Page 81

Question No:158 (Marks:1) Vu-Topper RM
XOR can also be used as a _____ to invert selective bits.
A. Source operand
B. Masking ooperator Page 60
C. Destination operand
D. Multiplication operator

Question No:159 (Marks:1) Vu-Topper RM
Call instruction fchanges the values of ----- and ---- registers.
IP, SP Page 65

Question No:160 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

There are _____ registers in iAPX88 architecture that can hold address of data.

1

2

3

4 Page 22

Question No:161 (Marks:1) Vu-Topper RM

What does the given instruction do?

SHR DL, 1

Move the right most bit into the carry flag Page 55

Question No:162 (Marks:1) Vu-Topper RM

In which of the following forms, a character is stored in memory while writing assembly language programs?

Scan code

Parity code

Octal code

ASCII code Page 82

Question No:163 (Marks:1) Vu-Topper RM

Physical memory address is of:

20 bits Page 21

Question No:164 (Marks:1) Vu-Topper RM

Which of the following is the correct syntax for 'OR' operation in assembly language?

ax, or bx

or ax, bx Page 59

ax or bx

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

ax or, bx

Question No:165 **(Marks:1)** **Vu-Topper RM**

In assembly language, “DIV BL” instruction has a/an _____ bit operand.

A. 8 **Page 85**

B. 16

C. 32

D. 64

Question No:166 **(Marks:1)** **Vu-Topper RM**

Flags register is a special register in every architecture. It is also known as ---------.

program status word **Page 12**

Question No:167 **(Marks:1)** **Vu-Topper RM**

An important role of the stack is in the creation of ----variables that are only needed while the subroutine is in execution and not afterwards.

Local **Page 75**

Question No:168 **(Marks:1)** **Vu-Topper RM**

Stack is:

A data structure **Page 67**

Question No:169 **(Marks:1)** **Vu-Topper RM**

Constant can never be used as --------.

Destination **Page 25**

Question No:170 **(Marks:1)** **Vu-Topper RM**

SP is associated (by default) with ----------.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Vu Topper RM

SS Page 34

Question No:171 (Marks:1) Vu-Topper RM

The execution of the instruction "mov word [ES : 160], 0x1230" will print a character on the screen at the _____ column of the _____ row.

A. first, third
B. second, first
C. first, second Page 81
D. second, second

Question No:172 (Marks:1) Vu-Topper RM

---------- can also be used as a masking operation to invert selective bits.

XOR Page 60

Question No:173 (Marks:1) Vu-Topper RM

The stack pointer marks the -------- of stack.

Top Page 68

Question No:174 (Marks:1) Vu-Topper RM

Far jump is not position relative rather _____.

A. Indirect
B. Absolute Page 46
C. Temporary
D. Memory dependent

Question No:175 (Marks:1) Vu-Topper RM

Which of the following are the two variants of STOS instruction?

STOSB and STOSW Page 92

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:176 **(Marks:1)** **Vu-Topper RM**

Shift logical Right (SHR) operation copies the ------ bit into the carry flag.

right most Page 52

Question No:177 **(Marks:1)** **Vu-Topper RM**

Shift Arithmetic Right (SAR) shifts every bit one place to the right and places a copy of the _____ significant bit at the _____ significant place.

least, least

most, most Page 52

least, most

most, least

Question No:178 **(Marks:1)** **Vu-Topper RM**

There are -------- columns per row on the screen.

80 Page 87

Question No:179 **(Marks:1)** **Vu-Topper RM**

Program consists of -------- logical parts.

Two Page 20

Question No:180 **(Marks:1)** **Vu-Topper RM**

In -------- operation, a carry flag is inserted from the left moving every bit one position to its right. The right most bit is dropped in the carry flag.

Rotate Through Carry Right (RCR) Page 53

Question No:181 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

8088 is a ……. processor with its accumulator and all registers of …
16 bit, 16 bits Page 14

Question No:182 (Marks:1) Vu-Topper RM
Which of the following keywords is used to define two bytes in memory?
DW Page 25

Question No:183 (Marks:1) Vu-Topper RM
_____ jump is absolute and not position relative.
Far Page 46
Near
Shot
Extended

Question No:184 (Marks:1) Vu-Topper RM
Which of the following directive is used to reserve an eight bits space in memory?
db Page 25

Question No:185 (Marks:1) Vu-Topper RM
What makes db different from dw?
dw occupies 16 bits and db occupies 8 bits Page 25

Question No:186 (Marks:1) Vu-Topper RM
_____ is used for permanent diversion.
A. Ret
B. Call
C. Array
D. Jump Page 63

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

Question No:187 **(Marks:1)** **Vu-Topper RM**

The intent of the processor is carried to the memory for read/write operations through the……

Control bus Page 11

Question No:188 **(Marks:1)** **Vu-Topper RM**

_____ containing the address of the next instruction to be executed.

Instruction pointer

Question No:189 **(Marks:1)** **Vu-Topper RM**

How jmp is different from jnz?

A. jmp permanently diverts the program flow, but jnz does not
B. jnz permanently diverts the program flow, but jmp does not
C. jmp is a conditional jump, however jnz is an unconditional jump
D. jmp is an unconditional jump, however jnz is a conditional jump

Question No:190 **(Marks:1)** **Vu-Topper RM**

There is an auto-increment mode when the _____ is _____.

DF, set

Question No:191 **(Marks:1)** **Vu-Topper RM**

Unconditional jump _____.

never transfers the control

Always transfer the control

transfers the control if the condition is true

transfers the control if the condition is false

Question No:192 **(Marks:1)** **Vu-Topper RM**

num1: 75,50,77,82

Which

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

of the following accesses the third element i.e. 77?
[num1+4]

Question No:193 (Marks:1) Vu-Topper RM

In the opcode B80500, B8 was the opcode and 0500 was the operand stored immediately
Afterwards

Question No:194 (Marks:1) Vu-Topper RM

In assembly language programming, "JNZ" is used to jump if the _____ flag _____.

A. sign, is set
B. zero, is not set
C. sign, is not set
D. Zero, is set Google

Question No:195 (Marks:1) Vu-Topper RM

Which of the following is used to clear the direction flag?
CLD

Question No:196 (Marks:1) Vu-Topper RM

Which of the following has magnitude and sign?
Signed number

Question No:197 (Marks:1) Vu-Topper RM

_____ is a special prefix that is used to repeat the block instructions.
REP

Question No:198 (Marks:1) Vu-Topper RM

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

This jump is taken if the last arithmetic operation produced a negative number in its destination.

JS

Question No:199 (Marks:1) Vu-Topper RM

Push and pop operations always operate on_____.

Words

Question No:200 (Marks:1) Vu-Topper RM

Multiplying two 4-bit numbers result in a(an) _____ bit number.

8 bits

Question No:201 (Marks:1) Vu-Topper RM

Suppose AX=5, BX=5, DX=0, CF=1, ZF=1 and AF=1. What will be the final value in AX register after the execution of ADC AX, BX?

A. 5
B. 6
C. 10
D. 11

Question No:202 (Marks:1) Vu-Topper RM

Number of operands of ADC (add with carry) register are:

3

Question No:203 (Marks:1) Vu-Topper RM

Which of the following is the renamed version of conditional jump JZ?

A. JE
B. JA
C. JB
D. JNC

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:204 **(Marks:1)** **Vu-Topper RM**

If AX=00FF, then which of the following instruction can be used to change the value of AX to FF00?

NOT AX

OR AX, AX

XOR AX, AX

AND AX, FF00

Question No:205 **(Marks:1)** **Vu-Topper RM**

Conditional jump can only be _____.

Far

Near

Long

Short

Question No:206 **(Marks:1)** **Vu-Topper RM**

REPNZ repeats the following instruction while the _____.

ZF is not set

Question No:207 **(Marks:1)** **Vu-Topper RM**

To declare a character in assembly language, we store its ASCII code in a_____.

Byte

Question No:208 **(Marks:1)** **Vu-Topper RM**

REP with MOVS utilizes the _____ power of a processor to do scrolling in minimum time.

Full

Question No:209 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

The basic function of register is to hold---------.

Oparands

Question No:210 (Marks:1) Vu-Topper RM

Stack is a data structure that behaves in ----------manner.

LIFO

Question No:211 (Marks:1) Vu-Topper RM

In _____ operation, the output is 1 only if both inputs are 1.

OR

XOR

AND Goolge

NOT

Question No:212 (Marks:1) Vu-Topper RM

Which of the following is the most illegal instruction?

Mov ax, al

Mov al, [num1]

Mov al, ax

Mov ax, [num1]

Question No:213 (Marks:1) Vu-Topper RM

Registers are normally part of ----------.

CPU

Question No:214 (Marks:1) Vu-Topper RM

When the execution of Call instruction, the value of ------- is

Decremented by 2

Question No:215 (Marks:1) Vu-Topper RM

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

EBCDIC, grey code, and ASCII are the standards for _____ representation of characters.

A. Generic
B. Numeric
C. Alphabetic
D. Alpha-numeric

Question No:216 (Marks:1) Vu-Topper RM

Which part of machine code tells the central processor to perform a certain task?

Operation code

Question No:217 (Marks:1) Vu-Topper RM

Suppose, the current value of IP is 0x0129, and the relative address is 0x0012. What will be the new value of IP?

0x013B

Question No:218 (Marks:1) Vu-Topper RM

mov ax, [num1] is an example of _____ bit move.

A. 8
B. 16
C. 24
D. 32

Question No:219 (Marks:1) Vu-Topper RM

The physical memory address of 1234:5678 segment-offset pair is:

179B8

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:220 **(Marks:1)** **Vu-Topper RM**

Which of the following will be the physical address?

109A0

Question No:221 **(Marks:1)** **Vu-Topper RM**

---------- cannot appear as an operand in any instruction, it is used for accessing instructions.

IP

Question No:222 **(Marks:1)** **Vu-Topper RM**

Which of the following is the extension of object file?

.exe

Question No:223 **(Marks:1)** **Vu-Topper RM**

Shifting the integer 5 left by 1 bit results in _____.

5

10

25

50

Question No:224 **(Marks:1)** **Vu-Topper RM**

Memory address always goes from ……

Processor to memory

Question No:225 **(Marks:1)** **Vu-Topper RM**

The total numbers of symbols in extended ASCII are …….

256

Question No:226 **(Marks:1)** **Vu-Topper RM**

SHL and SAL are same

True

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:227 **(Marks:1)** **Vu-Topper RM**

Simple CMP instruction uses _____ operation.

A. Division
B. Division
C. Subtraction
D. Multiplication

Question No:229 **(Marks:1)** **Vu-Topper RM**

A/An ____ is an area of memory that holds all local variables and parameters.

Stack

Question No:230 **(Marks:1)** **Vu-Topper RM**

----------is used for temporary diversion.

CALL

Question No:231 **(Marks:1)** **Vu-Topper RM**

The swap flag can be stored in _____

A Register

Question No:232 **(Marks:1)** **Vu-Topper RM**

The JUMP is taken if the last arithmetic has produced a positive number in its destination

JNP

Question No:233 **(Marks:1)** **Vu-Topper RM**

Which of the following describes the purpose of MOVS instruction?

Move memory to memory

Question No:234 **(Marks:1)** **Vu-Topper RM**

Which part of this (0000000B80500) encoded instruction is an offset?

0500

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:235 **(Marks:1)** **Vu-Topper RM**

In the instruction "mov word [es:160], 0x1230", 30 represents the character _____.

A. 1
B. A
C. B
D. 0

Question No:236 **(Marks:1)** **Vu-Topper RM**

Multiplying two 4 bit numbers result in a _____ bit number.

8

Question No:237 **(Marks:1)** **Vu-Topper RM**

In case of near jump, the relative address is stored in _____ bits.

16

Question No:238 **(Marks:1)** **Vu-Topper RM**

_____ instructions have two parameters, one is the general purpose register to be loaded and the other is the memory location from which to load these registers.

LDS

Question No:239 **(Marks:1)** **Vu-Topper RM**

_____ ports which interface the processor to the external world, including keyboards, mice, monitors, disc drives.

Input, output

Question No:240 **(Marks:1)** **Vu-Topper RM**

In "Base + Offset" addressing, the value contained in the base register is added with the offset to get the _____ address.

Virtual
Linear
Physical

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

Effective address

Question No:241 **(Marks:1)** **Vu-Topper RM**
AX register can be divided into _____ and _____ bytes
Lower, higher

Question No:242 **(Marks:1)** **Vu-Topper RM**
CLI stands for
Clear the interrupt flag

Question No:243 **(Marks:1)** **Vu-Topper RM**
DW is used to reserve _____ bit value in memory.
A. 8
B. 16
C. 24
D. 32

Question No:244 **(Marks:1)** **Vu-Topper RM**
When the stack pointer, points to the return address?
When the bubble sort subroutine is called

Question No:245 **(Marks:1)** **Vu-Topper RM**
90 is the op-code of
Do nothing

Question No:246 **(Marks:1)** **Vu-Topper RM**
When characters are stored in any high level or low level language, the actual thing stored in a byte is their _____.
ASCII code

Question No:247 **(Marks:1)** **Vu-Topper RM**
We can convert any digit to----------by adding 0x30 in the digit.
ASCII

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:248 **(Marks:1)** **Vu-Topper RM**
A complete _____ is called a pass over the array
Iteration

Question No:249 **(Marks:1)** **Vu-Topper RM**
In _____ operation the carry flag is inserted from the right causing every bit to move one location to its left and the most significant bit occupying the carry flag.
Rotate Through Carry Left (RCL)

Question No:250 **(Marks:1)** **Vu-Topper RM**
BH register is----------bit register.
8

Question No:251 **(Marks:1)** **Vu-Topper RM**
In XOR operation the output is 1 if
Both inputs are different

Question No:252 **(Marks:1)** **Vu-Topper RM**
Which of the following instruction is effectively same as to multiply the value of AX by 8?
SHL AX, 8

Question No:253 **(Marks:1)** **Vu-Topper RM**
_____ interrupts are those which occur side by side with some other activity.
Synchronous

Question No:254 **(Marks:1)** **Vu-Topper RM**
During CALL operation, the current value of the _____ is automatically saved on the stack, and the destination of CALL is loaded in the instruction pointer.
Instruction pointer

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:255 **(Marks:1)** **Vu-Topper RM**
In SCAS Example, we use SCASB with _____ and a zero in AL register to find a zero byte in a string
REPNE

Question No:256 **(Marks:1)** **Vu-Topper RM**
In interrupt vector table. Introducing a new entry in this mapping table is called _____an interrupt.
Hooking

Question No:257 **(Marks:1)** **Vu-Topper RM**
What does the following instruction do?
ADD AX. BX

Question No:258 **(Marks:1)** **Vu-Topper RM**
The process through which the segment register can be explicitly specified as known as
Segment addressing

Question No:259 **(Marks:1)** **Vu-Topper RM**
refers to the total number of bits in a memory cell.
Cell width

Question No:260 **(Marks:1)** **Vu-Topper RM**
The _____ operation is about shifting every bit one place to the right with a copy of the most significant bit left at the most significant place. The bit dropped from the right is caught in the carry basket.
Shift Arithmetic Right (SAR)

Question No:261 **(Marks:1)** **Vu-Topper RM**
_____ and _____ cannot be used as 8bit register pairs like AX, BX, CX, and DX.
SI, DI

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:262 **(Marks:1)** **Vu-Topper RM**
AX and BX both are 16-bit register, if we perform AND operation on these two registers, then how many AND operations will be performed?
16 And operation

Question No:263 **(Marks:1)** **Vu-Topper RM**
CS and IP are both _____ bit registers.
16

Question No:264 **(Marks:1)** **Vu-Topper RM**
In 8080, there is a _____ stack.
Decrementing

Question No:265 **(Marks:1)** **Vu-Topper RM**
____ movement of data is not allowed in assembly language.
Memory-to-Memory

Question No:266 **(Marks:1)** **Vu-Topper RM**
Motorola follows____
Big endian

Question No:267 **(Marks:1)** **Vu-Topper RM**
When the first thing popped off from the stack, the stack would be the return “address” and not the ____
Argument

Question No:268 **(Marks:1)** **Vu-Topper RM**
Which of the following is a Program Control Instruction?
cmp ax,0

Question No:269 **(Marks:1)** **Vu-Topper RM**
Logical addressing is a mechanism to access ___ memory.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Vu Topper RM

Physical memory

Question No:270 (Marks:1) Vu-Topper RM
Twenty-bit register is formed by the combination of two ___ bit register.
Sixteen

Question No:271 (Marks:1) Vu-Topper RM
Physical address calculating depends on
Effective address

Question No:272 (Marks:1) Vu-Topper RM
____ also known as source operand since the data is moving to stack from this operand.
PUSH

Question No:273 (Marks:1) Vu-Topper RM
By default CS is associated with
IP

Question No:274 (Marks:1) Vu-Topper RM
The stack pointer contains the address of the word that is currently on _
Top the stack

Question No:275 (Marks:1) Vu-Topper RM
All addressing mechanisms in iAPX88 return a number called ___ address.
Effective

Question No:276 (Marks:1) Vu-Topper RM
Which of the following is the interrupt number for NMI?
INT 3

Question No:277 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Use of AND operation to make selective bits zero in its destination operand is known as_____.
Selective Bit Clearing

Question No:278 (Marks:1) Vu-Topper RM
____ is used to store both the instructions to be executes by the microprocessor and the data to be used in the computation.
Microprocessor

Question No:279 (Marks:1) Vu-Topper RM
DX play an important role in arithmetic
Addition

Question No:280 (Marks:1) Vu-Topper RM
REPE or REPNE are used with the ————instructions
SCAS

Question No:281 (Marks:1) Vu-Topper RM
Keywords used to define two bytes program
DW

Question No:282 (Marks:1) Vu-Topper RM
The shift logical left operation is the exact_____ of shift logical right
Opposite

Question No:283 (Marks:1) Vu-Topper RM
Sending the appropriate signal on the control bus to the memory is the responsibility of
Control Bus

Question No:284 (Marks:1) Vu-Topper RM
A parallel port has ——- views
2

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:285 **(Marks:1)** **Vu-Topper RM**
Which of the following is the interrupt number for debug interrupt
INT 3

Question No:286 **(Marks:1)** **Vu-Topper RM**
Each entry of the interrupt vector table is of ____ bytes
4

Question No:287 **(Marks:1)** **Vu-Topper RM**
If BL contains 000000101 then after a Singe Right Shift, BL will contain
00000010

Question No:288 **(Marks:1)** **Vu-Topper RM**
_____can be used to check weather particular bit of number are set or not
AND

Question No:289 **(Marks:1)** **Vu-Topper RM**
The Stack of 8088 works on ___Sized element
Word

Question No:290 **(Marks:1)** **Vu-Topper RM**
The interrupt call loads new values in segment
Flag

Question No:291 **(Marks:1)** **Vu-Topper RM**
Mov AX, 0XB800, Move ES, AX : this instruction points ES to
Video Base

Question No:292 **(Marks:1)** **Vu-Topper RM**
When the operant of DIV instruction is of 16 bits then implied dividend will be of

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Bits

Question No:293 **(Marks:1)** **Vu-Topper RM**
DB-25 is a _____Port Connector
Parallel

Question No:294 **(Marks:1)** **Vu-Topper RM**
Flag register is a special register in every architecture ,, is as also known as
Program Status Word

Question No:295 **(Marks:1)** **Vu-Topper RM**
Mov [1234].ax is an example of
direct addressing

Question No:296 **(Marks:1)** **Vu-Topper RM**
Source operand always resided in
accumulator register

Question No:297 **(Marks:1)** **Vu-Topper RM**
Always resided in accumulator register
source operand

Question No:298 **(Marks:1)** **Vu-Topper RM**
INT instruction takes _____argument varying from 0-255.
1 byte

Question No:299 **(Marks:1)** **Vu-Topper RM**
Program consists of
logical parts

Question No:300 **(Marks:1)** **Vu-Topper RM**
8088 provides a mechanism for mapping interrupts to interrupt handlers is called h

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

hooking an interrupt

Question No:302 **(Marks:1)** **Vu-Topper RM**
The local variables and the parameters are always stored in
stack segment

Question No:303 **(Marks:1)** **Vu-Topper RM**
JNP and JPO is taken if the last arithmetic operation produced a number in its destination that has
Odd parity

Question No:304 **(Marks:1)** **Vu-Topper RM**
JP and JPE is taken if the last arithmetic operation produced a number in its destination that has
Even parity

Question No:305 **(Marks:1)** **Vu-Topper RM**
In which of the following addressing, the memory address is fixed and is given in the instruction?
Direct
Indexed
Indirect
Base plus offset

Question No:306 **(Marks:1)** **Vu-Topper RM**
----------pair of registers used to access memory
DI and SI

Question No:307 **(Marks:1)** **Vu-Topper RM**
Copies the_____in the carry flag Shift Logical Right (SHR) ,
right most bit

Question No:308 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

REP with _____ will utilize the full processor power to do the scrolling in minimum time.
MOVS

Question No:309 **(Marks:1)** **Vu-Topper RM**
The correlation process from the interrupt number to the interrupt handler uses a table called
interrupt vector table

Question No:310 **(Marks:1)** **Vu-Topper RM**
POP is also known as
destination operand

Question No:311 **(Marks:1)** **Vu-Topper RM**
The parallel port connector is a 25pin connector called
DB-25

Question No:312 **(Marks:1)** **Vu-Topper RM**
The _____port connector is a 25pin connector called DB-25
Parallel

Question No:313 **(Marks:1)** **Vu-Topper RM**
There are _____ block processing instructions in 8088.
A. 6
B. 4
C. 5
D. 3

Question No:314 **(Marks:1)** **Vu-Topper RM**
Interrupts are _____and unpredictable
Asynchronous

Question No:315 **(Marks:1)** **Vu-Topper RM**
Program Control Instructions

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

cmp ax, 0

Question No:316 **(Marks:1)** **Vu-Topper RM**
A 32bit processor has an accumulator of
32 bits

Question No:317 **(Marks:1)** **Vu-Topper RM**
Left shift on hexa-decimal number 9C40 ans is
0x13880

Question No:318 **(Marks:1)** **Vu-Topper RM**
Each entry of the table is of ____bytes
Four

Question No:319 **(Marks:1)** **Vu-Topper RM**
Video Graphics Adapter
VGA

Question No:320 **(Marks:1)** **Vu-Topper RM**
--------can store 16 bits
DW

Question No:321 **(Marks:1)** **Vu-Topper RM**
Another important role of the stack is in the creation of _____that are only needed while the subroutine is in execution and not afterwards.
local variables

Question No:322 **(Marks:1)** **Vu-Topper RM**
To multiply a number in register by 2 the number is
shift left one bit

Question No:323 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Which assembly instruction is used to ADD data at address 1200 to bx register

add bx, [1200]

Question No:324 **(Marks:1)** **Vu-Topper RM**

Chose the correct option from the following addressing modes , from which both register moves into the data segment

base+offset

Question No:325 **(Marks:1)** **Vu-Topper RM**

_____is the part of microprocessor that ménages the execution of instruction

Control unit

Question No:326 **(Marks:1)** **Vu-Topper RM**

In a comparison, if the both operands are same , the result of subtraction will be zero and the zero flag will be

Set

Question No:327 **(Marks:1)** **Vu-Topper RM**

When SI and DI are used, we name the method

Indexed Addressing

Question No:328 **(Marks:1)** **Vu-Topper RM**

Whenever we need access to a memory location whose address is not know until run time we use

index register

Question No:329 **(Marks:1)** **Vu-Topper RM**

Interrupts are_____event

Asynchronous

Question No:330 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

During program execution , if any change in AH or AL is reflected in_____as Well

AX

Question No:331 (Marks:1) Vu-Topper RM

Basic function of register is to

Hold operand

Question No:332 (Marks:1) Vu-Topper RM

Which among the following is the pointer registers?

index pointer and decession pointer

Question No:333 (Marks:1) Vu-Topper RM

mov [bx], ax moves the two bytes content of AX register to the address contained in BX register in the current

Data segment

Question No:334 (Marks:1) Vu-Topper RM

If A is subtracted from B and the resulting answer is negative figure it means B is

Small number

Question No:335 (Marks:1) Vu-Topper RM

____ jump is not position relative but is absolute

Far

Question No:336 (Marks:1) Vu-Topper RM

Which of the following bit that “Shift Logical Right” operation copies in the carry flag?

Left most bit

Question No:337 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What’s app 03224021365

Vu Topper RM

During the CALL operation, the current value of the _____ is automatically saved on the stack, and the destination of CALL is loaded in the instruction pointer.

Instruction pointer

Question No:338 (Marks:1) Vu-Topper RM

If BL contains 00000101 then after a Single Right Shift, BL will contain;

0000011

Question No:339 (Marks:1) Vu-Topper RM

Which of the following operation is used to clear any specific bit in binary number?

XOR

Question No:340 (Marks:1) Vu-Topper RM

OUR computer screen is like a 2-D array having _____ rows and _____ columns.

25, 40

Question No:341 (Marks:1) Vu-Topper RM

REPE repeats a string instruction while the _____

ZERO

Question No:342 (Marks:1) Vu-Topper RM

REP allows the instruction to be repeated__times.

CX

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:343 **(Marks:1)** **Vu-Topper RM**
EACH bit of the _____ register conveys a different meaning.
FLAGS

Question No:344 **(Marks:1)** **Vu-Topper RM**
When SI or DI are used, we name the method ____ addressing.
Indexed

Question No:345 **(Marks:1)** **Vu-Topper RM**
A value 0500 is stored in my memory. If we transfer this value to a general-Purpose register. Then it will be shown as
0500

Question No:346 **(Marks:1)** **Vu-Topper RM**
Also observe that with the CALL instruction ___is decremented by two from FFFE to FFFC, and the stack windows shows 0150 at its top.
SP

Question No:347 **(Marks:1)** **Vu-Topper RM**
Software interrupts on the contrary are not generated from outside the processor. They just provide an extended call mechanism. Far call allows us to jump anywhere in the whole megabyte of memory.
Far

Question No:348 **(Marks:1)** **Vu-Topper RM**
In general the memory cell cannot be wider than the width of the
Data bus.

Question No:349 **(Marks:1)** **Vu-Topper RM**
BP the default segment used is
SS

Question No:350 **(Marks:1)** **Vu-Topper RM**
Code size reduction and improvement in speed were the two reasons for

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

introducing block processing instructions in the _____ processor.

A. 8088
B. 8085
C. 8080
D. iAPX386

Question No:351 **(Marks:1)** **Vu-Topper RM**

The first instruction of "COM" file must be at offset

A. 0x0010
B. 0x0100
C. 0x1000
D. 0x0000

Question No:352 **(Marks:1)** **Vu-Topper RM**

One screen location corresponds to a

A. Byte
B. Word
C. Double type
D. Double word

Question No:353 **(Marks:1)** **Vu-Topper RM**

When an item is pushed on the decrementing stack, the top of the stack is

A. First decremented and then element copied to the stack
B. First incremented and then element copied to the stack
C. decremented after the element copied to the stack
D. incremented after the element copied to the stack

Question No:354 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Each screen location corresponds to a word, the lower byte of this word contains _____.

A. The character code

B. The attribute byte

C. the parameters

D. The dimensions

Question No:355 **(Marks:1)** **Vu-Topper RM**

If ax contains decimal -2 and BX contains decimal 2 then after the execution of

Instruction: CMP AX, BX, JA label

A. Jump will be taken

B. Zero flag will set

C. 2F will contain value -4

D. Jump will not be taken

Question No:356 **(Marks:1)** **Vu-Topper RM**

Only instructions allow moving data from memory to memory.

A. String

B. Word

C. Indirect

D. Stack

Question No:357 **(Marks:1)** **Vu-Topper RM**

mov ax,5 has

A. 1 operand

B. 2 operand

C. 3 operand

Question No:358 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

The physical address of the stack is obtained by

A. SS:SI combination

B. SS:SP combination

C. ES:BP combination

D. ES:SP combination

Question No:359 **(Marks:1)** **Vu-Topper RM**

Index registers are used to store _____

A. Data

B. Intermediate result

C. Address

D. Both data and addresses

Question No:360 **(Marks:1)** **Vu-Topper RM**

When a 32 bit number is divided by a 16 bit number, the remainder is of

A. 32 bits

B. 16 bits

C. 8 bits

D. 64

Question No:361 **(Marks:1)** **Vu-Topper RM**

If the direction of the processing of a string is from higher addresses towards lower addresses, then

A. ZF is cleared

B. DF is cleared

C. ZF is set

Question No:362 **(Marks:1)** **Vu-Topper RM**

In STOS instruction, the implied source will always be in

A. AL or AX registers

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. DL or DX registers
C. BL or BX registers
D. CL or CX registers

Question No:363 (Marks:1) Vu-Topper RM

When a 32 bit number is divided by a 16 bit number, the quotient will be store in

A. AX
B. BX
C. CX
D. DX

Question No:364 (Marks:1) Vu-Topper RM

"mov byte [num1], 5" is _____ instruction.

A. Legal
B. Illegal
C. Stack bases
D. Memory indirect

Question No:365 (Marks:1) Vu-Topper RM

To transfer control back the RET instruction take

A. 1 argument
B. 2 arguments
C. 3 arguments
D. No arguments

Question No:366 (Marks:1) Vu-Topper RM

The basic function of SCAS instruction is to

A. Compare

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Scan
C. Sort
D. Move data

Question No:367 **(Marks:1)** **Vu-Topper RM**

The bits of the _____ work independently and individually.

A. Index register
B. Base register
C. Flags register
D. Accumulator

Question No:368 **(Marks:1)** **Vu-Topper RM**

To convert any digit to its ASCII representation

A. Add 0x30 in the digit
B. Subtract 0x30 from the digit
C. Add 0x61 in the digit
D. Subtract 0x61 from the digit

Question No:369 **(Marks:1)** **Vu-Topper RM**

JC and JNC test the _____ flag.

A. Carry
B. Parity
C. Zero
D. Sign

Question No:370 **(Marks:1)** **Vu-Topper RM**

After the execution of REP instruction CX will be decremented then which of the following flags will be affected?

A. CF
B. OF

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. DF

D. No flags will be affected

Question No:371 (Marks:1) Vu-Topper RM

_____ register holds the address of next instruction is to be executed

A. Base pointer

B. Code segment

C. Source index

D. Program counter

Question No:372 (Marks:1) Vu-Topper RM

The 8088 processor divides interrupts into _____ classes.

A. One

B. Two

C. Three

D. Four

Question No:373 (Marks:1) Vu-Topper RM

Which of the following directive used to reserve a 8 bit space in the memory holding data?

A. Db

B. dw

C. dd

D. dq

Which bit of the attribute byte represents the blue component of foreground color?

0 Page 73

A. 1

B. 2

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. 3

The total number of symbols in extended ASCII are _____.

A. 64

B. 128 Page 71

C. 156

D. 256

In case of short jump, the offset is stored in _____ .

A. 1 byte Page 38

B. 2 bytes

C. 4 bytes

D. 16 bytes

Which of the following will be the result of left shifting 9C40 once?

A. 3881

B. 1388 Page 48

C. 3880

D. 3882

When there is a 16 bit operand with the DIV instruction, then the implied dividend will be in _____ bits.

A. 8 Google

B. 16

C. 32

D. 64

Suppose, BX=0x0120, CS=0x1000, and the memory under consideration is [CS:BX+0x0880].

A. 109A0

VuTopper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. 10834
C. 11A00 Google
D. 11100

There are _____ forms of the DIV instruction.
A. One
B. Two Page 77
C. Five
D. Three

What makes CMP different from SUB?
A. Both CMP and SUB are destructive subtraction
B. SUB is a non destructive subtraction while CMP is a destructive one
C. SUB is a destructive subtraction while CMP is a non-destructive subtraction. Both affect the flags
D. CMP is a non destructive subtraction that does not affect any flag, however SUB is a destructive subtraction

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Visit My YouTube Channel
For More Important Notes

Channel Name = #VuTopperRM

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365