Question No. 01

A _____ occurs when the first transaction has locks on the resources that the second transaction wants to modify, and the second transaction has locks on the resources that the first transaction intends to modify.

A. Error

B. Dead Lock

C. Locking

D. All of the above

Dead Lock

A deadlock occurs when the first transaction has locks on the resources that the second transaction wants to modify, and the second transaction has locks on the resources that the first transaction intends to modify.

o **Levels of Locking:** Lock can be applied on

- ❑ Attribute
- ❑ Record
- ❑ File
- ❑ Group of Files
- ❑ Database

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 02

_____ is an execution where transactions are executed in a sequential order, that is, one after another.

A. **Timestamping**
B. **Dead Lock**
C. **Schedule**
D. **Serial Execution**

Serial Execution and Schedule

Serial Execution is an execution where transactions are executed in a sequential order, that is, one after another.

Schedule:
A schedule represents the order of execution of operations.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 03

If multiple users are accessing database at the same time this concept is called _____ .

A. Timestamping
B. Dead Lock
C. Concurrency Control
D. None of the above

Concurrency Control

Concurrency Control (CC) is the second part of the transaction management. The objective of the CC is to control the concurrent access of database by multiple users at the same time called the concurrent access.

Problems due to Concurrent Access:

If not controlled properly, the concurrent access may introduce following three problems in database:

1. Lost Update Problem
2. Uncommitted Update Problem
3. Inconsistent Analysis Problem

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 04

_____ is used to obtain locks currently held by deadlocked transactions.

A. **Detection**
B. **Prevention**
C. **System Throughput**
D. **None of the above**

Detection versus Prevention

In **prevention-based schemes**, the abort mechanism is used preemptively in order to avoid deadlocks.

On the other hand, in **detection-based schemes**, the transactions in a deadlock cycle hold locks that prevent other transactions from making progress.

System throughput is reduced because many transactions may be blocked, waiting to obtain locks currently held by deadlocked transactions.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 05

Which SQL command is used to delete a complete table with all data in database.

A. Truncate
B. Delete
C. Drop
D. All of the above

DELETE , TRUNCATE , DROP

The **TRUNCATE** is used to delete all the rows of any table but rows would exist.

The **DELETE** is used to delete one or many records. If we want to remove all records we must use TRUNCATE.

Next is the **DROP** table command, which is used to drop the complete table from the database.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 06

_____ is a join in which a table is joined with itself. .

A. Cartesian Join
B. Inner Join
C. Outer Join
D. Self Join

Cartesian Product

A Cartesian Join is when you join every row of one table to every row of another table.

• **Inner Join:** Only those rows from two tables are joined that have same value in the common attribute.

• **Outer Join:** SQL supports some interesting variants of the join operation that rely on null values, called outer joins.

• **Semi Join:** Another form of join that involves two operations. First inner join is performed on the participating tables and then resulting table is projected on the attributes of one table.

• **Self Join:** In self join a table is joined with itself.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 07

Suppose there are 8 rows and 4 columns in TABLE1 and 3 rows and 4 columns in TABLE2; what is the size of the cartesian product incase of CROSS JOIN between these two tables?

A. 12

B. 24

C. 36

D. 48

Cross Join

The number of rows in the first table multiplied by the number of rows in the second table.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 08

Which of the following is used to add or drop columns in an existing table?

A. SELECT
B. HAVING
C. THEN
D. ALTER

ALTER

The purpose of ALTER statement is to make changes in the definition of a table already created through Create statement. It can add, and drop the attributes or constraints, activate or deactivate constraints.

- ADD COLUMN
- ALTER COLUMN
- DROP COLUMN
- RENAME COLUMN

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 09

Which of the following is a correct way of selecting all the columns from a table called PERSONS?

A. SELECT FROM * Persons
B. SELECT * WHERE Persons
C. SELECT * FROM Persons
D. SELECT WHERE * Persons

SELECCT

The purpose of SELECT statement is to select the values from a particular table.

Syntax:

SELECT * FROM Table Name

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 10

Which of the following serves as a milestone or reference point in the log file?

A. **Constraints**
B. **Checkpoint**
C. **Relations**
D. **Transactions**

Checkpoint

Checkpoint is also a record or an entry in the log file. It serves as a milestone or reference point in the log file. At certain point in time the DBMS enters a log entry/record in the log file and also performs certain operations listed below:

- It moves modified database buffers to disk
- All log records from buffer to disk
- Writing a checkpoint record to log; log record mentions all active transactions at the time

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 11

In which of the following dead lock occur?

A. Attribute
B. Database
C. Files
D. All of the above

Dead Lock

A deadlock occurs when the first transaction has locks on the resources that the second transaction wants to modify, and the second transaction has locks on the resources that the first transaction intends to modify.

o Levels of Locking: Lock can be applied on

- ❑ Attribute
- ❑ Record
- ❑ File
- ❑ Group of Files
- ❑ Database

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 12

_____ is mechanism that used preemptively in order to avoid deadlocks. .

A. Detection
B. Prevention
C. System Throughput
D. None of the above

Detection versus Prevention

In **prevention-based schemes**, the abort mechanism is used preemptively in order to avoid deadlocks.

On the other hand, in **detection-based schemes**, the transactions in a deadlock cycle hold locks that prevent other transactions from making progress.

System throughput is reduced because many transactions may be blocked, waiting to obtain locks currently held by deadlocked transactions.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 13

_____ is when you join every row of one table to every row of another table.

A. **Cartesian Join**
B. **Inner Join**
C. **Outer Join**
D. **Self Join**

Cartesian Product

A Cartesian Join is when you join every row of one table to every row of another table.

- **Inner Join:** Only those rows from two tables are joined that have same value in the common attribute.
- **Outer Join:** SQL supports some interesting variants of the join operation that rely on null values, called outer joins.
- **Semi Join:** Another form of join that involves two operations. First inner join is performed on the participating tables and then resulting table is projected on the attributes of one table.
- **Self Join:** In self join a table is joined with itself.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 14

How many types properties of a Transaction?

A. 1

B. 2

C. 3

D. 4

Properties of a Transaction

All transactions share these properties: atomicity, consistency, isolation, and durability (represented by the acronym ACID).

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 15

Which of the following are the general activities, which are performed during the development of application programs?

A. **Data input programs**
B. **Editing**
C. **Display**
D. **All of the given**

Application Programs

Application Programs: Programs written to perform different requirement posed by the users/organization are the application programs. Application programs can be developed in parallel or after the construction of database design.

General Activities in Application Programs

- Data input programmes
- Editing
- Display
- Processing related to activities
- Reports

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 16

Which of the following is **NOT** a form of disk?

A. **Magnetic Disk**
B. **Floppy Disk**
C. **Hard Disk**
D. **None of the given**

Important Concepts

Magnetic Disk: is round plate on which d encoded. There are two basic types of disks: disks and optical disks on magnetic disks, data is encoded as microscopic magnetized needles on the disk's surface.

Floppy Disk: A typical 5¼-inch floppy disk can hold 360K or 1.2MB (megabytes). 3½-inch floppies normally store 720K, 1.2MB or 1.44MB of data.

Hard Disk: Hard disks can store anywhere from 20MB to more than 10GB. Hard disks are also from 10 to 100 times faster than floppy disks.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 17

A _____ type is an abstraction of a relationship i.e. a set of relationships instances sharing common attributes.

A. **Relationship**
B. **Participants**
C. **Both A and B**
D. **None of the given**

Important Concepts

A relationship type is an abstraction of a relationship i.e. a **set of relationships instances sharing common attributes.**

Entities enrolled in a relationship are called its **participants.**

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 18

Which of the following types of partitioning reduces the chances of unbalanced partitions?

A. **Partitioning**
B. **Horizontal Partitioning**
C. **Hash Partitioning**
D. **Range Partitioning**

Partitioning

Partitioning mean dividing the database into different parts. The general aims of data partitioning is

- ❑ Reduce Workload
- ❑ Speedup

Horizontal Partitioning: Table is split on the basis of rows, which means a larger table is split into smaller tables.

Range Partitioning: In this type of partitioning range is imposed on any particular attribute.

Hash Partitioning: It is a type of horizontal partitioning. So hash partitioning reduces the chances of unbalanced partitions to a large extent.

List Partitioning: In this type of partitioning the values are specified for every partition.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 19

Which of the following statements are used to create and destroy databases and database objects?

A. DML
B. DDL
C. SQL
D. All of the given

Data Definition Language

Data Definition Language (DDL) contains the commands used to create and destroy databases and database objects.

- ❑ INSERT
- ❑ UPDATE
- ❑ GRANT

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 20

The main memory of a computer system is also known as _____ .

A. ROM
B. PROM
C. RAM
D. All of the given

RAM

The main memory of a computer system is also known as RAM.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 21

_____ schedule can also be defined as a schedule in which conflicting operations are in a serial order.

A. **Serializability**
B. **Dead Lock**
C. **Timestamping**
D. **All of the above**

Serializability

Serializable schedule can also be defined as a schedule in which conflicting operations are in a serial order. There are two major approaches to implement the serializability:

- Locking
- Timestamping.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 22

Which of the following problem occur in Concurrency Control?

A. **Lost Update Problem**

B. **Uncommitted Update Problem**

C. **Inconsistent Analysis Problem**

D. **All of the above**

Concurrency Control

Concurrency Control (CC) is the second part of the transaction management. The objective of the CC is to control the concurrent access of database by multiple users at the same time called the concurrent access.

Problems due to Concurrent Access:

If not controlled properly, the concurrent access may introduce following three problems in database:

1. Lost Update Problem
2. Uncommitted Update Problem
3. Inconsistent Analysis Problem

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 23

Which SQL command is used to delete many record in database.

A. **Truncate**
B. **Delete**
C. **Drop**
D. **All of the above**

DELETE , TRUNCATE , DROP

The **TRUNCATE** is used to delete all the rows of any table but rows would exist.

The **DELETE** is used to delete one or many records. If we want to remove all records we must use TRUNCATE.

Next is the **DROP** table command, which is used to drop the complete table from the database.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 24

_____ is a join in which SQL supports some interesting variants of the join operation that rely on null values, called outer joins.

A. **Cartesian Join**
B. **Inner Join**
C. **Outer Join**
D. **Self Join**

Cartesian Product

A Cartesian Join is when you join every row of one table to every row of another table.

- **Inner Join:** Only those rows from two tables are joined that have same value in the common attribute.
- **Outer Join:** SQL supports some interesting variants of the join operation that rely on null values, called outer joins.
- **Semi Join:** Another form of join that involves two operations. First inner join is performed on the participating tables and then resulting table is projected on the attributes of one table.
- **Self Join:** In self join a table is joined with itself.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 25

ALTER command is used for _____ .

A. ADD COLUMN
B. DROP COLUMN
C. RENAME COLUMN
D. All of the above

ALTER

The purpose of ALTER statement is to make changes in the definition of a table already created through Create statement. It can add, and drop the attributes or constraints, activate or deactivate constraints.

- ADD COLUMN
- ALTER COLUMN
- DROP COLUMN
- RENAME COLUMN

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 26

Which of the following command is used for Selecting data from Table?

A. **SELECT**

B. **CHOSE**

C. **Both A and B**

D. **None of the above**

SELECCT

The purpose of SELECT statement is to select the values from a particular table.

Syntax:

SELECT * FROM Table Name

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 27

_____ can be developed in parallel or after the construction of database design.

A. **Application Programs**
B. **System Program**
C. **Both A and B**
D. **All of the given**

Application Programs

Application Programs: Programs written to perform different requirement posed by the users/organization are the application programs. Application programs can be developed in parallel or after the construction of database design.

General Activities in Application Programs

- Data Input Programmes
- Editing
- Display
- Processing related to activities
- Reports

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 28

Which of the following partitioning split on the basis of rows, which means a larger table is split into smaller tables.

A. Partitioning
B. Horizontal Partitioning
C. Hash Partitioning
D. Range Partitioning

Partitioning

Partitioning mean dividing the database into different parts. The general aims of data partitioning is

- ❑ Reduce Workload
- ❑ Speedup

Horizontal Partitioning: Table is split on the basis of rows, which means a larger table is split into smaller tables.

Range Partitioning: In this type of partitioning range is imposed on any particular attribute.

Hash Partitioning: It is a type of horizontal partitioning. So hash partitioning reduces the chances of unbalanced partitions to a large extent.

List Partitioning: In this type of partitioning the values are specified for every partition.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 29

Which of the following statements are Data Definition Language command?

A. INSERT
B. UPDATE
C. GRANT
D. TRUNCATE

Data Definition Language

Data Definition Language (DDL) contains the commands used to create and destroy databases and database objects.

- ❑ INSERT
- ❑ UPDATE
- ❑ GRANT

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 30

Which of the following statements are used to insert, retrieve and modify the data contained within it?

A. **DML**
B. **DDL**
C. **SQL**
D. **All of the given**

Data Manipulation Language

Data Manipulation Language to insert, retrieve and modify the data contained within it.

- ❑ INSERT
- ❑ SELECT

KEY TO SUCCESS ONLINE LEARNING

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 31

Which of the following are major approaches of Serialization?

A. Locking

B. Timestamping.

C. Both A and B

D. All of the above

Serializability

Serializable schedule can also be defined as a schedule in which conflicting operations are in a serial order. There are two major approaches to implement the serializability:

- Locking
- Timestamping.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 32

The Concurrency Control is problem related to which of the following concept.

A. Database Management

B. Transaction Management

C. Both A and B

D. None of the above

Concurrency Control

Concurrency Control (CC) is the second part of the transaction management. The objective of the CC is to control the concurrent access of database by multiple users at the same time called the concurrent access.

Problems due to Concurrent Access:

If not controlled properly, the concurrent access may introduce following three problems in database:

1. Lost Update Problem
2. Uncommitted Update Problem
3. Inconsistent Analysis Problem

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 33

_____ is used in a deadlock cycle to hold locks that prevent other transactions from making progress.

A. **Detection**
B. **Prevention**
C. **System Throughput**
D. **None of the above**

Detection versus Prevention

In **prevention-based schemes**, the abort mechanism is used preemptively in order to avoid deadlocks.

On the other hand, in **detection-based schemes**, the transactions in a deadlock cycle hold locks that prevent other transactions from making progress.

System throughput is reduced because many transactions may be blocked, waiting to obtain locks currently held by deadlocked transactions.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 34

_____ is a join in which Only those rows from two tables are joined that have same value in the common attribute.

A. **Cartesian Join**
B. **Inner Join**
C. **Outer Join**
D. **Self Join**

Cartesian Product

A Cartesian Join is when you join every row of one table to every row of another table.

- **Inner Join:** Only those rows from two tables are joined that have same value in the common attribute.
- **Outer Join:** SQL supports some interesting variants of the join operation that rely on null values, called outer joins.
- **Semi Join:** Another form of join that involves two operations. First inner join is performed on the participating tables and then resulting table is projected on the attributes of one table.
- **Self Join:** In self join a table is joined with itself.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 35

Which of the following is the properties of a Transaction?

A. Atomicity
B. Consistency
C. Isolation
D. All of the above

Properties of a Transaction

All transactions share these properties: atomicity, consistency, isolation, and durability (represented by the acronym ACID).

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 36

Which of the following operation is performed by Checkpoint?

A. **It moves modified database buffers to disk**

B. **All log records from buffer to disk**

C. **Writing a checkpoint record to log**

D. **All of the above**

Checkpoint

Checkpoint is also a record or an entry in the log file. It serves as a milestone or reference point in the log file. At certain point in time the DBMS enters a log entry/record in the log file and also performs certain operations listed below:

- It moves modified database buffers to disk
- All log records from buffer to disk
- Writing a checkpoint record to log; log record mentions all active transactions at the time

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 37

Which of the following is disk an store anywhere from 20MB to more than 10GB?

A. **Magnetic Disk**
B. **Floppy Disk**
C. **Hard Disk**
D. **None of the given**

Important Concepts

Magnetic Disk: is round plate on which data can be encoded. There are two basic types of disks: magnetic disks and optical disks on magnetic disks, data is encoded as microscopic magnetized needles on the disk's surface.

Floppy Disk: A typical 5¼-inch floppy disk can hold 360K or 1.2MB (megabytes). 3½-inch floppies normally store 720K, 1.2MB or 1.44MB of data.

Hard Disk: Hard disks can store anywhere from 20MB to more than 10GB. Hard disks are also from 10 to 100 times faster than floppy disks.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 38

Entities enrolled in a relationship are called its _____.

A. Relationship
B. Participants
C. Both A and B
D. None of the given

Important Concepts

A relationship type is an abstraction of a relationship i.e. a **set of relationships instances sharing common attributes.**

Entities enrolled in a relationship are called its **participants.**

Subscribe

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 39

Which of the following partitioning in which partitioning is based on range?

A. Partitioning
B. Horizontal Partitioning
C. Hash Partitioning
D. Range Partitioning

Partitioning

Partitioning mean dividing the database into different parts. The general aims of data partitioning is

- ❑ Reduce Workload
- ❑ Speedup

Horizontal Partitioning: Table is split on the basis of rows, which means a larger table is split into smaller tables.

Range Partitioning: In this type of partitioning range is imposed on any particular attribute.

Hash Partitioning: It is a type of horizontal partitioning. So hash partitioning reduces the chances of unbalanced partitions to a large extent.

List Partitioning: In this type of partitioning the values are specified for every partition.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 40

Which of the following statements are used in DML?

A. INSERT

B. SELECT

C. Both A and B

D. None of the given

Data Manipulation Language

Data Manipulation Language to insert, retrieve and modify the data contained within it.

- ❑ INSERT
- ❑ SELECT

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 41

_____ is an object that is locked prior to performing any operations.

A. Locking
B. Dead Lock
C. Timestamping
D. All of the above

Locking

The basic idea of locking is that an object is locked prior to performing any operation.



SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 42

A _____ represents the order of execution of operations.

A. Timestamping
B. Dead Lock
C. Schedule
D. Serial Execution

Serial Execution and Schedule

Serial Execution is an execution where transactions are executed in a sequential order, that is, one after another.

Schedule:
A schedule represents the order of execution of operations.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 43

Which SQL command is used to delete all the rows of any table but rows would exist in database.

A. **Truncate**
B. **Delete**
C. **Drop**
D. **All of the above**

DELETE , TRUNCATE , DROP

The **TRUNCATE** is used to delete all the rows of any table but rows would exist.

The **DELETE** is used to delete one or many records. If we want to remove all records we must use TRUNCATE.

Next is the **DROP** table command, which is used to drop the complete table from the database.

Subscribed

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 44

Browser based forms are developed in the following tools EXCEPT

A. HTML
B. Scripting language
C. Front Page
D. Web-based Forms

Browser Based Forms

Web-based form are develop for browser.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 45

The floppy disk has following size?

A. 5¼-inch
B. 3½-inch
C. Both A and B
D. None of the given

Important Concepts

Magnetic Disk: is round plate on which data can be encoded. There are two basic types of disks: magnetic disks and optical disks on magnetic disks, data is encoded as microscopic magnetized needles on the disk's surface.

Floppy Disk: A typical 5¼-inch floppy disk can hold 360K or 1.2MB (megabytes). 3½-inch floppies normally store 720K, 1.2MB or 1.44MB of data.

Hard Disk: Hard disks can store anywhere from 20MB to more than 10GB. Hard disks are also from 10 to 100 times faster than floppy disks.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 46

_____ mean dividing the database into different parts.

A. **Partitioning**
B. **Horizontal Partitioning**
C. **Hash Partitioning**
D. **Range Partitioning**

Partitioning

Partitioning mean dividing the database into parts. The general aims of data partitioning is

- Reduce Workload
- Speedup

Horizontal Partitioning: Table is split on the basis of rows, which means a larger table is split into smaller tables.

Range Partitioning: In this type of partitioning range is imposed on any particular attribute.

Hash Partitioning: It is a type of horizontal partitioning. So hash partitioning reduces the chances of unbalanced partitions to a large extent.

List Partitioning: In this type of partitioning the values are specified for every partition.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 47

_____ is a process, which means to place records from different tables to place in adjacent physical locations.

A. Timestamping
B. Clustering
C. Scheduling
D. Serial Execution

Clustering

Clustering is a process, which means to place records from different tables to place in adjacent physical locations, called clusters.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 48

Which of the following are the benefits of SQL database.

A. **Reduced training cost**

B. **Application portability**

C. **Reduced dependence**

D. **All of the above**

SQL Benefits

Following are the major benefits of SQL:-

- ❑ Reduced training cost
- ❑ Application portability
- ❑ Application longevity
- ❑ Reduced dependence on a single vendor
- ❑ Cross-system communication

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 49

SQL stand for _____.

A. Structured Question Language
B. Standard Query Language
C. Structured Query Language
D. All of the above

SQL

Structured Query Language

- SQL is an ANSI standard computer language for accessing and manipulating databases.
- SQL is standardized, and the current version is referred to as SQL-92.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 50

Laser records data by burning microscopic holes in the surface of the disk with a _____ .

A. RAM
B. Floppy disk
C. Hard disk
D. Optical disk

Optical Disk

Laser records data by burning microscopic holes in the surface of the disk with a Optical disk.

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS