



## CS610 - Computer Networks (Quiz#3)

Quiz Start Time:

Question # 10 of 10 ( Start time: 03:02:38 AM, 26 June 2024 )

Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

Select the correct option

☐

Peer-to-Peer VPNs

☐

Country-to-country VPNs

☒

Site-to-site VPNs

☐

Remote access VPNs

Click to Save Answer &amp; Move to Next Question



vulms.vu.edu.pk/



1

**Question # 9 of 10 ( Start time: 03:02:06 AM, 26 June 2024 )**

----- Networks are sometimes called Intranet.

**Select the correct option**

Virtual



Private



Public



WAN

Question # 8 of 10 ( **Start time: 03:01:21 AM, 26 June 2024** )

In the IP address \_\_\_\_\_ identifies the physical network to which the computer is attached.

## Select the correct option

|                                  |        |
|----------------------------------|--------|
| <input type="radio"/>            | Demux  |
| <input checked="" type="radio"/> | Prefix |
| <input type="radio"/>            | Suffix |
| <input type="radio"/>            | Mux    |

[Click to Save](#)

### Question # 7 of 10 ( **Start time: 03:00:33 AM, 26 June 2024** )

VBR stands for.....

#### Select the correct option

|                                  |                          |
|----------------------------------|--------------------------|
| <input type="radio"/>            | Variable Byte Redundancy |
| <input type="radio"/>            | Virtual Byte Rate        |
| <input type="radio"/>            | Virtual Bit Rate         |
| <input checked="" type="radio"/> | Variable Bit Rate        |

**Question # 6 of 10 ( Start time: 02:59:56 AM, 26 June 2024 )**

A network with \_\_\_\_\_ jitter takes more time to deliver some packets than others.

**Select the correct option**

|                                  |          |
|----------------------------------|----------|
| <input type="radio"/>            | Moderate |
| <input type="radio"/>            | Zero     |
| <input checked="" type="radio"/> | High     |
| <input type="radio"/>            | Low      |



vulms.vu.edu.pk/



1

**CS610 - Computer Networks (Quiz#3)****Question # 5 of 10 ( Start time: 02:59:19 AM, 26 June 2024 )**

VPNs connections are sometimes called \_\_\_\_\_.

**Select the correct option**

|                                  |                 |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | Tunnels         |
| <input type="radio"/>            | Open networking |
| <input type="radio"/>            | Routing         |
| <input type="radio"/>            | Public network  |

**Question # 4 of 10 ( Start time: 02:58:05 AM, 26 June 2024 )**

The identifier that is used for data transfer in the virtual circuit network is called \_\_\_\_\_.

**Select the correct option**

|                                  |                            |
|----------------------------------|----------------------------|
| <input type="radio"/>            | Network identifier         |
| <input type="radio"/>            | Global address             |
| <input type="radio"/>            | IP identifier              |
| <input checked="" type="radio"/> | Virtual circuit identifier |

**Question # 3 of 10 ( start time: 02:57:34 AM, 26 June 2024 )**

CBR stands for\_\_\_\_\_.

**Select the correct option**

|                                  |                           |
|----------------------------------|---------------------------|
| <input type="radio"/>            | Connection break Recovery |
| <input checked="" type="radio"/> | Constant Bit Rate         |
| <input type="radio"/>            | Constant Borrow Rate      |
| <input type="radio"/>            | Constant Byte Rate        |

Question # 2 of 10 ( **Start time: 02:57:00 AM, 26 June 2024** )

\_\_\_\_\_ can't be guaranteed with variable length packets as easily as it can with fixed length cells.

Select the correct option

|                                  |                    |
|----------------------------------|--------------------|
| <input checked="" type="radio"/> | Quality of Service |
| <input type="radio"/>            | Noise              |
| <input type="radio"/>            | Errors             |
| <input type="radio"/>            | None of the given  |

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 ( **Start time: 02:56:04 AM, 26 June 2024** )

\_\_\_\_\_ of TCP/IP protocol suit defines the basic characteristics of network hardware.

Select the correct option

|                                  |                 |
|----------------------------------|-----------------|
| <input type="radio"/>            | Internet Layer  |
| <input type="radio"/>            | Data Link Layer |
| <input checked="" type="radio"/> | Physical Layer  |
| <input type="radio"/>            | Transport Layer |