Virtual University

CS511
QUIZ#3
FINAL TERM
FALL 2024
BY
BUTTERCUP
FOR LMS HANDLING
CONTACT
0324-9427076

CS511 - Web Engineering (Quiz # 3) Quiz Start Time: 10:05 PM, 31 December 2024

Question # 4 of 10 (Start time: 10:06:58 PM, 31 December 2024) Total Marks: 1

In Javascript, when the array values are provided in the form of comma separated values enclosed in square brackets, this way of defining the array is called:

Select the correct option

Reload Math Equations

- (●) Object Literal Notation
- ( ) Object Definition Array
- ( ) Primitive Literal Notation
- ( ) Primitive Definition Array

Click to Save Answer & Move to Next Question

BUTTERCUP

CS511 - Web Engineering (Quiz # 3) Quiz Start Time: 10:05 PM, 31 December 2024

Question # 9 of 10 (Start time: 10:10:30 PM, 31 December 2024) Total Marks: 1

In context of Javascript, the scenario where the body of the loop should execute at least once (even if the condition fails), we use:

Select the correct option

Reload Math Equations

- ( ) Default Javascript loop
- ( ) while loop
- ( ) for loop
- (●) do while loop

Click to Save Answer & Move to Next Question

BUTTERCUP



CS511 - Web Engineering (Quiz # 3) Quiz Start Time: 10:05 PM

Question # 8 of 10 (Start time: 10:09:52 PM, 31 December 2024)

Consider the Javascript code below:

```
var btnButton = document.getElementById('example');
btnButton.onclick = alert('some message');
```

The above code is an example of Javascript Event-Handling approach called _____

Select the correct option

Reload

- (●) Event Property Approach
- ( ) Event Stack Approach
- ( ) Event Localization
- ( ) Inline Hook

BUTTERCUP

Click to Save Answer & Move



CS511 - Web Engineering (Quiz # 3)

Question # 1 of 10 (Start time: 10:05:02 PM, 31 December 2024)

____ makes working with Javascript and DOM easy.

Select the correct option

- (●) JQuery
- ( ) PHP
- ( ) HTML
- ( ) Laravel

BUTTERCUP

CS511 - Web Engineering (Quiz # 3)

Question # 2 of 10 (Start time: 10:05:46 PM, 31 December 2024)

The $() function (in jQuery) _____

Select the correct option

- ○ Always returns child node
- ◉ Always returns a set of results
- ○ Does not return anything
- ○ Always returns a parent node

BUTTERCUP



CS511 - Web Engineering (Quiz # 3) Quiz St

Question # 3 of 10 (Start time: 10:06:23 PM, 31 December 2024)

val() manipulator in JQuery is used for getting/setting _____

Select the correct option

○	Values of elements having innerHTML property
○	Values of textbox elements
○	Values of all elements
●	Values of elements having value property

BUTTERCUP

Click to Sa





CS511 - Web Engineering (Quiz # 3)

Question # 6 of 10 (Start time: 10:08:45 PM, 31 December 2024)


Which of the followings in NOT one of the valid JQuery manipulators?

Select the correct option

- attr()
- html()
- pttrn()
- text()

BUTTERCUP





CS511 - Web Engineering (Quiz # 3)

Question # 5 of 10 (Start time: 10:08:13 PM, 31 December 2024)

Consider the following array defined in Javascript:


var myarray = new Array(10);

The above array is defined using

Select the correct option

- (●) Array Constructor
- ( ) Primitive Literal Notation
- ( ) Object Literal Notation
- ( ) Object Definition Array

BUTTERCUP



CS511 - Web Engineering (Quiz # 3)

Question # 7 of 10 (Start time: 10:09:17 PM, 31 December 2024)

In Javascript events are handled in three phases _____

Select the correct option

- (●) Capturing, Target, Bubbeling
- ( ) Localize, Collect Arguments, Ground
- ( ) Execute, Serialize, Ground
- ( ) Localize, Execute, Bubble

BUTTERCUP



CS511 - Web Engineering (Quiz # 3) **Quiz Start Time:**

Question # 10 of 10 (Start time: 10:11:01 PM, 31 December 2024)

Consider the JQuery selector:

$("#main time")

It will select:

Select the correct option

○	Only first <time> element that is direct child of the element having id as "#main"
○	Only first <time> element that is indirect child of the element having id as "#main"
○	Only the last <time> element that is direct or indirect child of the element having id as "#main"
◉	All the <time> elements that are direct or indirect child of the element having id as "#main"

Click to Save Answe

