

85% To 100% Marks

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Range of function $f(x) = \{e^x\}$ is.....

- A. Set of integers
- B. Set of negative Real number.
- C. Set of positive Real numbers**
- D. Set of Real number

The logic gate NOT is a uniary operation on $\{0,1\}$.

- A. false
- B. true**

If $f^{-1}(x)=6-x^2$ then $f^{-1}(2)$ is

- A. 2**
- B. 1
- C. 0
- D. 3

Given a Set $A=\{a,b\}$ and $B=\{1,2,3\}$, then number of functions from A to B is

- A. 6
- B. 8
- C. 5
- D. 9**

How many one-to-one functions are there from a set with five elements to a set with six elements.

- A. 3 factorial (3!)
- B. 4 factorial(4!)
- C. 6 factorial(6!)**
- D. 5 factorial(5!)

A graph of a function f is one to one iff every horizontal line intersects the graph in at most one point.

- A. true**

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

B. false

Which is not a binary operation on the set of natural numbers N ?

A. Multiplication

B. Subtraction

C. None of these.

D. Addition

The relation $R = \{(12, 14), (13, 5), (-2, 7), (x, 13)\}$ is a function if x is not equal to

A. 14, 7 or 13.

B. 12, 13 or 2.

C. 12, 13 or -2.

D. 14, 5 or 7.

Let $f(x) = x$ and $g(x) = -x$ for all $x \in \mathbb{R}$, then $(f+g)(x)$ is _____.

A. $-x$

B. 0

C. $2x$

D. $-2x$

The Range of $f: X \rightarrow Y$ is also called the image of X under

A. true

B. false

Which of the following relations are functions? $R_1 = \{(3, 4), (4, 5), (6, 7), (8, 9)\}$, $R_2 = \{(3, 4), (4, 5), (6, 7), (3, 9)\}$, $R_3 = \{(-3, 4), (4, -5), (0, 0), (8, 9)\}$, $R_4 = \{(8, 11), (34, 5), (6, 17), (8, 19)\}$

A. R_3 and R_2 are functions

B. R_1 and R_3 are functions

C. R_1 and R_2 are functions

D. R_2 and R_4 are functions

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Cardinality of positive prime numbers less than 20 is

- A. 5
- B. 10
- C. 8**
- D. 20

Which of the following is not a binary operation on the set of Integers?

- A. Multiplication
- B. Subtraction
- C. Addition
- D. Division**

A set is countably infinite if, and only if, it has the same cardinality as the set of

- A. whole numbers
- B. real numbers
- C. positive integers**
- D. integers

Let f be a function from $X = \{2, 4, 5\}$ to $Y = \{1, 2, 4, 6\}$ defined as $f = \{(2, 6), (4, 2), (5, 1)\}$. Then the range of f is _____.

- A. $\{2, 4, 5\}$
- B. $\{1, 2, 6\}$**
- C. $\{1, 4, 6\}$
- D. $\{1, 2, 4, 6\}$

A function $f: \mathbb{R} \rightarrow \mathbb{R}$ defined by $f(x) = x - \sqrt{x}$ is a real valued function.

- A. true
- B. false**

A graph of a function f is onto iff every horizontal line intersects the graph in at least one point.

- A. true**

بري صحبت سے تڻهائي بهتر ٿي ۽ اور تڻهائي سے نيڪ صحبت بهتر ٿي

For More Help Contact What's app 03224021365

B. false

Given a set X , define a function i from X to X by $i(x) = x$ from all x belonging to X . Then _____.

A. i is both injective and surjective

B. i is injective but not surjective

C. i is surjective but not injective

D. i is neither injective nor surjective

A constant function is one to one iff its is a singleton.

A. Range

B. Domain

If $f^{-1}(x) = 6 - x^2$ then $f^{-1}(2)$ is

A. 2

B. 3

C. 1

D. 0

The logic gates OR and AND are unary operation on $\{0,1\}$.

A. true

B. false

Let $f(x) = x + 3$ then $f^{-1}(x)$ is

A. $x + 3$

B. $x - 3$

C. $3 - x$

D. $2x - 3$

The range of a function is always the co-domain of f .

A. a superset of

B. equal to

C. a subset of

بري صحبت سے تڙهائي بهتر هے اور تڙهائي سے نيڪ صحبت بهتر هے

For More Help Contact What's app 03224021365

D. not equal to

The number of elements in $A \times B$ are if A is a set with '5' elements and B is a set with '4' elements.

A. 0

B. 20

C. 1

D. 9

A function whose range consists of only one element is called.....

A. One to one function

B. Onto function

C. Constant function

D. Identity function

A set is countable if, and only if, it is _____.

A. infinite

B. finite or countably infinite

C. finite

D. countably infinite

If $f(x)=2x$ and $g(x)=x$ then $g(f(x))$ is.....

A. $2x$

B. $2x^2$

C. x

D. x^2

Let $X = \{1,2,3,4\}$ and a function 'f' defined from X to X by $f(1) = 1$, $f(2) = 1$, $f(3) = 1$, $f(4) = 1$ then which of the following is true?

A. f is an identity function

B. f is injective

C. f is a constant function

D. f is bijective

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Domain of the relation $\{(0,1),(3,22),(90,34)\}$ is _____ .

- A. $\{1,22,34\}$
- B. $\{0,1,3\}$
- C. $\{0,1,3,22,90,34\}$
- D. $\{0,3,90\}$**

Let $P(A)$ be the power set of a non-empty set A and by using the definition of “subset” relation, $\subseteq$, for all $X, Y \in P(A)$, $X \subseteq Y \Leftrightarrow \forall x$, iff $x \in X$ then $x \in Y$. Then _____.

- A. $\subseteq$ is a partial order relation.**
- B. $\subseteq$ is not a partial order relation.

Let R be the universal relation on a set A then which one of the following statement about R is true?

- A. R is not reflexive
- B. R is not transitive
- C. R is reflexive, symmetric and transitive.**
- D. R is not symmetric

Let $A = \{1, 2, 3, 4\}$ and $R = \{(1, 1)(2, 2)(3, 3)(4, 4)\}$ then R is

- A. Symmetric
- B. Options a,b,and c all true
- C. Reflexive**
- D. Transitive

$R = \{(a,1)(b,2)(c,3)(d,4)\}$ then the inverse of this relation is.....

- A. $\{(a,1)(2,b)(3,c)(4,d)\}$
- B. $\{(1,a)(2,b)(3,c)(4,d)\}$**
- C. $\{(a,1)(b,2)(3,c)(4,d)\}$
- D. $\{(1,a)(b,2)(3,c)(4,d)\}$

Range of the relation $\{(0,1),(3,22),(90,34)\}$ is _____ .

برى صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- A. {0,3,90}
- B. {0,1,3,22,90,34}
- C. {1,22,34}**
- D. {0,1,3}

Let $A = \{1,2,3\}$ and R be the relation defined on A such that $R = \{(1,1), (1,2), (2,3), (3,1)\}$, then R is _____ .

- A. Symmetric
- B. Antisymmetric**

Let R and S be transitive relations on a set A then _____

- A. Both R union S and R intersection S are transitive
- B. R intersection S is transitive**
- C. Neither R union S is transitive nor R intersection S is transitive
- D. R union S is transitive

There is atleast one loop in the graph of an irreflexive relation.

- A. true
- B. false**

Let R be a binary relation on a set A . R is anti-symmetric iff _____.

- A. $a, b \in A$ if $(a,b) \in R$ and $(b,a) \in R$ then $a = b$
- B. $a, b \in A$ if $(a,b) \in R$ and $(b,a) \in R$ then $a \neq b$**
- C. $a, b \notin A$ if $(a,b) \in R$ and $(b,a) \in R$ then $a \neq b$
- D. None of the above

Find x and y given $(2x, x + y) = (6, 2)$.

- A. $x=2, y=1$
- B. $x=3, y=-1$**
- C. $x=2, y=-1$
- D. $x=3, y=1$ $x=2, y=1$

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Domain of a relation symbolically written as _____.

A. None of these

B. $\text{Dom}(R) = \{a \in A \mid (a, b) \in R\}$

C. $\text{Dom}(R) = \{b \in B \mid (a, b) \in R\}$

D. $\text{Dom}(R) = \{a \notin A \mid (a, b) \in R\}$

Let $A = \{0,1\}$ and $B = \{1\}$. Let R and S be two binary relations on Cartesian product of A and B such that $R = \{(0,1)\}$ and $S = \{(1,1)\}$. Then $R \cap S =$ _____.

A. $\{1,1\}$

B. $\{(0,1)\}$

C. $\{0,1\}$

D. empty

If $x \equiv -10 \pmod{15}$ Which of the following integers are valid solution for x ?

A. 7

B. 5

C. 3

D. 6

Let $R = \{(1, 2), (3, 4), (5, 6), (7, 8)\}$. Range of the inverse of the relation is _____.

A. $\{1, 3, 5, 7\}$

B. $\{5, 6, 7, 8\}$

C. $\{1, 2, 3, 4\}$

D. $\{2, 4, 6, 8\}$

Let R be a relation on a set A . If R is symmetric then its complement is _____.

A. Irreflexive

B. Symmetric

بري صحبت سے تڙهائي بهتر هه اور تڙهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

C. Reflexive

D. Antisymmetric

If $A = \{1, 2, 3\}$ is a set and $R = \{(1, 2), (2, 2), (2, 1)\}$ is a relation on A , R is

A. Reflexive

B. Symmetric

C. None of these

D. Transitive

If a relation $R = \{(1,1)(2,1)(1,2)(2,2)\}$ is given then which of the following is not true about this relation.

A. R is Symmetric.

B. R is Transitive

C. R is Reflexive.

D. R is Irreflexive.

If $x \equiv 17 \pmod{5}$ Which of the following integers are valid solution for x ?

A. 4

B. -44

C. 8

D. 12

Let R be a relation on a set A . If R is reflexive then its compliment is

_____ .
A. Reflexive

B. Antisymmetric

C. Symmetric

D. Irreflexive

Let the set $A = \{1,2,3,4\}$ Then the relation $\{(2,4),(4,2)\}$ is _____.

A. Transitive

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. AntiSymmetric
- C. Reflexive
- D. Symmetric**

The union of the transitive binary relations $R = \{(1,2), (1,3), (2,2), (3,3), (4,2), (4,3)\}$ and $S = \{(2,1), (2,4), (3,3)\}$ on the set $A = \{1,2,3,4\}$ is given by $R \cup S = \{(1,2), (1,3), (2,1), (2,2), (2,4), (3,3), (4,2), (4,3)\}$ then $R \cup S$ is_____?

- A. not transitive**
- B. transitive

Let $R = \{(1, 2), (3, 4), (5, 6), (7, 8)\}$. Domain of the inverse of the relation is _____.

- A. {2, 4, 6, 8}**
- B. {1, 2, 3, 4}
- C. {1, 3, 5, 7}
- D. {5, 6, 7, 8}

Let $A = \{1,2,3,4\}$ and define the relation R on A by $R = \{(1,2), (2,3), (3,3), (3,4)\}$. Then _____

- A. R is neither reflexive nor irreflexive**
- B. R is both reflexive and irreflexive
- C. R is reflexive
- D. R is irreflexive

Range of a relation symbolically written as _____.

- A. None of the above
- B. $\text{Ran}(R) = \{a \in A \mid (a, b) \in R\}$
- C. $\text{Ran}(R) = \{b \in B \mid (a, b) \in R\}$**
- D. $\text{Ran}(R) = \{b \notin B \mid (a, b) \in R\}$

The matrix representation of an inverse relation can be obtained by taking theof the relational matrix.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

A. transpose

B. Determinant

C. inverse

D. adjoint

Let R be a relation on a set A . R is transitive if and only if for all $a, b, c \in A$ then:

A. $(a, b) \in R$ and $(b, c) \in R$ but $(a, c) \notin R$

B. $(a, b) \in R$ then $(b, a) \notin R$

C. $(a, b) \in R$ and $(b, c) \in R$ then $(a, c) \in R$

D. $(a, b) \in R$ and $(b, c) \in R$ then $(a, c) \in R$ and $(a, b) \in R$ then $(b, a) \in R$

The properties of being symmetric and being anti-symmetric are _____.

A. Negative of each other

B. Not negative of each other

Let $A = \{1, 2, 3, 4\}$ and define a relation R on A by $R = \{(1, 1), (1, 2), (1, 3), (2, 3)\}$. Then which one of the following is a correct statement about R :

A. R is both transitive and reflexive

B. R is neither reflexive nor transitive

C. R is transitive

D. R is reflexive

Let $A = \{0, 1, 2\}$ and $R = \{(0, 2), (1, 1), (2, 0)\}$ be a relation on A . Then which of the following statement about R is true?

A. R is reflexive

B. R is symmetric

C. None of the above

D. R is transitive

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which of the following is always true for the matrix representation of a symmetric relation?

- A. Matrix has always 0 in its diagonal entries
- B. Matrix has always 1 in its diagonal entries
- C. Matrix is singular
- D. Matrix is equal to its transpose.**

If $A = (1,2,3)$ & $B = (4,5,6)$ and $R = \{(1,4)(2,5)(3,6)(3,4)\}$ The complementary relation is

- A. $A \times B$
- B. $A \times B$ (intersection) R
- C. $A \times B$ (difference or -) R**
- D. $A \times B$ (Union) R

Let $A = \{1,2,3,4\}$ and $R = \{(1,2), (2,3), (3,3), (3,4)\}$ be a relation on A . Then which one of the following ordered pair has made R not an irreflexive relation?

- A. (3,3)**
- B. (3,4)
- C. (2,3)
- D. (1,2)

Range of function $f(x) = (e^x)$ is _____

- Set of positive real numbers

Composite relation symbolically written as _____

- $SoR = \{(a,c) | a \in A, c \in C, \exists b \in B, (a,b) \in R \text{ and } (b,c) \in S\}$

If $x \equiv 17 \pmod{5}$ which of the following integers are valid solution for x ?

- 12

Range of the relation $\{(0,1), (3,22), (90,34)\}$

- $\{1,22,34\}$

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Let $A = \{0,1,2\}$ and $R = \{(0,2),(1,1),(2,0)\}$ be a relation on A. The which of the following ordered pairs are needed to make it transitive?

- $(0,0)$ and $(2,2)$

Operation of subtraction is a binary operation on the set of _____

- Integers

Let $S=R$ and define the 'square' relation $R = \{(x,y) | x^2=y^2\}$. The square relation is an _____ relation

- Equivalence relation

The logic gate NOT is a unary operation on $\{0,1\}$.

- True

Let $A = \{1,2\}$, then $P(A) =$ _____

- $\{\{\},\{1\},\{2\},\{1,2\}\}$

If a relation R is reflexive, anti symmetric and transitive then which of the following is not true for the inverse relation.

- Inverse relation will be irreflexive.

Let R be a binary relation on a set A, R is anti-symmetric iff _____

- $a, b \in A$ if $(a,b) \in R$ and $(b,a) \in R$ then $a=b$

"-" is a binary operation on the set of integers Z.

- True

The inverse relation R^{-1} from B to A is defined as _____

- $R^{-1} = \{(b,a) \in B \times A \mid (a,b) \in R\}$

Which of the following is always true for the matrix representation of a symmetric relation?

- Matrix is equal to its transpose

بري صحبت سے تنہائي بہتر ہے اور تنہائي سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Let $A = \{1, 2, 3, 4\}$ and let R and S be transitive binary relations on A defined as; $R = \{(1, 2), (1, 3), (2, 2), (3, 3), (4, 2), (4, 3)\}$ and $S = \{(2, 1), (2, 4), (3, 3)\}$ then $R \cup S = \{(1, 2), (1, 3), (2, 1), (2, 2), (2, 4), (3, 3), (4, 2), (4, 3)\}$

- R union S is transitive

Let $S = R$ and define the 'square' relation $R = \{(x, y) | x^2 = y^2\}$. The square is an _____ relation.

- Equivalence relation

If $x \equiv -10 \pmod{15}$. Which of the following integers are valid solution for x ?

- 5

Let R be a binary relation on a set A . If R is anti symmetric then _____

- Inverse of R is anti symmetric

If $A = \{1, 2, 3\}$ is a set and $R = \{(1, 2), (2, 2), (2, 1)\}$ is a relation on A , R is

- Symmetric

Let $A = \{0, 1\}$ and $B = \{1\}$. Let R and S be two binary relations on Cartesian product of A and B such that $R = \{(0, 1)\}$ and $S = \{(1, 1)\}$. Then $R \cap S =$ _____

- Empty

A relation R is said to be _____ iff it is reflexive, antisymmetric and transitive.

- Partial order Relation

Let $X = \{1, 2, 3\}$ and $Y = \{7, 8, 9\}$ and let f be function defined from X to Y such that f is onto then which of the following statement about f is true?

- Co-domain of f must contain 1 element

The function fog and gof are always equal

- False

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

If a relation $R=\{(1,2),(2,3),(3,4)(4,1)(2,2)$ is given then which of the following is true about this relation.

- R is reflexive

A set is called countable if , and only if, it is _____

- finite

Let $f(x) = x^2-1$ define function f from R to R and $c=2$ be any scalar, then $c,f(x)$ is _____

- $2x^2+2$

The set Z of all integers is _____

- Countable

Let R be a binary relation on a set A . If R is anti symmetric then _____

- Inverse of R is symmetric

For $(2x-3, 4y+2) = (1,10)$. What will be the value of x and y ?

- $(2,2)$

Let f and g be the two functions from R to R defined by $f(x) = |x|$ and $g(x)=$ square root of x^2 for all $x \in R$. Then _____

- $F(x)$ is not equal to $g(x)$

If a set A has 15 elements then $P(A)$ (power set of A) has _____ elements.

- 2^{15}

For the relation below to be a function, x cannot be what values $\{(12,14),(13,5),(-2,7),(x,13)\}$?

- X cannot be 12, 13, or -2

Let the set $A = \{1,2,3,4\}$. Then the relation $\{(2,4),(4,2)\}$ is _____

- Symmetric

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

For the following relation to be a function, x can not be what values? $R=\{(2,4),(x,1), (4,2),(5,6)\}$.

- x cannot be 2,4 and 5

Vertical line test is used to determine that whether the graph of a relation is a function or not.

- True

The properties of being symmetric and being anti symmetric are _____

- Not negative of each other

The number of elements in $A \times B$ are _____ if A is a set with '5' elements and B is a set with '4' elements.

- 20

$R=\{(a,1)(b,2)(c,3)(d,4)\}$ then the inverse of this relation is _____

- $\{(1,a)(2,b)(3,c)(4,d)\}$

Logic gate NOT does not define a binary operation on $(0,1)$ because _____

- It takes a single input and gives a single output

How many real numbers exist between 1 and 5

- 3

The number pi is

- Irrational

The number square root 2 is

- Irrational

Range the relation $\{(0,1)(3,22),(90,34)\}$

• $\{0,3,90\}$

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Supherical coordinate θ is related to the cylindrical coordinate as _____

- @=@

Operation of subtraction is a binary operation on the set_____

- **Integers**

Let $A = \{1, 2, 3, 4\}$ and $R = \{(1, 2), (2, 3), (3, 3), (3, 4)\}$ be a relation on A . Then which one of the following ordered pair has made R not an irreflexive relation?

- **(3,3)**

Input values of the function are called the _____

- **Domain**

Range of function $f(x)=|x|$ will be

- **Set of positive real numbers**

Which of the following is not a binary operation on the set of integers?

- **Division**

In the matrix representation of an irreflexive relation all the entries in the main diagonal are _____

- 0

If the partition set of A is $\{A_1, A_2\}$ then

- $A_1 \cap A_2 \neq \emptyset$

Let $A = \{a, b\}$ then $P(A) =$

- {Non empty set, {a},{b},{a,b}}

Which relations below are not functions?

- $\{(13,14),(13,5),(16,7),(18,13)\}$

پری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

In the directed graph of an antisymmetric relation there is _____ pair of arrows between two distinct elements of the set.

- No

If a relation $R = (1,1), (2,1), (2,2)$ is given then which of the following is not true about this relation

- R is irreflexive

Let R and S be transitive relations on a set A then _____

- Neither $R \cup S$ is transitive nor $R \cap S$ is transitive

Let $R = \{(1,2), (3,4), (5,6), (7,8)\}$. Domain of the inverse of the relation is _____

- $\{2,4,6,8\}$

Let $A = \{1,2,3,4,5\}$ and $B = \{4,9,16,17,25\}$. Then the relation $R = \{(2,4), (3,9), (4,16), (9,17)\}$ The inverse of R is'

- $\{(4,2), (9,3), (16,4), (17,9)\}$

Let R be a relation on a set A. If R is symmetric then its complement is _____

- Irreflexive

Which is not a binary operation on the set of natural numbers N ?

- Subtraction

If a relation $R = \{(1,1), (2,1), (1,2), (2,2)\}$ is given then which of the following is not true about this relation.

- R is irreflexive

$R = \{(a,1), (b,2), (c,3), (d,4)\}$ then the inverse of this relation is _____

- $\{(1,a), (2,b), (3,c), (4,d)\}$

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

For any set A, the Cartesian product of A and A is known as _____

- Universal relation

Let $A=\{p,q,r,s\}$ and define a relation R on A by $R=\{(p,p),(p,r),(q,r),(q,s),(r,s)\}$ Then which one of the following is the correct statement about R:

- R is not reflexive

$A=\{1,2\}$ $B=\{3,4\}$, $R=\{(1,3)(2,4)\}$. Then the complement of R is _____.

- $\{(1,4)(2,3)\}$

Domain of a relation symbolically written as _____.

- $\text{Dom}(R)=\{a \in A \mid (a,b) \in R\}$

Let $X=\{2,4,5\}$ and $Y=\{1,2,4\}$ and R be a relation from X to Y defined by $R=\{(2,4)(4,1)(a,2)\}$. For what value of 'a' the relation R is a function?

- 5

Let $A=\{1,2,3,4,5,6,7,8,9\}$, then which of the following sets represent the partition of the set A?

- $A=\{1,3,5,7,9\}$, $B=\{2,4,6\}$, $C=\{8\}$

Let $A=\{1,2,3\}$ and $B=\{2,4\}$ then number of binary relations from A to B are _____.

- 64

A relation R is said to be _____ iff it is reflexive, antisymmetric and transitive.

- Partial order Relation

Let f be a function from $X=\{2,4,5\}$ to $Y=\{1,2,4,6\}$ defined as: $f=\{(2,6),(4,2),(5,1)\}$. The range of f is _____

- $\{1,2,6\}$

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Let $A=\{0,1,2\}$ and $R=\{(0,2),(1,1),(2,0)\}$ be a relation on A. Then which of the following statement about R is true?

- R is symmetric

Let $A=\{2,3,4\}$ and $B=\{2,6,8\}$ and let R be the "divides" relation from A to B i.e for all (a,b) belong to (Cartesian product of A and B), $a,R b$ iff $a \mid b$ (a divides b). Then

- $R=\{(2,2),(2,6),(2,8),(3,6),(4,8)\}$

Let $A=\{1,2,3,\dots,50\}$ and $B=\{2,4,6,8,10\}$. Then the Cartesian product of A and B has _____ elements.

- 250

In the matrix representation of an reflexive relation all the entries in the main diagonal are _____

- 1

Which of the following is not a type of a relation?

- Permutation

Let $X=\{2,4,5\}$ and $Y=\{1,2,4\}$ and R be a relation from X to Y defined by $R=\{(2,4),(4,1),(a,2)\}$. For what value of 'a' the relation R is a function ?

- 5

Which of the following is not a representation of a relation?

- Venn diagram

Let $A=\{1,2,3,4\}$ and define the following relations on A. Then $R=\{(1,3),(1,4),(2,3),(2,4),(3,1),(3,4)\}$ is _____

- R is irreflexive

The range of $f:X \rightarrow Y$ is also called the image of

- True

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Complementary Relation symbolically written as _____

- $R = A * B - R = \{(a, b) \in A * B \mid (a, b) \text{ not belong to } R\}$

Let $A = \{1, 2, 3, 4\}$ and $R = (1, 1)(2, 2)(3, 3)(4, 4)$ then R is

- All options

If a relation $R = \{(1, 1), (2, 1), (1, 2), (2, 2)\}$ is given then which of the following is not true about this relation.

- R is irreflexive

Which of the following logical connective is not a binary operation ?

- Implication

A set may be dividend up into its disjoint subsets, such division is called _____

- Partition

If $A = (1, 2, 3) \& B = (4, 5, 6)$ and $R = \{(1, 4)(2, 5)(3, 6)(3, 4)\}$ The complementary relation is _____

- $A * B$ (difference or $-$) R

In matrix representation of a _____ relation, the diagonal entries are always 1.

- Reflexive

R is not symmetric iff there are elements a and b in A such that _____

- (a, b) belongs to R but (b, a) does not belong to R

Which relations below are functions?

$R_1 = \{(3, 4), (4, 5), (6, 7), (8, 9)\}$

$R_2 = \{(3, 4), (4, 5), (6, 7), (3, 9)\}$

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

$R_3 = \{(-3,4), (4,-5), (0,0), (8,9)\}$

$R_4 = \{(8,11), (34,5), (6,17), (8,19)\}$

- R_1 and R_3 are functions

The logic gate OR and AND are unary operation on $\{0,1\}$

- False

There is atleast one loop in the graph of an irreflexive relation

- False

There is atleast one loop in the graph of an reflexive relation

- True

A contains 3 elements and B contains 2 elements, then number of subsets of $A \times B$ are _____

- 64

Let $A = \{1,2,3\}$ and $B = \{0,1,2\}$ and $C = \{a,b\}$ $R = \{(1,0), (1,2), (3,1), (3,2)\}$
 $S = \{(0,b), (1,a), (2,b)\}$ composite of R and S = _____

- $\{(1,b), (1,a), (3,a), (3,b)\}$

If R is transitive then the inverse relation will be transitive

- True

The number of elements in the power set of P(not empty set) denoted by $P(P(\text{not empty set}))$ is

- 2

The function defined from Z to Z as $f(x) = 1/(x+2)(x-2)$ is not well defined because _____

- Function is not defined at $x=2$ and $x=-2$

Rang of relation $\{(0,1), (3,22), (90,34)\}$ is _____

بري صحبت سے تڻهائي بهتر ٿي ۽ اور تڻهائي سے نيڪ صحبت بهتر ٿي

For More Help Contact What's app 03224021365

- $\{1, 22, 34\}$

The number of elements in the power set of P(not empty set) denoted by P(not empty set) is _____

- 1

Let $R = \{(1,2), (3,4), (5,6), (7,8)\}$. Domain of inverse of the relation is _____

- $\{2,4,6,8\}$

The relation 'divides' on the set of integers is _____

- A symmetric relation

Operation of subtraction is a binary operation on the set of _____

- Integers

If R is transitive then the inverse relation will be transitive.

- True

Let $A = \{1,2,3,4\}$ and define the relation R on A by $R = \{(1,2), (2,3), (3,3), (3,4)\}$. Then _____

- R is both reflexive and irreflexive

A set may be divided up into its disjoint subsets, such division is called _____

- Partition

If a set A contains n elements then the number of elements in its power set P(A) is _____

- 2^n

Range of a relation symbolically written as _____.

- $\text{Ran } R = \{b \in B \mid (a, b) \in R\}$

Let R be a binary relation on a set A. If R is anti symmetric then _____.

- Inverse of R is anti symmetric

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Let A be a set with m elements and B be a set with n elements then the number of elements in $A \times B$ are _____

- m.n

Let $A = \{1, 2, 3, 4\}$ and define the following relation on A. Then $R = \{(1, 3), (2, 2), (2, 4), (3, 1), (4, 2)\}$ is _____

- R is symmetric

If $A = \{1, 2, 3\}$ & $B = \{4, 5, 6\}$ and $R = \{1, 4\}, \{2, 5\}, \{3, 6\}, \{3, 4\}$. The complementary relation is _____

- $A \setminus B$ (difference or -) R

Let R be a relation on a set A. If R is reflexive then its complement is _____

- Irreflexive

$25 \equiv 1 \pmod{3}$ means that 3 divides _____

- 25-1

Let R be the universal relation on a set A then which one of the following statement about R is true ?

- R is reflexive, symmetric and transitive

Domain of a relation symbolically written as _____

- $\text{Dom}(R) = \{a \in R \mid (a, b) \in R\}$

Let R be a relation on a set A. R is transitive if and only if for all $a, b, c \in A$ then

- $(a, b) \in R$ and $(b, c) \in R$ then $(a, c) \in R$

Let A be a non-empty set and $P(A)$ the power set of A Define the 'subset' relation, $\subseteq$ as follows for all $X, Y \in P(A)$, $X \subseteq Y \iff$ for all x , iff $x \in X$ then $x \in Y$. Then $\subseteq$ is _____

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- c is partial order relation

Define a relation $R = \{(1,1), (2,2), (3,3), (1,3)\}$ the relation is

- R is reflexive and transitive

Let R be a relation on a set A . R is transitive if and only if for all $a, b, c \in A$ then.

- $(a,b) \in R$ and $(b,c) \in R$ then $(a,c) \in R$

Let R and S be reflexive relations on a set A then $R \cap S$ is reflexive

- True

A function whose range consists of only one element is called _____

- One to one function

The set Z of all integers is _____

- Countable

One-to-one correspondence means the condition of _____

- Both (a) and (c)

Let $X = \{1, 5, 9\}$ and $Y = \{3, 4, 7\}$, Define a function f from X to Y such that $f(1) = 7, f(5) = 3, f(9) = \underline{\hspace{2cm}}$. Which is true $f(9)$ to make it a one-to-one (injective) function?

- 4

What will be the fourth term of the following sequence $1/2, 2/3, 3/4$ _____?

- $4/5$

The value of $6! =$

- 720

A constant function is one to one iff its _____ is a singleton.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- Domain

A constant function is onto iff its _____ is a singleton.

- Co-domain

Number of one to one functions from $X=\{a,b\}$ to $Y=\{u,v\}$ are equal to _____.

- 2

If f is defined recursively by $f(0) = -1$ and $f(n+1)=f(n)+3$, then $f(2)=$ _____.

- 5

A function whose inverse function exists is called a/an _____.

- Invertible function

Let $f(2)=3$, $g(2)=3$, $f(4)=1$ and $g(4)=2$ then the value of $f \circ g(4)$ is.....

- 3

Let $A=\{1,2,3,4\}$ and $B=\{7\}$ then the constant function from A to B is _____.

- Onto

Composition of a function is a commutative operation.

- False

Composition of a function is not a commutative operation

- True

The sum of first five whole number is _____.

- 10

If f and g are two one-to-one functions, then their composition that is $g \circ f$ is one-to-one.

- True

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- $x-2$

The total number of terms in an arithmetic series $0+5+10+15+....50$ are _____.

- 11

$9!/6!=$ _____

- 504

Let $f(x)=3x$ and $g(x)=3x-2$ define functions f and g from R to R , THEN $(F+G)(X)$ is _____

- $6x-2$

If f is a bijective function then $(f \cdot f(x))$ is equal to

- x

A sequence whose terms alternate in sign is called an _____

- Alternating sequence

Common ration in the sequence "4, 16, 64, 256,..." is.....12.

- 4

0.8181818181 is a infinite geometric series.

- True

The word 'algorithm' refers to a step-by-step method for performing some action.

- True

A predicate become _____ when its variables are given specific values

- Sentence

The sum of two irrational numbers must be an irrational number.

- False

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

The sum of two irrational numbers need not be irrational number

- True

The division by zero is allowed in mathematics.

- False

The product of any two consecutive positive integers is divisible by 2

- True

If 'n' is an odd integer then n^3+n is _____.

- Even

For integers a,b,c, If divides b and a divides c, then a divides (a+b).

- False

Quotient remainder theorem states that for any positive integer d, there exist unique integer q and r such that _____ and $0 \leq r < d$

- $N=d.q+r$

A rule that assigns a numerical value to each outcome in a sample space is called

- Random variable

If A and B are two disjoint (mutually exclusive) events then $P(A \cap B) =$

- $P(A) + P(B)$

How many ways are there to select five players from a 10 member tennis team to make a trip to a match to another school?

- $C(10,5)$

The expectation of x is equal to

- $\sum xf(x)$

If $P(A \cap B) = P(A) P(B)$ THEN THE events A and B are called

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- Independent

A walk that starts and ends at the same vertex is called.

- None optins

How many integers from 1 through 1000 are neither multiple of 3 nor multiple of 5

- 497

What is the probability of getting a number greater than 4 when a die is thrown?

- $3/5$

Eater formula for graphs is _____.

- $F=e-v+2$

$X+a, x+3a, x+5a, \dots$ is an _____

- Arithmetic sequence

Composition of a function is a commutative operation.

- False

Real valued function is a function that assigns _____ to each member of its domain.

- Only a real number

Let $X=\{1,2,3,4\}$ and a function 'f' defined on X $f(1)=1, f(2)=2, f(3)=3, f(4)=4$ then _____

- F is an identity function

A constant function is surjective if and only if _____

- The co-domain consists of a single element

Cardinality means the total number of elements in a set.

- True

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

If $f(x)=2x$ and $g(x)=x$ then $g(f(x))$ is _____.

- $2x^2$

Let $f:R \rightarrow R$ is one to one function then c, f, c is not equal 0 is also one to one function.

- True

Let $X=\{1,2,3,4\}$ and a function 'f' defined from X to X by $f(1)=1, f(2)=1, f(3)=1, f(4)=1$ then which of the following is true?

- F is a constant function

If f and g are two one-to-one functions, then their composition that is $g \circ f$ is one-to-one.

- True

Which of the following is not correct for a 'sequence'?

- A sequence is a relation whose domain is the set of natural numbers

$F(x)=x^2$ is not one to one function from R to R^+

- True

Let $f: R \rightarrow R$ is one to one function then c, f, c is not equal to is also one to one function.

- True

Let $f(x)=x+2$ then $f^{-1}(x)$ is _____

- $x-2$

Let $f(x)=x^2+1$ define functions f from R to R and $c=2$ be any scalar, then $c, f(x)$ is _____.

- $2x^2-1$

One to one correspondence means the condition of _____.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- Both (a) and (c)

A function $F: \mathbb{R} \rightarrow \mathbb{R}$ defined by $f(x) = \text{square root } x$ is a real valued function.

- False

If $g: \mathbb{R} \rightarrow \mathbb{R}$ defined by $g(x) = e^x$ is a real valued function of a real variable.

- True

A function $F: \mathbb{R} \rightarrow \mathbb{R}$ defined by $f(x) = \log x$ is a real valued function

- True

$\frac{1}{2}$, then 3rd term of sequence is _____.

- $\frac{1}{2}$

The process of defining an object in terms of smaller versions of itself is called recursion.

- True

Which of the following is not correct for a 'sequence'?

- A sequence is a relation whose domain is the set of natural numbers

A set is called countable if, and only if, it is _____.

- Finite and countable infinite.....both

A set that is not countable is called _____.

- Uncountable

A sequence whose terms alternate in sign is called an _____.

- Alternating sequence

Let $f: \mathbb{R} \rightarrow \mathbb{R}$ is one to one function then $c \circ f$ is also one to one function for _____.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C is not equal 0

Let $f(x) = x+3$ then $f^{-1}(x)$ is _____ -

- $x-3$

Let f and g be two functions defined by $f(x) = x+2$ and $g(x) = 2x+1$. Then the composition of f and g is _____.

- $2x+3$

Number of one to one functions form $X=\{a,b\}$ to $Y=\{u,v\}$ are equal to _____

- 2

The fibonacci sequence is defined as $F_0=1, F_1=1, F_k=F_{k-1}+F_{k-2}$ for all integers $k \geq 2$ then which of the following is true for F_2

- $F_2-F_1 = 2+1=3$

$x+a, x+3a, x+5a, \dots$ is a/an _____.

- Arithmetic sequence

Inverse of a function may not be a function.

- True

In the following sequence $a_k = K/(k+1)$, for $k=1$, a_1 will be _____.

- $\frac{1}{2}$

If $f(x)=x$ and $g(x)=-x$ are both one to one function then $(f+g)(x)$ is also one to one function.

- False

If $f(x)=x$ and $g(x)=-x$ are both one to one function then $(f+g)(x)$ is not one to one function.

- True

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

The function 'f' and 'g' are inverse of each other if and only if their composition gives_____.

- Identity function

Which of the following set is the domain of a sequence?

- Set of real numbers

Let C is defined as the set of all countries in the world then C is a _____.

- Finite set

A constant function is surjective if and only if _____.

- The co domain consists of a single element

The sum of the series $a_1 + a_2 + a_3 + \dots$ can be written as _____.

-

Inverse of a function may not be a function.

- True
- 3

Let $X=\{1,2,3,4\}$ and a function 'f' defined from X to X by $f(1)=1, f(2)=1, f(3)=1, f(4)=1$ then which of the following is true?

- F is a constant function

The composition of function is always

- Associative

A set is countably infinite if, and only if, it has the same cardinality as the set of

- Positive integers

Two functions 'f' and 'g' from 'X' to 'Y' are said to be equal if and only if _____.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

• $F(x)=g(x)$ for all 'x' belongs to X
 $Y=x^3$ is a graph of bijective function from R to R.

• True
Domain and range are same for_____.

• Identity function
Let $X=\{1,2,3,4\}$ and a function 'f' defined on X by $f(1)=1, f(2)=2, f(3)=3$

• F is an identity function
Composition of a function is a commutative operation.

• True
Inverse of a surjective function is always a function.

• False
A function whose inverse function exists is called a/an_____.

• Invertible
Given a set X define a function I from X to X by $i(x)=x$ from all x belonging to X . Then_____.

• I is both injective and surjective
Let $f: R \rightarrow R$ is a one to one function then c, f is also one to one function for.

• C is not equal 0
Let $X=\{1,5,9\}$ and $Y=\{3,4,7\}$. Define a function f from X to Y such that $f(1)=7, f(5)=3, f(9)=$ ____. Which is true for f(9) to make it a one-to-one (injective) function?

• 4
Which of the following is not a predecessors of a_k ?

• A_k+1

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Two functions 'f' and 'g' from X to Y are said to be equal if and only if _____.

- $F(x)=g(x)$ for all 'x' belongs to x

The two functions 'f' and 'g' are equal if _____.

- $F(x) = 3x$ and $g(x) = \frac{6x^2+3x}{2x^2+1}$ for all $x \in \mathbb{R}$

If first term of a geometric sequence is 2 and common ratio is $\frac{1}{2}$, then 3rd ter, of sequence.

- $\frac{1}{4}$

$Y = \sqrt{x}$ is an _____ function form $\mathbb{R}^+$ to $\mathbb{R}$

- One to one function

$Y = x^2$ is an _____ function form $\mathbb{R}$ to $\mathbb{R}^+$

- NOT ONE TO ONE FUNTION

If a function $(g \circ f)(x) : X \rightarrow Z$ is defined as $(g \circ f)(x) = g(f(x))$ for all $x \in X$, Then the function _____.

- $(g \circ f)$

If 0 is the first term and -2 be the common difference of an arithmetic series, then the sum of first five terms of series is _____.

- -20

If $f(x) = \sin^{-1}(x)$ and $g(x) = \sin x$ then $g \circ f(x)$ is _____.

- X

$F: X \rightarrow Y$ that is both one to one and onto is called a _____.

- Bijective function

What does 'y' denotes in a geometric sequence?

- Common ratio

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

inverse of an injective function may not be a function.

- True

$y=x^3$ is a graph of bijective function form R to R

- False

Two functions 'f' and 'g' from x to y are said to be equal if and only if ____.

- $F(x)=g(x)$ for all 'x' belongs to x

Common ration in sequence '36, 12, 4, $4/3$, ' is

- $1/3$

A set is called finite if, and only if, is the ____ or there is ____.

- Empty set or one-to-one

Let $f(x)=x^2-1$ and $g(x)=x+1$ define functions f and g from R to R , then $(f/g)x$

- $x-1$

A graph of a function f is one to one iff every horizontal line intersects the graph in at most one point.

- True

Let g be a function defined by $g(x) = x+1$. Then the composition of (gog) .

- $x+2$

$F:X \rightarrow Y$ that is both one to one and onto is called a _____.

- Bijective function

What does 'l' denotes in a geometric sequence?

- Common ratio

Let $A=\{1,2,3,4\}$ and $B=\{7\}$ then the constant function from A to B is ____.

بري صحبت سے تڻهائي بهتر ٿي ۽ اور تڻهائي سے نيڪ صحبت بهتر ٿي

For More Help Contact What's app 03224021365

• Both one to one and onto
N! is defined to be _____.

• The product of the integers from 1 to n
A set is called countable if, and only if, it is _____.

• Both b and c
Which of the following is the example of an alternating sequence?

• $C_n = n/n+1$ for $n \geq 0$
 $X+a, x+3a, x+5a, \dots$ is an _____

• Arithmetic sequence
0, -5, -10, -15, ... is an _____.

• Arithmetic sequence
5, 9, 13, 17, ... is an _____.

• Arithmetic sequence
An important data type in computer programming consists of _____.

• Finite sequence
One-to-one correspondence means the condition of _____.

• One-one and onto ...both
Cardinality means the total number of elements in a set.

• True
Inverse of a function may not be a function.

• True
The functions 'f' and 'g' are inverse of each other if and only if their composition gives _____.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- Identity function

A set is called finite if , and only if, it is the _____ or there is _____.

- Empty set or one-to-one

Let f and g be the two functions from R to R defined by $f(x) = |x|$ and $g(x) = \text{square root } x^2$ for all $x \in R$, then _____.

- $F(x)$ is not equal to $g(x)$

If $f^{-1}(x) = 6 - x/2$ then $f^{-1}(2)$ is _____.

- 2

Let $f(2)=3$, $g(2)=3$, $f(4)=1$ and $g(4)=2$ then the value of $f \circ g(4)$ is _____.

- 3

An important data type in computer programming consists of ____.

- Finite sequence

Let $f(x)=x+3$ then $f^{-1}(x)$ is _____.

- $X-3$

If $f: X \rightarrow Y$ and $g: Y \rightarrow Z$ are both onto function. Then $g \circ f: X \rightarrow Z$ is _____.

- One-to-one function

The functions ' f ' and ' g ' are inverse of each other if and only if their composition gives

- Identity function

The two function ' f ' and ' g ' are equal if _____.

- $F(x) = 3x$ and $g(x) = 6x^2 + 3x/2x + 1$ for all $x \in R$

Two functions ' f ' and ' g ' from X To Y are said to be equal if and only if—
—.

- $F(x)$ and $g(x)$ for all ' x ' belongs to X

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which of the following set is the domain of a sequence?

- **Set of natural numbers**

If 1st term of a geometric sequence is 2 and common ratio is $\frac{1}{2}$, then 3rd term of sequence is _____.

- **1/2**

Composition of a function is a commutative operation.

- **True**

If a function $(g \circ f)(x): X \rightarrow Z$ is defined as $(g \circ f)(x) = g(f(x))$ for all $x \in X$. Then the function _____ is known as composition of f and g .

- $(g \circ f)$

A set is countably infinite if and only if and only if, it has the same cardinality as the set of _____.

- **Positive integers**

The 3rd term of the sequence $b_n=5^n$ is _____.

- 125

If f is a bijective function then $(f^{-1}(f(x)))$ is equal to ____.

- **X**

Let $f(x) = x$ and $g(x) = -x$ for all $x \in \mathbb{R}$, then $(f+g)(x)$ is ____.

0

An infinite sequence may have only a finite number of values.

- **True**

The functions `fog` and `gof` are always equal .

- **False**

پری صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

If f and g are two one-to-one functions, then their composition that is $g \circ f$ is one-to-one.

- True

A function whose range consists of only one element is called _____.

- Constant function

Let $X = \{1, 5, 9\}$ and $Y = \{3, 4, 7\}$. Define a function f from X to Y such that $f(1)=7$, $f(5)=3$, $f(9)=4$ then which of the following statement about ' f ' is true?

- f is both one-to-one and onto

$Y=x^3$ is a graph of bijective function from R to R .

- True

A function whose inverse function exists is called a/an _____.

- Invertible

Let F and g be two functions defined by $f(x) = x+2$ and $g(x) = 2x+1$. Then the composition of f and g is _____.

- $2x + 5$

If r is a positive real number, then the value of r in $3, r, r = -27r$ is

- -9

The _____ of the terms of a sequence forms a series.

- Sum

The sum of first five whole number is _____.

- 10

If $f_k = f_{k-1} + f_{k-2}$ then $f_0 = 1$, $f_1 = 2$, then $f_2 =$ _____.

.3

بري صحبت سے تڻهائي بهتر ٿي ۽ اور تڻهائي سے نيڪ صحبت بهتر ٿي

For More Help Contact What's app 03224021365

Let $f(x) = 3x$ and $g(x) = x + 2$ define functions f and g from $\mathbb{R}$ to $\mathbb{R}$, then $(f \cdot g)(x)$ is ____.

- $3x^2 + 6x$

Let R be a relation on a set A . If R is reflexive then its complement is _____.

- Irreflexive

If A = Set of students of virtual university then A has been written in the _____.

- **Descriptive form**

If a function $(g \circ f)(x):X \rightarrow Z$ is defined as $(g \circ f)(x) = g(f(x))$ for all $x \in X$. Then the function _____ is known as composition of f and g .

- $(g \circ f)$

If X and Y are independent random variables and a and b are constants, then $\text{Var}(aX + bY)$ is equal to

- $a\text{Var}(X) + b\text{Var}(Y)$

Let $A = \{1, 2, 3\}$ and $B = \{2, 4\}$ then number of functions from A to B are _____.

- 8

p is equivalent to q' means _____.

- **p is necessary and sufficient for q.**

Let A and B be subsets of U with $n(A) = 12$, $n(B) = 15$, $n(A') = 17$, and $n(A \cap B) = 8$, then $n(U) =$.

- 29

For the following relation to be a function, x can not be what values?
 $R = \{(2,4), (x,1), (4,2), (5,6)\}$

بری صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- x cannot be 2, 4 or 5

Find the number of the word that can be formed of the letters of the word "ELEVEN".

- 120

There are three bus lines between A and B, and two bus lines between B and C. Find the number of ways a person can travel round trip by bus from A to C by way of B?

- 6

Among 20 people, 15 either swim or jog or both. If 5 swim and 6 swim and jog, how many jog?

- 16

A predicate becomes _____ when its variables are given specific values.

- statement

Find the number of distinct permutations that can be formed using the letters of the word "BENZENE"

- 420

Suppose there are 8 different tea flavors and 5 different biscuit brands. A guest wants to take one tea and one brand of biscuit. How many choices are there for this guest?

- 40

In how many ways a student can choose one of each of the courses when he is offered 3 mathematics courses, 4 literature courses and 2 history courses.

- 24

If $p \leftrightarrow q$ is True, then _____.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- p and q both are True.

If A and B be events with $P(A) = 1/3$, $P(B) = 1/4$ and $P(A \cap B) = 1/6$, then $P(A \cup B) = \underline{\hspace{2cm}}$.

- 5/12

an integer n is a perfect square if and only if $\underline{\hspace{2cm}}$ for some integer k.

- $n = k^2$

If A and B are disjoint finite sets then $n(A \cup B) = \underline{\hspace{2cm}}$.

- $n(A) + n(B)$

Let $X = \{2, 4, 5\}$ and $Y = \{1, 2, 4\}$ and R be a relation from X to Y defined by $R = \{(2,4), (4,1), (a,2)\}$. For what value of 'a' the relation R is a function ?

- 5

$\sim(P \rightarrow q)$ is logically equivalent to $\underline{\hspace{2cm}}$.

- $p \wedge \sim q$

A tree is normally constructed from $\underline{\hspace{2cm}}$.

- left to right

A Random variable is also called a $\underline{\hspace{2cm}}$.

- Chance Variable

The conjunction $p \wedge q$ is True when $\underline{\hspace{2cm}}$.

- p is True, q is True

The logical statement $p \wedge q$ means $\underline{\hspace{2cm}}$.

- p AND q

Which of the followings is the factorial form of 5 . 4?

- 5!/3!

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيك صحبت بهتر هه

For More Help Contact What's app 03224021365

What is the minimum number of students in a class to be sure that two of them are born in the same month?

- 13

If p is false and q is true, then $\sim p \leftrightarrow q$ is _____.

- True

If f and g are two one-to-one functions, then their composition that is $g \circ f$ is one-to-one.

- TRUE

$(p \vee \sim p)$ is the _____.

- Tautology

$(-2)! =$ _____ ?

- Undefined

If $p =$ It is raining, $q =$ She will go to college
"It is raining and she will not go to college"
will be denoted by

- $p \wedge \sim q$

Let $X = \{1, 2, 3\}$, then 2-combinations of the 3 elements of the set X are _____?

- $\{1, 2\}, \{1, 3\}$ and $\{2, 3\}$

Let $f(x) = x^2 + 1$ define functions f from R to R and $c = 2$ be any scalar, then $c.f(x)$ is _____.

- $2x^2 + 2$

The disjunction of p and q is written as _____.

- $p \vee q$

If X and Y are independent random variables, then $E(XY)$ is equal to

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- $E(x)E(y)$

How many possible outcomes are there when a fair coin is tossed four times?

- 16

Which of the followings is the product set $A * B * C$? where $A = \{a\}$, $B = \{b\}$, and $C = \{c, d\}$.

- $\{(a, b, c), (a, b, d)\}$

The number of the words that can be formed from the letters of the word, "COMMITTEE" are

- $9! / (2!2!2!)$

One-to-One correspondence means the condition of ____.

- One-One and onto

The functions $f \circ g$ and $g \circ f$ are always equal.

- FALSE

If order matters and repetition is allowed, then which counting method should be used in order to select 'k' elements from a total of 'n' elements?

- K-Sample

Determine values of x and y , where $(2x, x + y) = (8, 6)$.

- $x = 4$ and $y = 2$

Let g be a function defined by $g(x) = x + 1$. Then the composition of $(g \circ g)(x)$ is ____.

- $x + 2$

What is the truth value of the sentence?

'It rains if and only if there are clouds.'

- False

بري صحبت سے تڻهائي بهتر ٿي ۽ نڪي صحبت بهتر ٿي

For More Help Contact What's app 03224021365

Reductio and absurdum' is another name of _____.

- Proof by contradiction

X belongs to A or x belongs to B, therefore x belongs to _____.

- A union B

Which of the followings is the product set $A * B * C$? Where $A = \{a\}$, $B = \{b\}$, and $C = \{c, d\}$.

- $\{(a, b, c), (a, b, d)\}$

Real valued function is a function that assigns _____ to each member of its domain.

- Only a real number

The negation of "Today is Friday" is

- Today is not Friday

A non-zero integer d divides an integer n if and only if there exists an integer k such that _____.

- $n = dk$

The statement $p \rightarrow q$ is logically equivalent to $\sim q \rightarrow \sim p$

- True

Let R be the universal relation on a set A then which one of the following statement about R is true?

- R is reflexive, symmetric and transitive.

Let $f(x)=3x$ and $g(x) = 3x - 2$ define functions f and g from R to R. Then $(f+g)(x) =$ _____.

- $6x - 2$

The switches in parallel act just like _____.

- OR gate

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

The converse of the conditional statement $p \rightarrow q$ is

- $q \rightarrow p$

If X and Y are random variables, then $E(aX)$ is equal to

- $aE(X)$

Which of the following statements is true according to the Division Algorithm?

- $17 = 5 \times 3 + 2$

Let $p \rightarrow q$ be a conditional statement, then the statement $q \rightarrow p$ is called _____.

- Converse

The disjunction $p \vee q$ is False when _____.

- P is False, q is False.

A student can choose a computer project from one of the two lists. The two lists contain 12 and 18 possible projects, respectively. How many possible projects are there to choose from?

- 30

The converse of the conditional statement 'If I live in Quetta, then I live in Pakistan' is _____.

- If I live in Pakistan, then I live in Quetta.

The functions ' f ' and ' g ' are inverse of each other if and only if their composition gives _____.

- Identity function

$P(0, 0) = \underline{\hspace{1cm}}?$

- 1

Let p_1, p_2, p_3 be True premises in a given Truth Table. If the

conjunctions

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

of the Conclusion with each of p_1 , p_2 , p_3 are True, then the argument is _____.

- Valid

If p is false and q is false, then $\sim p$ implies q is _____.

- False

A box contains 5 different colored light bulbs. Which of the followings is the number of ordered samples of size 3 with replacement?

- 125

Let $A = \{2, 3, 5, 7\}$, $B = \{2, 3, 5, 7, 2\}$, $C =$ Set of first five prime numbers. Then from the following which statement is true ?

- $A = B$

The set of prime numbers is _____.

- Infinite set

The contrapositive of the conditional statement 'If it is Sunday, then I go for shopping' is _____.

- I do Not go for shopping, then it is Not Sunday.

Let p be True and q be True, then $(\sim p \wedge q)$ is _____.

- False

In how many ways a student can choose a course from 2 science courses, 3 literature courses and 5 art courses.

- 30

The method of loop invariants is used to prove _____ of a loop with respect to certain pre and post-conditions.

- correctness

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

A student is to answer five out of nine questions on exams. Find the number of ways that can choose the five questions

- 126

If A and B are any two sets, then $A - B = B - A$

- False

There are 5 girls students and 20 boys students in a class. How many students are there in total?

- 25

A sequence whose terms alternate in sign is called Series

Cauchy sequence

Alternating sequence

None of the above

The 3rd term of the sequence $B_5 = 5n$

125

625

5

25

If a function is recursively defined as $f(0) = 4$ & $f(n + 1) = 3f(n) + 3$ then $f(2) = \dots\dots\dots$

15

بري صحبت سے تڻهائي بهتر ٻي اور تڻهائي سے نيڪ صحبت بهتر ٻي

For More Help Contact What's app 03224021365

55

48

50

The _____ of the terms of a sequence forms a series.

Sum

Multiplication

Let $f: \mathbb{R} \rightarrow \mathbb{R}$ is one to one function then c, f, c is not equal 0 is also one to one function.

False

True

720 =

4!

5!

7!

6!

The composition of functions is always _____.

Onto

Associative

one-to-one

commutative

What will be the fourth term of the following sequence $1/2, 2/3, 3/4, \underline{\hspace{1cm}}$?

5/6

7/8

4/5

6/7

برى صحبت سے تڻهائي بهتر هے اور تڻهائي سے نيڪ صحبت بهتر هے

For More Help Contact What's app 03224021365

Which of the following set is the domain of a sequence?

Set of natural numbers

Set of complex numbers

Set of real numbers

Set of rational numbers

Let $f(x)=x^2-1$ and $g(x)=x+1$ define functions f and g from R to R , then $(f/g)x$

x^2-1

x^2+1

$x-1$

$x+1$

$9!/6!=$ ____.

506

509

504

509

If a function is recursively defined as $f(0) = 4$ & $F(n + 1) = 3f(n) + 3$ then $f(1) =$ ____

25

10

20

15

بري صحبت سے تڻهائي بهتر هه اور تڻهائي سے نيڪ صحبت بهتر هه

For More Help Contact What's app 03224021365

Vu Topper RM

برى صحت سے تٲھائی بهتر ہے اور تٲھائی سے نيك صحت بهتر ہے

For More Help Contact What's app 03224021365