Prepared by Fatima ul Zahar
Composed by Zainab Arshad

Economic Zoology:ZOO510 mega MCQs FILE FOR FINAL TERM

Prepared by Fatima UL Zahra

Composed By Zainab Arshad

Uploaded at: https://www.youtube.com/channel/UCh-swQpEKauZh4oSbk1z3Yg



Contact : abdulrehman74779@gmail.com

Zainab Arshad Official

Economic Zoology:zoo510

Lecture no 128 to 180

Quiz preparation for final term

1.Inorganic P is_____ available than phytate P.

a) Less b) More c) Maximum d) Minimum

2.1/4 Manganese Sulphate added to ton of mesh feed _____grain.

a) Within b) In addition to c) Without d) Plus

3._____Ib to mesh feed with grain.

a) 1/5 b)1/7 c)2/7 **d)1/2**

4.Iodized salt must be used instead of _____ salt in the poultry ration.

a) Usual b) Rude c) Common d) Regular

5.Skeletal abnormalities, ataxia and necrotic dermatitis are caused by _____.

a) Phosphorous b) Selenium c) Zinc d) Manganese

6.Total ration of Salt_____.

a) 0.9-2% b) 0.3-1% c) 0.5-1% d) 0.8-2%

7.Laying hens require higher content of _____in their feed in very hot weather.

a) Cold b) Tropical c) Hot d) Warm

8.Nutritional roup in laying hens caused by the deficiency of _____.

a) Vitamin D b) Vitamin C c) Vitamin A d) Vitamin E

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

9.Breast bone soften, bones of legs and wings become fragile by which _____.

a) Vitamin A b) Vitamin C c) Vitamin D d) Vitamin E

10.Riboflavin and Vitamin E in laying hens caused _____.

a) More hatchability b) Less hatchability c) Low hatchability d) Moderate hatchability

11. To adjust _____ intake in accordance with the rate of egg production.

a) Vitamin b) Nutrient c) Protein d) carbohydrate

12. Egg size from _____ at 22W.

a) 39g/egg b)40 g/egg c) 45g/egg d)40 g/egg

13.Egg size is 56 g/egg at_____.

a) 46W b) 43W c) 44W d) 42W

14. Period after 42W of age when the hens attained _____ body.

a) Grown b) Fully developed c) Mature d) Adult

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

15. Egg production hen usually cover a period of _____ month.

a) 14 b) 13 c) 12 d) 16

16. The choice of _____ level in layer diet depend on accurate evaluation of extra-cost.

a) Nutrient b) Protein c) Vitamin d) Carbohydrate

17. Linoleic acid includes in the formation of _____.

a) formation lipoprotein in liver

b) Formation of lipoprotein in stomach

c) Formation of lipoprotein in Lungs

d) Formation of lipoprotein in Heart

18. The quality of egg shells depend on the presence of adequate levels of vitamin _____ & certain minerals including Ca, P & Zn.

a) D2 b) D4 c) D5 d) D5

19. The blood carbonate is the source of carbonate in the _____ formation.

a) Egg b) Neck c) Shell d) Brain

Zainab Arshad Official

20. Very hot weather _____ quality egg shells.

a) poor b) excellent c) Bad d) imperfect

21. Slight yellowish-green tinge in albumin is caused by the deficiency of _____.

a) B2 b) B4 c) B4 d) B5

22. The color of egg yolk depend upon the presence of _____ pigment.

a) carotenoid b) xanthophyll c) hemoglobin d) Anthocyanins.

23. The general principles of feeding turkeys are - _____ to those for feeding broilers.

a) Different b) Similar c) near d) close

24. Major differences are in the _____ levels.

a) Protein b) Vitamin c) Nutrient d) Carbohydrate

25. Poults must be fed and watered as soon as possible after _____.

a) Hatching b) cook up c) Develop d) Drown

26. Vitamins and minerals supply of the diet essential for good hatchability of _____ eggs.

Zainab Arshad Official

a) Turkey b) Geese c) Duck d) sparrow

27. At 10-12W of age separate _____ from toms.

a) Hens b) Crows c) Sparrow d) peacock

28.At 17-20 W percentage of protein is_____.

a) 16 b) 15 c) 13 d) 11

29.At 21 W percentage of protein is _____.

a) 13-14 b) 14-15 c) 13-15 d) 16-18

30. Leg weakness disorders is caused by the deficiency of _____.

a) Ca, P, vitamin D, choline, Biotin, folic acid, Manganese and zinc b) Ca, P, Folic acid c) Manganese, choline

31.Enlargement of hock joint by the deficiency of _____.

a) niacin, biotin, vitamin E & zinc b) niacin, biotin
c) Vitamin E d) Zinc

32. biotin deficiency caused_____.

a) Footpad dermatitis b) Enlargement of hock joint
c) Leg weakness d) Pendulous crop

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

33. Yeast proliferation in crop caused _____.

a) Pendulous crop b) Enlargement of hock joint c) leg weakness d) Footpad dermatitis

34.Treatment of pendulous crop _____.

a) Fungal inhabiting antibiotics b) Parasite inhabiting antibiotics c) Virus inhabiting antibiotics d) Pathogens inhabiting antibiotics

35. High salt intake fluid accumulation in body cavities is caused _____.

a) Ascitis b) pendulous crop c) Leg weakness

36. Exudative diathesis is caused by the deficiency _____.

a) Selenium b) Zinc c) Phosphorous d) Iodine

37. Aflatoxin affect the _____ system.

a) Immune b) Excretory c) respiratory d) nervous

38._____ hemorrhage may bluish the carcass.

a) Mycotoxin b) albumin c) Hemoglobin d) Pepsin

39. Geese will start to eat pasture when they are only few ____ old.

Zainab Arshad Official

A) Months b) Days c) Years d) centuries

40. If a commercial feed for ducks & geese is - _____ available.

a) Yes b) No c) may be d) neither

41.There are basically _____types of disease that may considered in poultry.

a) 2 b) 3 c) 4 d) 5

42. Protecting your birds from disease.

a) Biosecurity b) Chemistry c) Biology d) Physics

43. Something that may transmit a disease.

a) Vector b) scale c) Graph d) parameter

44.Rodents, birds, car tires and shoes are the example of _____.

a) Vectors b) Scale c) Graph d) parameter

45. Biosecurity is the _____ most effective means of disease control.

a) expensive b) cheapest c) More expensive

Zainab Arshad Official

46. Drying and sunlight are very effective at _____ many disease causing organisms.

a) Killing b) murder c) deadly d) dispatch

47._____ steps to cleaning and disinfection.

a) Four b) five c) Three d) Two

48.Steps for cleaning and disinfection.

a) Dry clean, rinse, dry, soap and disinfect b) Dry clean, rinse c) Soap, disinfect

49. Any condition that results in deviation from normal function

a) Disease b) virus c) Bacteria d) pathogen

50. General Signs of Disease are_____.

a) Huddling, Depression Runting /stunting, poor appetites b) poor appetite c) Huddling

51.Fowl pox is a_____ diseases.

a) Viral b) infectious c) bacterial

52.Fowl pox is belong to which family _____.

Zainab Arshad Official

a) Pox viridae b) animalia c) Plantae

53. Beef, Pork, Lamb, Goat Poultry are used as a _____.

a) meat b) chicken c) Milk d) eggs

54. Eggs used in _____.

a) Pastries, Mayonnaise, Custards b) Pastries c) Mayonnaise c) Custards

55.Milk used in_____.

a) Cheese, Ice Cream, Yogurt b) Yogurt
c) Ice Cream d) Cheese

56.Collagen by-products are_____.

a) Glue, Gelatin b) Glue c) Gelatin

57.Glands by-products are_____.

a) Medicines, food additives b) medicines c) Food additives

58.Animals by- products are_____.

a) Bones, glands, fats, collagen b) Bones c) collagen d) fats

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

59. The length of the oestrous cycle of a cow is _____ days.

a) 21 b) 22 c) 24 d) 25

60. The gestation period of the dairy cow is _____ days.

a) 283 b) 235 c) 345 d) 346

61. A _____ commences producing milk as soon as she has a calf.

a) cow b) buffalo c) Goat d) Crow

Zainab Arshad Official

62. If the cow is used to suckle calves, then she may continue to produce milk for up to _____ years.

a) 2 b) 3 c) 4 d) 6

63. If she becomes pregnant (in-calf) she will go dry _____ months before calving.

a) 2 b) 3 c) 4 d) 5

64.Lactations also yield vary with a cow _____.

a) Age b) hair c) eyes d) Bain

65. Milk used for bottling or drinking must by law contain _____% fat.

a)6.8 b) 3.4 c) 4.7 d) 3.6

66. Milk composition varies also amongst _____ breeds.

a) same b) Different c) may be

67. Also the composition of milk varies _____ milking.

a) during b) before c) after d) between

68. _____ milk is caused by unhygienic milking machines or poor milk filters.

a) Dirty b) clean

69. Land is required _____ acres per animal.

a) 1-6 b) 1-7 c) 1-8 d) 1-5

Zainab Arshad Official

70.Monogastric are _____.

a) Human, Dogs, Pigs b) Humans c) pigs
c) dogs

71. The process by which animals eat and use food.

a) animal nutrition b) Biosecurity c) bio medication

72. A substance that is necessary for an organism to live and grow.

a) Nutrient b) Protein c) Carbohydrates d) Vitamins

73.Essential nutrients are_____.

a) Water, Carbohydrates , Fats , Proteins , Minerals and Vitamins b)Carbohydrates c) water d) Fats

74. Salt, Calcium, Phosphorous, Magnesium, Potassium, sulfur are _____.

a) Micro b) Macro c) Vitamins d) Proteins

75. Chromium, Cobalt, Copper, Fluorine, Iodine, Iron are _____.

a) Micro b) macro c) Proteins d) Vitamins

Zainab Arshad Official

76.Monogastric has_____.

a) one stomach b) two stomach c) Three stomach d) five stomach

77.Avian has_____.

a) crop and gizzard b) crop c) gizzard

78.There are _____ types of carbohydrates.

a) Three b) Two c) five d) four

79. Fat is a good _____ of energy.

a) source b) resource c) tissue

80. Fats have _____ times more energy than carbohydrates.

a) 22.6 b) 22.4 c) 34.7 d) 2.25

81.Amion acids are the building blocks of _____.

a) Proteins b) Vitamins c) nutrient

82. There are _____ essential proteins.

a) 10 b) 20 c) 30 d) 40

83.There are ____ types of vitamins.

a) 2 b) 3 c) 4 d) 5

Zainab Arshad Official

84.Names of vitamins are _____.

a) fat soluble and water soluble b) water soluble c) water soluble

85.Fat soluble vitamins are _____.

a) A, K, E b) A, K c) A d) A, D, E, K

86.Water soluble vitamins are_____.

a) C, B b) C, A c) A, E

87.Carbonaceous includes _____.

a) Corn silage, Grass silage b) Corn silage c) Grass silage

88. Protein acerous includes _____.

a) Clover silage, Alfalfa silage b) Alfalfa silage c) Clover silage

89. Most commonly used plant protein supplement is _____.

a) soya bean b) Alfalfa

90.There are_____ types of mixers.

a) two b) three c) four d) six

91.Name the types of mixers_____.

Zainab Arshad Official

a) Vertical b) Horizontal c) Vertical and horizontal

92.High moisture grains are harvested at _____.

a) 20-35% b) 34-65% c) 45-56%

93.High moisture grains can improve the efficiency at _____.

a) 8% b) 6% c) 9% d) 10%

94.Roasting require heat _____F.

a) 300 b)400 c) 500 d) 600

95.Steam flaking require _____minutes.

a) 30 b) 40 c) 50 d)15-30

96.Pallets varies in different shapes _____.

a) Crumbles, Pellets, Granules, Crumbles b) granules
c) Pellets d) Crumble

97.Dairy closely grounds _____.

a) 1200 microns b)1300 microns c)1440 microns
d) 1100 microns

98.Swine starter diet _____.

a) 650-750 b) 850-950 c) 450-150

99.Swine breeding herd may be_____.

Zainab Arshad Official

a) 750-900 b) 450-900 c) 650-800 d) 345-875

100.Hammer mill can grind _____.

a) Hay, ear-corn, grains b) Ear-corn c) Grains d) grains

101.Feedstuff improve efficiency _____.

a) 5-40% b) 5-15% c) 10-30%

102.Water soluble riboflavin are _____.

a) Milk products, yeast, hay b) Milk c) Yeast d) Hay

103.Vitamin A is found in _____.

a) Green plants b) yellow plants c) pigments

104.Vitamin D can fed by the oil of _____.

a) b) Cow c) crow d) sparrow

105.Vitamin D can be synthesized by _____on the skin.

a) Sunlight b) tube-light

106.Vitamin E is found in _____ grain.

a) Germ b) Bacteria c) fungi

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

107.Vitamin E is found in all the _____plants.

a) Green b) yellow c) pink

108.Vitamin K is found in _____.

a) green plants b) yellow plants

109.There are _____trace minerals.

a) three b) two

110.Crops used for _____silage.

a) corn, legumes, Haylage b) corn c) Legumes

111. _____ is most common, very difficult to make well.

a) Haylage b) corn c) Legumes

112. _____can keep for several years, if stored well.

a) corn silage b) maize c) Legumes

113. – Lowered pH prevents bacterial growth and further fermentation as long as it is _____.

a) oxygen b) carbon c) Hydrogen

Zainab Arshad Official

114. Acetic acid first acid, reduces pH from _____.

a) 6-8.1 b) 4-5.3 c) 6-4.2

115. Lactic Acid begins on_____ weeks.

a) 3 b) 4 c)5 d)

116.Lactic acid lasts at _____weeks.

a) 2 b) 3 c) 4 d) 5

117. abundant acid, stops around pH _____.

a) 4.0 b) 5.0 c) 6.0 d) 5.9

118. _____ pH prevents bacterial growth.

a) Lowered b) Let down c) Higher

119.Fermentation takes about _____days.

a) 21 b) 23 c) 24 d) 25

120. Leaves have _____ more protein than stems.

a) 2-3 b) 4-5 c) 5-6 d) 7-9

121. _____ moisture may lead to mold and excess heating.

a) 25-30% b) 15-20% c) 5-105 d) 35-40%

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

122. Spontaneous _____ risk is high is hay.

a) combustion b) burning c) reaction

123. Spontaneous combustion risk is high is hay reaches_____.

a) 160 b) 150 c) 140

124.Fermentation should account for only _____.

a) 5-7% b) 4-6% c) 3-6% d) 7-8%

125. During its sweating phase, hay should be not warmer than _____.

a) 84 b) 85 c) 88 d) 89

126. Conditioning can reduce curing time by _____%.

a) 50 b) 60 c) 70 d) 80

127. Maximum moisture _____%.

a) 18-20 b) 12-19 c)23-29

128.Hays should be _____% moisture or less.

a) 15 b) 14 c) 13 d) 11

129.Small grains are _____.

Zainab Arshad Official

a) Wheat, corn b) wheat c) corn

130. Timothy contain _____.

a) 8-12% CP b) 7-12% c) 8-15%

131. Carbonaceous Roughages contains _____.

a) <10% CP b) >10% CP c) <20% CP

132.Soyabeans Hulls _____.

a) 12% CP b) 10%Cp c) 23% CP

133. Wheat middling contain_____.

a) 15-17% CP b) 16-18% CP c) 12-14% CP

134. Distiller's Dried Grains contains _____CP.

a) 25-27% b) 23-24% c)34-36%

135. Distiller's Dried Grains consist of _____CP.

a) 9-11% b) 8-9% c)12-3%

136. Corn Gluten Feed contains _____CP.

a) 20-25% b) 30-35% c) 40-45%

137. Corn Gluten Meal contains _____CP.

a) 46-60% b) 56-70% c)67-80%

138.Whey protein contains _____CP.

Zainab Arshad Official

a) 11% b) 12% c) 13% d) 14%

139. Whey proteins contains _____Lactose.

a) 61 b) 17 c) 18 d) 19

140. Fish meal contains _____%CP.

a) 35-70 b) 50-80 c) 25-60

141. Marine protein supplement contains _____%CP.

A) 80 b) 60 c) 70 d) 90

142. Urea contains _____%CP.

a) 281 b) 381 c) 430 d) 390

143. Animals fats contains_____.

a) 5% max in ruminant diets, 10% in non-ruminants
b) 5% max in ruminant diets c) 10% in non- ruminant

144. Molasses contains _____%CP.

a) 3-7 b) 4-8 c) 5-9

145. Molasses contains _____%TDN.

a) 55-75 b) 65-80 c)35-50

146. Dried Beet Pulp contains _____%TND.

Zainab Arshad Official

a) 65- 70 b)45-60 c)65-80

147.Dried Beet Pulp contains _____%CP.

a) 8-10 b) 9-10 c) 5-9

148.Dried Beet Pulp consist of _____%CF.

a) 18 b) 19 c) 20

149.Oats contains _____%TND.

a) 65-70 b) 45-60 c) 55-80

150.Corn consist of _____%CP.

a) 8-9 b) 9-10 c) 10-11

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

Zainab Arshad Official

Prepared by Fatima ul Zahar
Composed by Zainab Arshad

Zainab Arshad Official