Assignment 2:

Question:

Preservation methods for biological specimens such as insects, amphibians, birds, and reptiles vary based on the type of organism and the intended use of the preserved specimens. What are some commonly used procedures for each group?
Preservation of biological specimens is vital for various purposes including scientific research, educational display, and documentation of biodiversity. Each type of organism—ranging from insects to reptiles—requires specific methods of preservation to maintain the structural integrity and biological information of the specimens. Here's an in-depth look at the preservation techniques used for insects, amphibians, birds, and reptiles.

Insects:

The preservation of insects is critical for entomological studies and museum collections, as it helps in the identification, taxonomy, and ecological documentation of species. The choice of preservation method depends on the physical characteristics of the insects and the purpose of preservation, such as morphological studies or genetic analysis.

1. **Pinning and Mounting**:
   Large insects are typically pinned directly through the thorax. Specialized insect pins of varying sizes are used to avoid damaging the specimen. The insect is then arranged in a lifelike pose on a mounting board. This method facilitates easy viewing and display of the insect's morphology.
   For very small insects, points or cards are used where the insect is glued to a tiny paper triangle that is then pinned, preventing damage to delicate structures.

2. **Ethanol Preservation**:
   Specimens not suitable for pinning, especially those used for genetic studies, are stored in ethanol. Concentrations of 70-95% ethanol are used to preserve the soft body tissues and prevent decomposition. Ethanol immersion is crucial for preserving internal structures but can cause slight discoloration and shrinkage.

3. **Freeze Drying**:
   Freeze drying is employed for more delicate specimens that might be damaged by traditional drying methods. This process involves freezing the insect and then placing it under a vacuum so that the ice sublimates. This preserves the three-dimensional structure without causing shrinkage or distortion.

4. **Glycerin Storage**:
   Small and soft-bodied insects are sometimes stored in glycerin. Unlike ethanol, glycerin does not cause dehydration, thus maintaining the insect's flexibility and color. However, glycerin can make certain tissues transparent, which might be undesirable for some morphological assessments.

By M.Kashif(03064963933)

Amphibians and Reptiles:

Amphibians and reptiles are generally preserved in fluid to maintain the integrity of their soft tissues and complex body structures. Preserving these animals requires careful handling to ensure that their morphology is not distorted during the process.

1. **Formalin Fixation:**
   Formalin, a solution of formaldehyde in water, is initially used to fix the specimens. It cross-links protein molecules, effectively stopping decay by killing bacteria and fungi. Amphibians and reptiles are soaked in 10% formalin for initial fixation, followed by a thorough rinse in water to remove excess formalin which can lead to crystallization and tissue damage.
2. **Transfer to Ethanol:**
   Post-formalin fixation, specimens are usually transferred to 70% ethanol for long-term storage. Ethanol is preferred for storage as it is less toxic and preserves both the morphological and molecular integrity of the tissues. Ethanol also penetrates tissue well, which is crucial for thicker-skinned reptiles.
3. **Cryopreservation**:
   For genetic studies, parts of tissues are often cryopreserved at temperatures below -80°C. This method is excellent for preserving DNA and cellular structures, which are critical for genetic and disease studies.

Birds:

Bird specimens are preserved using methods that maintain their plumage for visual identification and educational purposes, or their bones for anatomical studies.

1. **Study Skins**:
   a. The most common method for bird preservation in museums is the creation of study skins. This involves removing all internal organs and stuffing the skin with cotton or other materials. The bird's natural pose is recreated, and artificial eyes are inserted. This method is excellent for display and morphological studies.
2. **Skeleton Preparation**:
   The preparation of bird skeletons involves cleaning the flesh from the bones, which is often done using dermestid beetles. The cleaned bones are then articulated or left disarticulated for educational or research purposes.
3. **Freezing for Genetic Research**:
   Similar to amphibians and reptiles, tissue samples from birds are often frozen for genetic analysis. This is crucial for studies involving genetics, breeding, and conservation efforts.

Reptiles:

Reptiles are preserved using similar methods to amphibians, with additional considerations for their larger size and scaly skin.

1. **Formalin and Ethanol**:
   The process begins with formalin fixation to halt decay, followed by storage in ethanol. This dual process ensures the preservation of both external and internal morphology, which is essential for later studies.

By M.Kashif(03064963933)

2. **Freezing**:
   Portions of reptile tissue are also frozen for molecular studies. This is particularly important for endangered species, where genetic information is crucial for conservation strategies.

These detailed preservation methods are tailored to meet the specific needs of different

To Join whatsapp Group touch at hearts emoji below



By M.Kashif(03064963933)