CS201

Quiz No.4 Jan 2026

VU Zone | Iqra Azhar Official

Our Services

- LMS Handling (All Subjects)
- Assignments (All Subjects)
- Quizzes & GDBs (All Subjects)
- Lecture Views Assistance
- Online Book Shop
- Seminar
- Project Handling (All Types of Projects - CS, Management, English, Math, and more)
- Internship /Organizational Reports (All Fields)
- Web/App Development for Other Shops / Businesses

90% To 100% Marks

Click Here: IQRA AZHAR +923305516507,

Arslan Asghar +923032046086

1. **The friend function of a class can have access**

   _____.

   - to the protected data members
   - to public, private and protected data members ✓
   - to the public data members only
   - to the private data members

2. **Why is malloc() discouraged in C++ for objects?**

   - It is slower than new.
   - It only works with primitive types.
   - It cannot allocate memory.
   - It does not call constructors/destructors ✓

3. **With user data type variables (Objects) self assignment can produce**

   - Logical error ✓
   - Syntax error
   - Link error

VU ZONE WITH IQRA AZHAR

- Run time error

4. **Identify the correct method of adding two strings, s1 and s2.**
   - s1+s2 ✓
   - s1, s2+
   - strcat(s1, s2);
   - s1+s2 and strcat(s1,s2) ✓
5. **Which of the following is the correct definition of streams?**
   - It is an unordered sequence of bytes
   - It is an unordered sequence of bits
   - It is an ordered sequence of bits
   - It is an ordered sequence of bytes ✓
6. **Choose the operator which cannot be overloaded in C++.**
   - | |
   - ? ✓
   - ~
   - &

VU ZONE WITH IQRA AZHAR

7. **public or private keywords can be _____**
    - written multiple times in the class or structure declaration ✓
    - written outside the class
    - written only for once in the class or structure declaration
    - written only twice in the class declaration
8. ***this is a pointer that always points to**
    - A Value of data member
    - Current function of the class
    - Current object of the class ✓
    - Current pointer of the class
9. **For the joining of two strings in string class, we may use "+" operator, can we use "-" operator the same way for subtracting strings?**
    - Yes
    - Yes along ":?" operator only
    - Yes along "+" operator only

VU ZONE WITH IQRA AZHAR

- No ✓

10. **Which one of the following is the declaration of overloaded pre-increment operator implemented as member function?**

- Class-name operator ++(); ✓
- Class-name operator +() ;
- Class-name operator +(int) ;
- Class-name operator ++(int) ;

11. **Operator overloading is to allow the same operator to be bound to more than one implementation, depending on the types of the _____.**

- Operands ✓
- Compilers
- Function names
- Applications

12. **Which of the following is normally a source for cin stream?**

- Constant

VU ZONE WITH IQRA AZHAR

- Printer
- Variable
- Keyboard ✓

13. **When the compiler overloads the assignment (=) operator by default then**

- Compiler does not allow default assignment operator
- Compiler does member wise assignment. ✓
- Compiler does not do member wise assignment.
- Class members are not assigned properly

14. **If class A is a friend of class B, and class B is a friend of class C. If class A wants class C to be a friend, _____**

- it has to declare, class A as a friend
- it has to declare, class B and class A as friend classes
- it has to declare, class C as a friend ✓
- it has to declare, class B as a friend

15. **Which of the following syntax is best used to delete an array of**

VU ZONE WITH IQRA AZHAR

5 objects named 'string' allocated using new operator.

- delete []string ; ✓
- delete string[] ;
- delete string[5] ;
- delete string ;

16. **Suppose we have a data member buf of our String class and we like to refer it in a member function of the same class, then choose which option is incorrect?**
    - this.(*buf) ✓
    - (*this).buf
    - this -> buf
    - buf
17. **Overloaded delete operator function takes parameter of void pointer and returns.**
    - void pointer
    - object pointer

VU ZONE WITH IQRA AZHAR

- int pointer
- void (nothing) ✓

18. **Friend function declaration can go _____ the class**

- only within ✓
- in the member function of
- anywhere in
- only outside

VU ZONE WITH IQRA AZHAR

PROFESSIONAL ONLINE ACADEMY BY IQRA AZHAR

Academic Support • LMS Handling • Assignments • Quizzes • Projects

Visit My YouTube Channel for Important Files, Subjective Solutions, Assignment Solutions, and GDB Solutions

Click Here: VU ZONE WITH IQRA AZHAR

Join Our WhatsApp Community

Click Here: VU Zone | Iqra Azhar Official

Contact Number (Phone / WhatsApp)

Click Here: +923305516507, +923032046086

THANK YOU

VU ZONE WITH IQRA AZHAR

For more help, contact us on WhatsApp at +923305516507, +923032046086