CS201

Introduction to programming

Quiz no 3

Last date : 🌹 27 Dec 2024 🌹

Solved by : Math zone for Vu

Virtual University all paid services available||lms handle ||Lecture watch ||Quiz ||Assignment ||Online books|| projects of all code ||for further Info contact me
Specially projects

اب-100%نمبر حاصل کریں -

Call 03235429064
Whatsapp: 03305516507

CS201 -QUIZ 3 SOLVED BY MATH ZONE FOR VU

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

1 The friend keyword provides access _____. Select the correct option
to the data members of the friend class only
in two directions
to all classes in one direction only

2 The members of a class declared without any keyword are _____ by default Select the correct option
Constant
Private
Public
protected

SOLVED BY "MATH ZONE FOR VU" VU ALL PAID S

MATH ZONE FOR VU

3 The malloc function takes _____ argument(s). Select the correct option
Four
Three
Two
one

4 1free function is available in _____ header file. Select the correct option
string.h
iostream.h
conio.h
stdlib.h

5 Functions declared with the _____ specifier in a class member list are called friend functions of that class. Select the correct option

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

Protected
Private
Friend
public

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

6 Once we have defined a symbolic constant value using #define, that value _____during program execution.Select the correct option
Varies
becomes zero
can be changed
cannot be changed

7 Constructor is a special function, called whenever we _____. Select the correct option
instantiate an object of a class
create a function
destroy an object
create a class

MATH ZONE FOR VU

8 The memory allocation functions return a chunk of memory with a pointer of type_____. Select the correct option
Float
Integer
Void
Ptr

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

9 Which one of the following is mandatory preprocessor directive for c++? Select the correct option
#undef <iostream>

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

All of the given

#undef <iostream>

#include <iostream>

10 The compiler use a name mangling technique to _____. Select the correct option

Generate unique functions

Run the functions

Compile the functions

Generate a unique token that is assigned to each function

11 C++ offers _____ levels of data access control inside a class Select the correct option

Five

Three

Four

Two

12 a = a & b; can be written as_____.Select the correct option

a = b;

a &= b;

a=a & b;

a =& b

13 _____ is a special type of pointer we have to cast it before we use it. Select the correct option

Void

Double

MATH ZONE FOR VU

SOLVED BY "MATH ZONE FOR VU" VU ALL PAID S

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

Float
integer

14

we include the header file in the angle brackets the compiler searches for it in _____. Select the correct option

specific directory

current directory

all the drives

current folder

MATH ZONE FOR VU

15 If the memory in the free store is not sufficient, _____.Select the correct option

malloc function returns NULL pointer

malloc function returns 1

malloc function returns free space

malloc function returns 0

161If the request of new operator is not fulfilled due to insufficient memory in the heap _____. Select the correct option

free operator returns nothing

the new operator returns 2

the new operator returns 1

the operator returns 0

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

17 The function overloading requires_____. Select the correct option
the arguments of integer type only
the argument list to be different.
no arguments
the argument list to be the same

18 Macros are categorized into _____ type(s).Select the correct option
One
Four
tWo
three

SOLVED BY "MATH ZONE FOR VU" VU ALL PAID S

MATH ZONE FOR VU

19 What is the other name for a variable?Select the correct option
Identifier
Static
Constant
Visual

20 An instance of a class is called _____. Select the correct option
data type
member function
structure
object

21getche() is a _____ function and defined in _____ header file. Select the correct option

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

user-define function , conio.h
built-in function, stlib.h
built-in function , conio.h
built -in function, iostream.h

22 If class A is a friend of class B, and class B is a friend of class C. If class A wants class C to be a friend, _____ Select the correct option
it has to declare , class A as a friend
it has to declare, class C as a friend
it has to declare, class B and class A as friend classes
it has to declare, class B as a friend

23 Initializing the data member within the class is _____. Select the correct option
not an error
a logical error
a syntax error
a run time error

24 Windows operating system may itself takes memory from _____. Select the correct option
Stack
Lists
Array
heap

SOLVED BY "MATH ZONE FOR VU" VU ALL PAID S

25 The members of a class declared without any keyword are _____ by default Select the correct option

MATH ZONE FOR VU

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

Public

Private

Protected

constant

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

26 symbolic constant PI can be defined as: Select the correct option

#define PI 3.14 ;

#define PI 3.14

#define PI=3.14

include pi= 3.14

MATH ZONE FOR VU

27 All the preprocessors directives starts with _____. Select the correct option

#

$

&

_

SOLVED BY "MATH ZONE FOR VU" VU ALL PAID S

28 The destructor is used to _____. Select the correct option

create objects

allocate static memory

deallocate memory

allocate memory

29 Destructor _____.Select the correct optiontakes no arguments and can be overloadedcan be overloaded and have return type

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

cannot be overloaded and have return type

cannot be overloaded and have no return type

30 a ^= b; can be written as_____.Select the correct option

a = a ^ b;

a = a^+b;

a^= a + b;

a = b ^ a;

31 _____ is a special type of pointer we have to cast it before we use it. Select the correct option

Float

integer

double

void

MATH ZONE FOR VU

32 The name of the destructor is the same as that of a class proceeding with a _____ Select the correct option

~ sign

sign&

Sign

@ sign

SOLVED BY "MATH ZONE FOR VU" VU ALL PAID S

33 What will be the output of the following c++ code?

#include<iostream.h>

#define max 100main(){

#ifdef max Cout<<"Hellow;

}

Select the correct option

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

Max is 100
Hello
“Hellow”
Error

34 The heap memory structure _____. Select the correct option
is just like stack
contains no spacer
mains constant
constantlychanges in size

35 The new operator automatically determines the size of memory required to store that object , so it does not need _____. Select the correct option
dot operator
free operator
size off operator
sizeof operator

361If class A is a friend of class B, and class B is a friend of class C. If class A wants class C to be a friend, _____ Select the correct optionit has to declare, class B and class A as friend classes it has to declare, class C as a friendit has to declare , class A as a friendit has to declare, class B as a friend

37 A pointer with value NULL is defined in the header files _____and _____. Select the correct option

MATH ZONE FOR VU

SOLVED BY "MATH ZONE FOR VU"
VU ALL PAID SERVICES AVAILABLE +923305516507

stdlib.h ,stddef.h

conio.c ,getche()conio.h ,iostream.hprocess.h, stdi.h

38 Sometimes after allocating memory we need additional space, for this purpose we use _____. Select the correct option

void pointer

reallocation function

realloc function

calloc function

39 For casting, we normally declare a pointer of type _____. Select the correct option

Void

NULLintegerwe are going to use

MATH ZONE FOR VU

40 Default constructor generated by _____ does _____ for us. Select the correct option

main program, memory management

compiler , initialization

classes , initialization

compiler, no initialization

41 The friend functions are _____. Select the correct option

void functions

member of a class

not member of a class

inline functions

CS201 -QUIZ 3 SOLVED BY MATH ZONE FOR VU



YouTube :
math zone for Vu



Virtual University all paid services available||lms handle ||Lecture watch ||Quiz ||Assignment ||Online books|| projects of all code ||for further contact

Contact. 03305516507

SOLVED BY ''MATH ZONE FOR VU''
VU ALL PAID SERVICES AVAILABLE +923305516507