CS201 - Introduction to Programming (Quiz 3)

Question # 7 of 10 (Start time: 05:20:59 PM, 25 June 2025)

How is a destructor named in C++?

Select the correct option

○	destroyClassName()
○	ClassName~()
○	_ClassName()
◉	~ClassName()

CS201 - Introduction to Programming (Quiz 3)

Question # 8 of 10 (Start time: 05:21:17 PM, 25 June 2025)

Macros are categorized into _____ type(s).

Select the correct option

○	one
○	three
◉	two
○	four

CS201 - Introduction to Programming (Quiz 3)

Question # 5 of 10 (Start time: 05:25:38 PM, 25 June 2025)

How many bits form a byte?

Select the correct option

- (●) 8
- ( ) 2
- ( ) 6
- ( ) 4

CS201 - Introduction to Programming (Quiz 3)

Question # 1 of 10 (Start time: 05:18:42 PM, 25 June 2025)

For accessing data members we use _____ operator

Select the correct option

○	Division /
○	plus +
◉	dot .
○	multiplication *

CS201 - Introduction to Programming (Quiz 3)

Question # 1 of 10 (Start time: 05:24:35 PM, 25 June 2025)

The malloc function takes _____ argument(s).

Select the correct option

○	two
●	one
○	four
○	three

CS201 - Introduction to Programming (Quiz 3)

Question # 6 of 10 (Start time: 05:25:51 PM, 25 June 2025)

Initializing the data member within the class is _____.

Select the correct option

○	a logical error
◉	a syntax error
○	not an error
○	a run time error

CS201 - Introduction to Programming (Quiz 3)

Question # 4 of 10 (Start time: 05:19:25 PM, 25 June 2025)

Which one is the correct example of a unary operator?

Select the correct option

○	==
○	&
●	-
○	/

CS201 - Introduction to Programming (Quiz 3)

Question # 5 of 10 (Start time: 05:20:28 PM, 25 June 2025)

Which of the following permits function overloading in C++.

Select the correct option

○	Type only
●	Both type and arguments
○	Number of function names
○	Number of arguments only

CS201 - Introduction to Programming (Quiz 3)

Question # 9 of 10 (Start time: 05:26:49 PM, 25 June 2025)

a = a & b; can be written as_____.

Select the correct option

○	a = b;
○	a =& b;
○	a=a & b;
◉	a &= b;

CS201 - Introduction to Programming (Quiz 3)

Question # 6 of 10 (Start time: 05:20:44 PM, 25 June 2025)

In C language, the region of memory allocated at runtime is called _____.

Select the correct option

◉	heap
○	available memory
○	stack
○	free store

CS201 - Introduction to Programming (Quiz 3)

Question # 4 of 10 (Start time: 05:25:23 PM, 25 June 2025)

We cannot use _____ pointer for storing and reading data from it.

Select the correct option

○	double
◉	NULL
○	integer
○	zero

CS201 - Introduction to Programming (Quiz 3)

Question # 10 of 10 (Start time: 05:21:49 PM, 25 June 2025)

A pointer with value NULL is defined in the header files _____and _____.

Select the correct option

○	conio.c ,getche()
○	conio.h ,iostream.h
○	process.h, stdi.h
◉	stdlib.h ,stddef.h

CS201 - Introduction to Programming (Quiz 3)

Question # 10 of 10 (Start time: 05:27:05 PM, 25 June 2025)

The exclusive OR operator returns 1 if _____.

Select the correct option

◉	One input is 1 and other is zero
○	Both inputs are 0
○	Both inputs are 1
○	None of the given

CS201 - Introduction to Programming (Quiz 3)

Question # 2 of 10 (Start time: 05:24:49 PM, 25 June 2025)

The memory allocation functions return a chunk of memory with a pointer of type_____.

Select the correct option

◉	void
○	float
○	ptr
○	integer

CS201 - Introduction to Programming (Quiz 3)

Question # 3 of 10 (Start time: 05:25:06 PM, 25 June 2025)

Where should delete typically be called to deallocate memory allocated in a constructor?

Select the correct option

○	In another member function.
◉	In the destructor
○	Immediately after new.
○	In the main program.

CS201 - Introduction to Programming (Quiz 3)

Question # 2 of 10 (Start time: 05:18:56 PM, 25 June 2025)

What is the primary purpose of a class in C++?

Select the correct option

◉	To define a user-defined data type with data members and methods
○	To store only data without any functions
○	To execute standalone functions
○	To replace all global variables in a program

CS201 - Introduction to Programming (Quiz 3)

Question # 3 of 10 (Start time: 05:19:09 PM, 25 June 2025)

If the request of new operator is not fulfilled due to insufficient memory in the heap _____.

Select the correct option

- (●) the operator returns 0
- ( ) the new operator returns 1
- ( ) the new operator returns 2
- ( ) free operator returns nothing

CS201 - Introduction to Programming (Quiz 3) Quiz Sta

Question # 7 of 10 (Start time: 05:26:06 PM, 25 June 2025)

The new operator automatically determines the size of memory required to store that object , so it does not need _____.

Select the correct option

- ( ) dot operator
- (●) sizeof operator
- ( ) free operator
- ( ) size off operator

Click to Save Ar

CS201 - Introduction to Programming (Quiz 3)

Question # 8 of 10 (Start time: 05:26:26 PM, 25 June 2025)

malloc function returns _____to the _____ from the available memory.

Select the correct option

○	NULL pointer, end of the chunk of memory allocated from the stack
○	void pointer, starting of the chunk of memory allocated from the array
◉	void pointer , starting of the chunk of memory allocated from the heap
○	integer pointer, middle of the chunk of memory allocated from the heap

Question # 9 of 10 (Start time: 05:21:35 PM, 25 June 2025) **Total Marks:** 1

Which one of the following is used to perform bit-wise OR operation?

Select the correct option

○	||
○	~
◉	|
○	^

Click to Save Answer & Move to Next Question