CS-601 Update Book Important Mcq's For Final Term !!

Solve By Vu-Topper RM!!



Question No:1 **(Marks:1)** **Vu-Topper RM**

Which one of the following is a Random-Access protocol?

TDMA

CDMA/CD

ALOHA

CDMA/CA

Question No:2 **(Marks:1)** **Vu-Topper RM**

Transmission Control Protocol is a(n) _____ layer protocol.

Transport

Application

Session

Question No:3 **(Marks:1)** **Vu-Topper RM**

In Block coding scheme, number of code words is always _____ data words.

Less than

Equal to

Greater than

Same as

Question No:4 **(Marks:1)** **Vu-Topper RM**

In _____, each station sends a frame whenever it has a frame to send.

Slotted ALOHA

Pure ALOHA

None of the given

Question No:5 **(Marks:1)** **Vu-Topper RM**

_____ is/are un-reliable protocol(s).

IP and TCP

IP and UDP

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:6 **(Marks:1)** **Vu-Topper RM**

The extra bits added with the original data for error detection/correction are called _____.

Fault bits

Port numbers

Redundant bits

Process IDs

Question No:7 **(Marks:1)** **Vu-Topper RM**

High-Level Data Link Control (HDLC) defines _____ types of frames to deal with the transfer modes.

One

Two

Three

Four

Question No:8 **(Marks:1)** **Vu-Topper RM**

S-frames in High-Level Data Link Control (HDLC) are only used to transfer _____

User data

Control

Redundant

Original

Question No:9 **(Marks:1)** **Vu-Topper RM**

The flag in PPP is a byte that needs to be _____ whenever it appears in the data section of the frame.

Duplicated

Blocked

Cleaned

Escaped

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:10 **(Marks:1)** **Vu-Topper RM**

Error correction is more _____ than the error detection.

Easy

Useless

Informal

Difficult

Question No:11 **(Marks:1)** **Vu-Topper RM**

In which controlled-access method all data exchanges must be made through primary device even when the ultimate destination is a secondary device?

Polling

Reservation

Token Passing

Port Forwarding

Question No:12 **(Marks:1)** **Vu-Topper RM**

The type of ALOHA which improves the efficiency of Pure ALOHA is

Slotted ALOHA

Upper ALOHA

Integrated ALOHA

Lower ALOHA

Question No:13 **(Marks:1)** **Vu-Topper RM**

_____ is the process of converting digital data to digital signals.

CSMA/CD

CSMA/CA

Line coding

Segmentation

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:14 **(Marks:1)** **Vu-Topper RM**

Congestion Control is a feature of layer(s).

Data Link

Network

Transport

All mentioned

Question No:15 **(Marks:1)** **Vu-Topper RM**

Collisions in CSMA/CA are avoided through _____.

The Interframe Space

The Contention Window

Acknowledgements

All of the given

Question No:16 **(Marks:1)** **Vu-Topper RM**

Error detection and correction are the services provided by _____ layer.

Data link layer

Application layer

Physical layer

Session layer

Question No:17 **(Marks:1)** **Vu-Topper RM**

_____ is not a function of Data Link Control.

Framing

Modulation

Error Control

Flow Control

Question No:18 **(Marks:1)** **Vu-Topper RM**

If the Hamming distance between sent and received code word is _____, then it shows that received data is corrupted.

≠ 0

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:19 **(Marks:1)** **Vu-Topper RM**

In even parity check code, the value of syndrome is _____ if the number of 1s is even.

1

2

0

4

Question No:20 **(Marks:1)** **Vu-Topper RM**

In _____, each station is allocated a time slot during which it can send data.

CDMA

NDMA

TDMA

FDMA

Question No:21 **(Marks:1)** **Vu-Topper RM**

CHAP is an Authentication Protocol, which uses _____ process to authenticate user information.

Two-way

Three-way

Four-way

Five-way

Question No:22 **(Marks:1)** **Vu-Topper RM**

Possession of TOKEN gives the station the right to _____.

Modify the data

Send the data

Delete the data

Receive the data

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:23 **(Marks:1)** **Vu-Topper RM**

_____ works with topologies in which one drvice is designated as a primary station and the other devices are secondary stations.

Reservation

Polling

Token

None of the given

Question No:24 **(Marks:1)** **Vu-Topper RM**

If we need to correct a single error in an 8-bit data unit, we need to consider _____ possible error locations.

16

2

4

8

Question No:25 **(Marks:1)** **Vu-Topper RM**

Checksum is an error-detection technique that can be applied to a message of -------_length.

Exactly 4

Exactly 8

Exactly 32

Any

Question No:26 **(Marks:1)** **Vu-Topper RM**

To control and manage the transfer of data, a protocol called Point to Point Protocol (PPP) is used at the _____ layer.

Physical

Network

Presentation

Data link

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:27 **(Marks:1)** **Vu-Topper RM**

CDMA stands for _____.

Carrier Division Multiple Access

Carrier Data Multiple Access

Code Data Multiple Access

Code Division Multiple Access

Question No:28 **(Marks:1)** **Vu-Topper RM**

In Block coding we divide our message into blocks of k bits called as

Code words

Data words

Passwords

Cross word

Question No:29 **(Marks:1)** **Vu-Topper RM**

Stop-and-Wait protocol is used for _____

Both flow and error control

In __, each station is forced to send a frame only at beginning of time slot.

Slotted ALOHA

Question No:30 **(Marks:1)** **Vu-Topper RM**

IN MAC, when nodes use a multi-point or broadcast link, we need a _----------to coordinate access to the link.

Multiple-access protocol

Question No:31 **(Marks:1)** **Vu-Topper RM**

In order to find hamming distance between two pair of words, _____ logical operation is used.

XOR

Question No:32 **(Marks:1)** **Vu-Topper RM**

In the context of Ethernet implementations maximum medium length of 10 base-F

2000

Question No:33 **(Marks:1)** **Vu-Topper RM**

Normally the value of KAMAX in pure aloha is

15

Question No:34 **(Marks:1)** **Vu-Topper RM**

--------uses thick coaxial cable.

10BASE5

Question No:35 **(Marks:1)** **Vu-Topper RM**

In Ethernet frame, both destination and sender addresses are of length

6bytes

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:36 **(Marks:1)** **Vu-Topper RM**
In _ each band is reserved for a specific station and it belongs to the station all the time
FDMA

Question No:37 **(Marks:1)** **Vu-Topper RM**
In Ethernet, the source address field in the MAC frame is the _ address
Previous station physical

Question No:38 **(Marks:1)** **Vu-Topper RM**
A personal computer or workstation on an Ethernet network must have ___-------- card
NIC

Question No:39 **(Marks:1)** **Vu-Topper RM**
For carrier sense Multiple Access/Collision Detection (CSMA/CD), we need a restriction on the _____.
Frame size

Question No:40 **(Marks:1)** **Vu-Topper RM**
In the context of Ethernet address, the source address is always a -- address
Multicast

Question No:41 **(Marks:1)** **Vu-Topper RM**
In case of higher data rate, the number of impacted bits will be _____.
Higher

Question No:42 **(Marks:1)** **Vu-Topper RM**
In each character protocol each character of frame is encoded using ____ coding system .
Bit-oriented

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:43 **(Marks:1)** **Vu-Topper RM**
In _____ collision are avoided by deferring transmission even if the channel is idle
The interframe space

Question No:44 **(Marks:1)** **Vu-Topper RM**
In the _____ method, the stations in a network are organized in a logical ring.
Token-passing

Question No:45 **(Marks:1)** **Vu-Topper RM**
_---------uses fiber-optic cable
10base-F

Question No:46 **(Marks:1)** **Vu-Topper RM**
In _____ a station monitors the medium after it sends a frame to see if the transmission was successful.
CSMA/CD

Question No:47 **(Marks:1)** **Vu-Topper RM**
------- was used as the medium in 10 Base-T.
Twisted-pair cabling

Question No:48 **(Marks:1)** **Vu-Topper RM**
Mac address is of _____
48 bits

Question No:49 **(Marks:1)** **Vu-Topper RM**
PAP and CHAP are used by __ as Authentication Protocols.
PPP

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:50 **(Marks:1)** **Vu-Topper RM**
SONET stands for
Synchronous optical network

Question No:51 **(Marks:1)** **Vu-Topper RM**
The _ method has the highest chance of collision because two or more stations may find the line idle and send their frames immediately
1 persistent method

Question No:52 **(Marks:1)** **Vu-Topper RM**
Fast Ethernet has a data rate of ____ Mbps.
100

Question No:53 **(Marks:1)** **Vu-Topper RM**
Works with topologies in which one device is designated as a primary station and the other devices are secondary stations
None of the given

Question No:54 **(Marks:1)** **Vu-Topper RM**
In hexadecimal notation of Ethernet address, each byte is separated by ---------- symbol.
Colon

Question No:55 **(Marks:1)** **Vu-Topper RM**
_____ is an Authentication Protocol, which uses two-step process to authenticate user information.
PAP

Question No:56 **(Marks:1)** **Vu-Topper RM**
In random access method, when two or more than two nodes transmit at the same time when
All the nodes in collision survives

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:57 **(Marks:1)** **Vu-Topper RM**

------- uses thin coaxial cable.

10BASE2

Question No:58 **(Marks:1)** **Vu-Topper RM**

One of the most common protocols for point-to-point access is _____.

PPP

Question No:59 **(Marks:1)** **Vu-Topper RM**

POTS stand for _?

Plain old telephone system

Question No:60 **(Marks:1)** **Vu-Topper RM**

POTS stand for _?

Plain old telephone system

Question No:61 **(Marks:1)** **Vu-Topper RM**

Data Link layer receives services from the _____ layer.

Network layer

Question No:62 **(Marks:1)** **Vu-Topper RM**

In _ protocol, the sender sends one frame at a time and wants for an acknowledgment before sending the next one.

Stop-and-wait

Question No:63 **(Marks:1)** **Vu-Topper RM**

Data link layer is divided into _____ sub layers

Two

Question No:64 **(Marks:1)** **Vu-Topper RM**

IN MAC, when nodes use a multi-point or broadcast link, we need a _____ to coordinate access to the link.

Multiple-access protocol

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:65 **(Marks:1)** **Vu-Topper RM**

The original Ethernet technology with the data rate of 10 MBps is called_____?

Standard Ethernet

Question No:66 **(Marks:1)** **Vu-Topper RM**

If duration of noise is decreased during a transmission over noisy channel, fixed data rate of the channel will cause _____ number of bits being impacted by the noise

More

Question No:67 **(Marks:1)** **Vu-Topper RM**

For carrier sense Multiple Access/Collision Detection (CSMA/CD), we need a restriction on the

Collision size

Question No:68 **(Marks:1)** **Vu-Topper RM**

In a linear block code, the _____ of any two valid codewords creates another valid codeword.

14.

XOR

Question No:69 **(Marks:1)** **Vu-Topper RM**

Which one of the following is not a Channelization Protocol?

CSMA

Question No:70 **(Marks:1)** **Vu-Topper RM**

In order to find the location of two errors in an eight-bit stream, we have to see _____ different combinations.

28

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:71 **(Marks:1)** **Vu-Topper RM**

In the context of Ethernet address, the destination address is always a _____ address.

Unicast, multicast, broadcast

Question No:72 **(Marks:1)** **Vu-Topper RM**

_____ transmission technology (based on Ethernet) provides a data rate of 1 billion bits per second.

Gigabit Ethernet

Question No:73 **(Marks:1)** **Vu-Topper RM**

If the harming distance between sent and received code word is _____ then it shows that received data is corrupted.

Is not equal to0

Question No:74 **(Marks:1)** **Vu-Topper RM**

Ethernet address is of ___ bytes

6

Question No:75 **(Marks:1)** **Vu-Topper RM**

What was the main drawback in the aloha random access method-----

Redundancy in data

Question No:76 **(Marks:1)** **Vu-Topper RM**

In telephone, network POP stands for

Point-of presence

Question No:77 **(Marks:1)** **Vu-Topper RM**

Transmission technology based on Ethernet provides a data rate of 1 billion bits per second.

Standard Ethernet

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:78 **(Marks:1)** **Vu-Topper RM**
In pure aloha the vulnerable time is ___ the frame transmission time
Two times

Question No:79 **(Marks:1)** **Vu-Topper RM**
DSl stands for _____.
Digital subscriber line

Question No:80 **(Marks:1)** **Vu-Topper RM**
The original Ethernet technology with the data rate of 10 Mbps is called
Standard ethernet

Question No:81 **(Marks:1)** **Vu-Topper RM**
Which of the following is a correct controlled access method?
All options

Question No:82 **(Marks:1)** **Vu-Topper RM**
When we represent the data in CDMA if a station Is idle then it sends
0

Question No:83 **(Marks:1)** **Vu-Topper RM**
In telephone, network POP stands for _____.
Point of presence

Question No:84 **(Marks:1)** **Vu-Topper RM**
What was the main drawback in the aloha random access method?
Redundancy data rate

Question No:85 **(Marks:1)** **Vu-Topper RM**
VCI address is __ address in virtual circuit approach.
Private
Variable
Global

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:86 **(Marks:1)** **Vu-Topper RM**

Traditionally MANs have been implemented using one of the 2 technologies, Circuit Switching and Packet Switching

True

False

Question No:87 **(Marks:1)** **Vu-Topper RM**

Like 10 Base 5, 10 Base 2 is a _____ topology LAN.

Ring

Mesh

Star

Bus

Question No:88 **(Marks:1)** **Vu-Topper RM**

In Pure ALOHA, the vulnerable time is _____ the frame transmission time.

Same as

Three times

Two times

Four times

Question No:89 **(Marks:1)** **Vu-Topper RM**

The transmission medium that carries the message is referred to as the

Send and receive device

Communication channel

Protocol

Gateways

Question No:90 **(Marks:1)** **Vu-Topper RM**

Analog signals are referring to be _____

Continuous

Discrete

Periodic

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:91 **(Marks:1)** **Vu-Topper RM**

There are _____ types of serial transmission.

3

4

2

None of the given

Question No:92 **(Marks:1)** **Vu-Topper RM**

There are three types of Hubs that exist. Which of the following options correctly describes these three?

Passive, dormant, special

Active , dormant , passive

Passive, Active, Turbo

Passive, Active, Intelligent

Question No:93 **(Marks:1)** **Vu-Topper RM**

_____ is the rate of change with respect to time.

Voltage

Time

Frequency

Amplitude

Question No:94 **(Marks:1)** **Vu-Topper RM**

What is the frequency of a sine wave if it completes one cycle in 2 seconds?

0.5

0.6

0.3

0.2

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:95 **(Marks:1)** **Vu-Topper RM**

_____ relatively measures the strength of two signals.

Signal rate

Bit rate

Decibel

Pulse Rate

Question No:96 **(Marks:1)** **Vu-Topper RM**

Central Hub in a Tree is an _____.

Active hub

passive hub

Question No:97 **(Marks:1)** **Vu-Topper RM**

At the CRC generator, _____ added to the data unit before the divisional process.

0s are

1s are

a polynomial is

a CRC remainder is

Question No:98 **(Marks:1)** **Vu-Topper RM**

A broadcast signal is received by the orbiting satellites which rebroadcasts _____.

to the resender

to the sender

to the atmosphere

none of the given

Question No:99 **(Marks:1)** **Vu-Topper RM**

In _____, a signal is directed straight from antenna to antenna.

Line of sight propagation

Ground propagation

Space propagation

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:100 **(Marks:1)** **Vu-Topper RM**

Which of the following consist of just one redundant bit per data unit?

Two-dimensional Parity check.

CRC

Simple Parity Check

Checksum

Question No:101 **(Marks:1)** **Vu-Topper RM**

The term _____means that only one bit of a given data unit is changed from 1 to 0 or from 0 to 1.

Packet Error

Burst Error

Single Bit Error

Character Error

Question No:102 **(Marks:1)** **Vu-Topper RM**

Flow control is needed to prevent _____.

Bit errors

Overflow of the sender buffer

Overflow of the receiver buffer

Collision between sender and receiver

Question No:103 **(Marks:1)** **Vu-Topper RM**

A fiber -optic cable transmit signals in the form of _____.

Light

Sound

Wave

None of the given

Question No:104 **(Marks:1)** **Vu-Topper RM**

The inversion of the level at 1 bit is called as _____.

NRZ-L

NRZ-I

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:105 **(Marks:1)** **Vu-Topper RM**

What was the main draw back in ALOHA Random-Access method?

Redundancy in Data

Potential Collision

Inconsistent Data rate

All of the given

Question No:106 **(Marks:1)** **Vu-Topper RM**

Data is transmitted using light through a _____ cable.

twisted pair

fiber-optic

coaxial

microwave

Question No:107 **(Marks:1)** **Vu-Topper RM**

In OSI model headers are added at layer _____.

1,2,3 only

6,5,7 only

5,4,3 only

6,5,4,3,2 only

Question No:108 **(Marks:1)** **Vu-Topper RM**

Is there any difference between Data communication and telecommunication are network?

Yes

No

Question No:109 **(Marks:1)** **Vu-Topper RM**

In ASK, both _____ and _____ remain constant.

Amplitude, Frequency

Amplitude, phase

Frequency, Phase

Amplitude, Samples

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:110 **(Marks:1)** **Vu-Topper RM**

Which error detection method consists of a parity bit for each unit as well as an entire data unit of parity bits?

Checksum

Cyclic Redundancy Check (CRC)

Longitudinal Red Check (LRC)

Vertical Redundancy Check (VRC)

Question No:111 **(Marks:1)** **Vu-Topper RM**

Baud rate is greater than or equal to the bit rate.

True

False

Question No:112 **(Marks:1)** **Vu-Topper RM**

The most common type of connector used by coaxial cable is _____.

BNC

RJ-45

RJ-11

RJ-57

Question No:113 **(Marks:1)** **Vu-Topper RM**

What is the period of a Sine wave having frequency of 10 Hz?

0.2

0.1

0.5

0.3

Question No:114 **(Marks:1)** **Vu-Topper RM**

In _____, both peak amplitude and frequency remains constant as the phase changes.

PSK

QAM

Both PSK & QAM

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:115 **(Marks:1)** **Vu-Topper RM**

There are _____types of guided media.

2

3

4

5

Question No:116 **(Marks:1)** **Vu-Topper RM**

TROPOSHERE is the layer of atmosphere above the troposhere but below space

True

False

Question No:117 **(Marks:1)** **Vu-Topper RM**

Terminal, microprocessor, computer, printer or any other device that generates or consumes digital data is known as _____

DCE

DTE

DCE & DTE

None of the given

Question No:118 **(Marks:1)** **Vu-Topper RM**

Normally the value of KAMAX in pure ALOHA is _____.

25

10

15

30

Question No:119 **(Marks:1)** **Vu-Topper RM**

Sampling means measuring _____ of signal at equal intervals

Amplitudes

Frequencies

Phases

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:120 **(Marks:1)** **Vu-Topper RM**

A sine wave is _____.

periodic and discrete

aperiodic and discrete

periodic and continuous

aperiodic and continuous

Question No:121 **(Marks:1)** **Vu-Topper RM**

To make sure that source does not overwhelm destination by sending data faster than it can be handled and processed is called?

Addressing & Routing

Exchange Management

Flow Control

Recovery

Question No:122 **(Marks:1)** **Vu-Topper RM**

If a digital signal has "L" number of levels. _____ is the number of bits required to represent each level.

Log L

Log Base 2 L

L Square

Log(2*L)

Question No:123 **(Marks:1)** **Vu-Topper RM**

_____ category of coaxial cable is used for Cable TV.

RG-58

RG-59

RG-11

Question No:124 **(Marks:1)** **Vu-Topper RM**

The level of signal is always positive in NRZ encoding.

True

False

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:125 **(Marks:1)** **Vu-Topper RM**

Radio is an example of _____ signal conversion.

Analog to analog

Analog to digital

Digital to Digital

Digital to analog

Question No:126 **(Marks:1)** **Vu-Topper RM**

Analog To Analog Conversion Methods include _____.

AM, PM and FM

AM, FSK and PM

AM, PM and QAM

None of the given

Question No:127 **(Marks:1)** **Vu-Topper RM**

The original Ethernet technology with the data rate of 10 Mbps is called _____?

Standard Ethernet

Fast Ethernet

Gigabit Ethernet

10 Gigabit Ethernet

Question No:128 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a characteristic of a sine wave?

Amplitude

Segmentation

Phase

Frequency

Question No:129 **(Marks:1)** **Vu-Topper RM**

By using------system, change in the file contents during file transmission can be avoided.

Error Detection and Correction

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:130 **(Marks:1)** **Vu-Topper RM**

In order to find the location of two errors in an eight bit stream, we have to see _____ different combinations.

28

16

8

4

Question No:131 **(Marks:1)** **Vu-Topper RM**

In CSMA/CA, _____ is the amount of time divided into slots.

Interframe Window

Contention Window

Fragmented Window

Collided Window

Question No:132 **(Marks:1)** **Vu-Topper RM**

_____ is used in the Stop-and-Wait protocol to overcome the issue of duplication.

Frame sequencing

Acknowledgement numbering

Counter and Timer reset

Frame sequencing and Acknowledgement numbering

Question No:133 **(Marks:1)** **Vu-Topper RM**

Which one of the following is a correct-access method?

Polling

Token Passing

Reservation

All of the given

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:134 **(Marks:1)** **Vu-Topper RM**

In the encoding where positive to negative transition is one and vice versa is zero.

Manchester

Differential Manchester

All of the given

None of given

Question No:135 **(Marks:1)** **Vu-Topper RM**

If the window size is 63 in go-back N ARQ then what is the range of sequence number?

0 to 63

0 to 64

1 to 63

1 to 64

Question No:136 **(Marks:1)** **Vu-Topper RM**

At the CRC checker, _____ means that the data unit is damaged.

A string of 0s

A string of 1s

A string of alternating 1s and 0s

A nonzero remainder

Question No:137 **(Marks:1)** **Vu-Topper RM**

Human voice is example of _____ signal.

Digital

Analog

Discrete

None of the given

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:138 **(Marks:1)** **Vu-Topper RM**

In statistical time division multiplexing, number of slots in frame are less than _____.

Output data rate

Input lines

Input frequency

Multiplexed T lines

Question No:139 **(Marks:1)** **Vu-Topper RM**

A _____ modem is used to connect two DTEs directly.

'NULL

Cable

DSL

None of the given

Question No:140 **(Marks:1)** **Vu-Topper RM**

Asynchronous TDM is efficient only when the size of the time slot is kept relatively _____.

Large

Small

Medium

Zero

Question No:141 **(Marks:1)** **Vu-Topper RM**

_____ is correct formula to determine the total number of ports needed for one system connected in a mesh network.

N+1

N-1

N(N+1)

None of the given.

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:142 **(Marks:1)** **Vu-Topper RM**

_____ is sometimes called the bit rate.

signal rate

modulation rate

Data rate

pulse rate

Question No:143 **(Marks:1)** **Vu-Topper RM**

_____ category of coaxial cable is used for thin Ethernet.

RG-58

RG-59

RG-1

RG-47

Question No:144 **(Marks:1)** **Vu-Topper RM**

Which one is not the function of data link layer?

Line discipline

Flow control

Error control

Network control

Question No:145 **(Marks:1)** **Vu-Topper RM**

Session layer is responsible for _____.

Reassembly of data

Maintaining the connection

Question No:146 **(Marks:1)** **Vu-Topper RM**

_____ mode of serial transmission guarantees fixed rate of data.

Synchronous

Asynchronous

Isochronous

Metachronous

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:147 **(Marks:1)** **Vu-Topper RM**

Data Link layer provides services to the _____ layer.

Application

Transport

Network

Session

Question No:148 **(Marks:1)** **Vu-Topper RM**

The _____ is the number of signal elements sent per unit time.

Data rate

Signal rate

Bit rate 4. Period

Question No:149 **(Marks:1)** **Vu-Topper RM**

The logical connection between the peer layers is _____ connection.

Physical

Direct

Indirect

Tangible

Question No:150 **(Marks:1)** **Vu-Topper RM**

What is the period of a Sine wave having frequency of 5 Hz?

0.2

0.1

0.5

0.3

Question No:151 **(Marks:1)** **Vu-Topper RM**

A sine wave is defined by _____ characteristics.

2

3

4

5

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:152 **(Marks:1)** **Vu-Topper RM**

If duration of noise is decreased during a transmission over noisy channel, fixed data rate of the channel will cause _____ number of bits being impacted by the noise.

Constant

More

Less

Zero

Question No:153 **(Marks:1)** **Vu-Topper RM**

The _____ generates the data and passes it along with any control information to a _____.

DTE, DCE

DCE, DTE

DTE, DTE

DCE, DCE

Question No:154 **(Marks:1)** **Vu-Topper RM**

What is the period of a Sine wave having frequency of 2 Hz?

0.2

0.1

0.5

0.3

Question No:155 **(Marks:1)** **Vu-Topper RM**

WDM stands for _____.

Wideband De-Modulation

Worst Data Manipulation

Wavelength Division Multiplexing

None of the given

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:156 **(Marks:1)** **Vu-Topper RM**

Latency is made of _____ components.

Two

Three

Four

Five

Question No:157 **(Marks:1)** **Vu-Topper RM**

The logical connection between the peer layers is _____ connection.

Physical

Direct

Indirect

Tangible

Question No:159 **(Marks:1)** **Vu-Topper RM**

In line discipline after the data transmission, the sending system finishes with an _____ frame.

EOT

EKT

ENT

ESP

Question No:160 **(Marks:1)** **Vu-Topper RM**

_____ of a signal is the collection of all the component frequencies it contains.

Time domain

Frequency domain

Frequency spectrum

None of the given

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:161 **(Marks:1)** **Vu-Topper RM**

In TCP/IP protocol suite, the process of adding header at each layer on sending side is known as _____.

Encapsulation

De-encapsulation

Packetizing

Framing

Question No:162 **(Marks:1)** **Vu-Topper RM**

In circuit switched networks we have low efficiency but minimal __

Delay

Speed

Throughput

Errors

Question No:163 **(Marks:1)** **Vu-Topper RM**

AM signal requires _____ the BW of original signal

Twice

Half

Same

Three Times

Question No:164 **(Marks:1)** **Vu-Topper RM**

Asynchronous transmission is _____.

Slow

Fast

Costly

None effective

Question No:165 **(Marks:1)** **Vu-Topper RM**

The Internet is---------.

A global network of computers networks

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:166 **(Marks:1)** **Vu-Topper RM**

Time division multiplexing is used in _____ systems.

Analog

Hybrid

Digital

Automated

Question No:167 **(Marks:1)** **Vu-Topper RM**

Radio wave transmission utilizes _____ different types of propagation.

Two

Three

Four

Five

Free Of Cost All Study Helping Material Is Available.!

>>> Provide By Vu-Toper Team <<<

Contact On What's app #03224021365

Question No:168 **(Marks:1)** **Vu-Topper RM**
At the Application layer, object/information is in the form of _____
Message
Packet
Segment
Frame

Question No:169 **(Marks:1)** **Vu-Topper RM**
POST stand for _____?
Plain Old Telephone Set
Plain Old Time Sharing
Plain Old Telephone System
Plain Old Telephone Service

Question No:170 **(Marks:1)** **Vu-Topper RM**
Which of the following statement is correct?
Digital signals are less prone to Noise
Digital signals are highly prone to Noise
Analog Signals are less prone to Noise
Digital signals are not affected by Noise

Question No:171 **(Marks:1)** **Vu-Topper RM**
In selective-reject ARQ, only the specific damaged or lost frame is--
Retransmitted
Forwarded
Selected
Rejected

Question No:172 **(Marks:1)** **Vu-Topper RM**
In ASK correct formula for calculating the bandwidth ia as _____.
B=(1+d)S
B=(1*d)S

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:173 **(Marks:1)** **Vu-Topper RM**

Encoding digital data into digital signals is called _____.

Analog-to-Digital Conversion

Digital-to-Digital Conversion

Digital-to-Analog Conversion

None of the given

Question No:174 **(Marks:1)** **Vu-Topper RM**

Quadrature Amplitude Modulation (QAM) is the combination of _____ and _____.

FSK, PSK

PSK, FSK

ASK, PSK

ASK, FSK

Question No:175 **(Marks:1)** **Vu-Topper RM**

PSK is susceptible to the noise degradation.

True

False

Question No:176 **(Marks:1)** **Vu-Topper RM**

No matter whether the link is dedicated or broadcast, data link control (DLC) layer provides services between _____.

Virtual LANs

Two adjacent nodes

Ethernet links

Source and destination PCs

Question No:177 **(Marks:1)** **Vu-Topper RM**

GO-BACK-N protocol is one of the _____ layer protocols, which is used to control the flow of data during the transmission.

Physical

Network

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:178 **(Marks:1)** **Vu-Topper RM**

In _____ a dedicated communication path is established between two stations through the nodes of the network

Circuit switching

Packet switching

Question No:179 **(Marks:1)** **Vu-Topper RM**

In frequency shift keying, _____ remain(s) constant.

Frequency

Amplitude

Both Amplitude and Phase

Both Phase and Frequency

Question No:180 **(Marks:1)** **Vu-Topper RM**

We can have _____ different groups with a 4 bit block.

4

8

16

32

Question No:181 **(Marks:1)** **Vu-Topper RM**

Line Configuration refers to the way two or more devices attach to a

Path

Circuit

Link

Router

Free Of Cost All Study Helping Material Is Available.!

>>> Provide By Vu-Toper Team <<<

Contact On What's app #03224021365

Question No:182 (Marks:1) Vu-Topper RM
There are _____ basic categories of multiplexing.
2
3
7
5

Question No:183 (Marks:1) Vu-Topper RM
Low pass channel has _____ bandwidth between two stations.
Dedicated
Shared
Multiplexed
Infinite

Question No:184 (Marks:1) Vu-Topper RM
BSC supports _____ transmission using _____ flow control.
Full-duplex, Stop and wait ARQ
Half-duplex, Selective reject ARQ
Full-duplex, Selective reject ARQ
Half-duplex, Stop and wait ARQ

Question No:185 (Marks:1) Vu-Topper RM
Quantization is a method of assigning _____ values in a specific range to sampled instances.
Negative
Positive
Binary
Integral

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:186 (Marks:1) Vu-Topper RM

_____ encoding is almost obsolete today

Bipolar

Unipolar

Polar

None of the given

Question No:187 (Marks:1) Vu-Topper RM

YMODEM has _____ Byte of data unit.

1024

256

128

512

Question No:188 (Marks:1) Vu-Topper RM

Like Data link layer, _____ is also responsible for Flow control.

Transport Layer

Session Layer

Question No:189 (Marks:1) Vu-Topper RM

In CRC there is no error if the remainder at the receiver is _____.

Equal to the remainder at the sender

Zero

Nonzero

The quotient at the sender

Question No:190 (Marks:1) Vu-Topper RM

_____ is normally used where speed is priority in data transfer.

Serial data transmission

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:191 (Marks:1) Vu-Topper RM

A portion of the path that carries TX between a given pair of devices is known as _____.

Direct Point

Bridge

Channel

Access Point

Question No:192 (Marks:1) Vu-Topper RM

What is the Bandwidth of a periodic signal if it is decomposed into 4 sine waves with frequencies 200, 400, 600 and 800?

100

500

300

600

Question No:193 (Marks:1) Vu-Topper RM

Mr. Asif while sitting in Lahore is talking with his friend in Dubai through Skype is an example of _____.

Local Area Network

Metropolitan Area Network

Wide Area Network

Home Based Network

Question No:194 (Marks:1) Vu-Topper RM

Which layer is concerned with the syntax and semantics of info exchange between two systems?

Physical

Application

Session

Presentation

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:195 **(Marks:1)** **Vu-Topper RM**

Time domain shows changes in _____.

time w.r.t signal amplitude

signal amplitude w.r.t time

time

All of the given

Question No:196 **(Marks:1)** **Vu-Topper RM**

In analog transmission, the base signal is called the_____.

Carrier Signal

Analog signal

Digital signal

Modulated signal

Question No:197 **(Marks:1)** **Vu-Topper RM**

Which of the following is most affected by noise?

PSK

ASK

FSK

QAM

Question No:198 **(Marks:1)** **Vu-Topper RM**

In Synchronous TDM, Time slots are not same in number as input devices.

True

False

Question No:199 **(Marks:1)** **Vu-Topper RM**

Guard bands are used in _____ multiplexing technique, to avoid overlapping of frequency bands assigned to each user.

FDM

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:200 (Marks:1) Vu-Topper RM

DLC in Data Link Layer stands for _____.

Divide Line Communication

Data Line Code

Data Link Control

Demand Link Coordination

Question No:201 (Marks:1) Vu-Topper RM

In Pulse Code Modulation (PCM), the sampling is dependent on---

Time

Amplitude

Frequency

Signal Rate



Question No:202 (Marks:1) Vu-Topper RM

Two or more computers connected so that they can communicate with each other and share information is called a _____.

satellite

protocol

broadcast

network

Question No:203 (Marks:1) Vu-Topper RM

Analog refers to something that is continuous in _____.

Time

Space Frequency

None of the given

Question No:204 (Marks:1) Vu-Topper RM

What is the frequency of a sine wave if it completes one cycle in 5 seconds?

0.5

0.6

0.3

0.2

Question No:205 (Marks:1) Vu-Topper RM

In an analog hierarchy to carry voice channels, a group can carry _____ voice channels.

60

12

20

Question No:206 (Marks:1) Vu-Topper RM

STP is more expensive than UTP and is less susceptible to noise.

True

False

For More Help Vu- Topper RM Contact What's app 03224021365

Question No:207 **(Marks:1)** **Vu-Topper RM**

-------are used to exchange session management and control information between connected devices.

I-frames

U-frames

S-frames

N-frames

Question No:208 **(Marks:1)** **Vu-Topper RM**

The message 1110 sent by a source is received by a destination as 1011. This is _____ type of error.

Burst

Single-Bit

Uni-Bit

Hamming

