Download Solved Mid/Final Term
Past Papers by Waqar Siddhu
in PDF form
VUNET.BLOGSPOT.COM



Facebook.com/vunets



Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

The integer value of _____ semaphores can not be greater than 1.

VuAnswers.com

Answer (Please select your correct option)

- Bounded buffer
- Counting
- Binary
- Mutex

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

A ----------system collects physically separate, possibly heterogeneous, systems into a single coherent system, providing the user with access to the various resources that the system maintains

VuAnswers.com

Answer (Please select your correct option)

- Distributed
- Real-time
- Single user
- Time-sharing

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

Wait and signal operations of semaphores were originally termed ----------

VuAnswers.com

Answer (Please select your correct option)

- P and V respectively.
- V and P respectively.
- P and P respectively.
- V and V respectively.

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

The total size of ---------- in a system is equal to the size of its main memory.

In this case we refer to the logical address as the **virtual address.** The set of all logical addresses generated by a program form the **logical address space** of a process; the set of all physical addresses corresponding to these logical addresses is a **physical address space** of the process. **The total size of physical address space in a system is equal to the size of its main memory**

VuAnswers.com

Answer (Please select your correct option)

- Physical address space
  Process address space
- Process address space
- Logical address space
- None of the given options

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

----------holds the smallest legal physical memory address for a process

VuAnswers.com

Answer (Please select your correct option)

- Limit register
- Index register
- Stack pointers register
- Base register

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

VuAnswers.com

Answer (Please select your correct option)

- Frames, pages
- Pages, Frames
- Frames, holes
- Holes, segments

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

When a _____link is created, a directory entry for the existing file is created

VuAnswers.com

Answer (Please select your correct option)

- Soft
- Hard
- Soft or Hard
- Soft or Hard

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____, each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.

VuAnswers.com

Answer (Please select your correct option)

- Indexed Allocation
- Contiguous Allocation
- Linked Allocation

page 235

- None of the given options

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

Shared libraries and kernel modules are stored in _____ directory

VuAnswers.com

Answer (Please select your correct option)

- /bin
- /dev
- /boot
- /lib

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

Following is not the classical problem of synchronization.

VuAnswers.com

Answer (Please select your correct option)

- Bounded buffer problem
- Reader writer problem
- Dining philosophers problem
- Counting Semaphore problem

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

The _____ requires that no reader will be kept waiting unless a writer has already obtained permission to use the shared object.

VuAnswers.com

Answer (Please select your correct option)

- first readers-writers problem
- second readers-writers problem
- third readers-writers problem
- fourth readers-writers problem

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

The problem of Deadlocks can be solved by _____ method(s).

VuAnswers.com

Answer (Please select your correct option)

- Deadlock prevention
- Deadlock avoidance
- Allowing deadlock and recovery
- All of the given

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

A process is _____if it is spending more time on paging

VuAnswers.com

Answer (Please select your correct option)

- Thrashing
- Demand paging
- Paging
- Fixed Allocation

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ page replacement algorithm oldest frame is replaced with another.

VuAnswers.com

Answer (Please select your correct option)

- LIFO
- FIFO
- LRU
- Optimal

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

The most important property of the working set is its _____.

VuAnswers.com

Answer (Please select your correct option)

- delay
- thrashing
- time
- size

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

Secondary Storage memory devices have _____ memory

VuAnswers.com

Answer (Please select your correct option)

- Volatile
- Non-volatile

Non-volatile

- Temporary

Temporary

- None of the option is correct

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

For some page replacement algorithms, the page fault rate may increase as the number of allocated frames _____.

VuAnswers.com

Answer (Please select your correct option)

- Keep Constant
- Increases
- Decreases
- All of above

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is caused due to un-used space in physical memory.

VuAnswers.com

Answer (Please select your correct option)

- Internal fragmentation
- External fragmentation
- Paging
- MVT

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

The size of a page is defined by _____

VuAnswers.com

Answer (Please select your correct option)

- CPU
- Page Table
- Physical Memory
- Logical Memory

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

In the Scan algorithm the disk _____ starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

Scan

In the Scan algorithm the disk arm starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk

VuAnswers.com

Answer (Please select your correct option)

- arm
- cylinder
- head
- non of these

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

In paged segmentation, we divide every segment in a process into _____ pages.

VuAnswers.com

Answer (Please select your correct option)

- Fixed size
- Variable size

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

In paged segmentation, the logical address is legal if **d** is _____segment length.

VuAnswers.com

Answer (Please select your correct option)

- Less than
- Greater than
- Equal to
- Greater than or equal to

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

Time from submission to completion of process is called ----------

VuAnswers.com

Answer (Please select your correct option)

- Response Time
- Throughput
- Waiting Time
- Turnaround Time: The interval from the time of submission to the time of completion is the

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

In case of a multi-processor environment, to ensure the atomic execution, one can

In case of a multi-processor environment, to ensure atomic execution is one can lock the data bus, or use a soft solution such as the Bakery algorithm.

VuAnswers.com

Answer (Please select your correct option)

- Lock the data bus
- Use a soft solution
- hardware instruction only
- both Lock the data bus and Use a soft solution

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ frame allocation scheme free frames are equally divided among processes

Fixed allocation
In this scheme free frames are equally divided among processes

Proportional Allocation
Number of frames allocated to a process is proportional to its size in this scheme

VuAnswers.com

Answer (Please select your correct option)

- Fixed
- Proportional
- Priority
- All of the given

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

ln –s command is used to create a _____link

VuAnswers.com

Answer (Please select your correct option)

- Soft
- Hard
- Soft or Hard
- None of the given options

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- automatically holds for printers and other non-sharables

VuAnswers.com

Answer (Please select your correct option)

- Hold and wait
- Circular wait
- Mutual exclusion
- No preemption:

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

The main disadvantage of semaphore is ----------

VuAnswers.com

Answer (Please select your correct option)

- Context switching
- Busy waiting
- Synchronization
- None of the given options

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

----------keeps in memory only those instructions and data that are needed at any given time.

VuAnswers.com

Answer (Please select your correct option)

- Paging
- Swapping
- Overlays

The idea of overlays is to keep in memory only those instructions and data that are needed at any given time

- Fragmentation

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is/are a memory management scheme that supports programmer's view of memory.

VuAnswers.com

Answer (Please select your correct option)

- Paging
- **Segmentation**
- All of the given options
- Demand Paging

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is the time for the disk arm to move the head to the cylinder containing the desired sector

VuAnswers.com

Answer (Please select your correct option)

- Rotational Latency
- Access Time
- None of the given options
- Seek time

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

----------are used for communication between related or unrelated processes on a UNIX/Linux system.

VuAnswers.com

Answer (Please select your correct option)

- Pipes

Pipe: Pipes are used for communication between related processes on a system, a

- Named pipe (FIFO)
- BSD Sockets
- None of the given options

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

Linux is a version of

VuAnswers.com

Answer (Please select your correct option)

- Windows
- Solaris
- Unix
- Mac

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Java virtual machine executes programs that have been translated into

VuAnswers.com

Answer (Please select your correct option)

- Java bytecode

Java Virtual Machine (**JVM**) loads, verifies, and executes programs that have been translated into Java Bytecode

- Java binarycode
- Java bitcode
- None of the given

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

What is different in parent and child processes?

VuAnswers.com

Answer (Please select your correct option)

- Process ID
- Open file descriptor table
- Root directory
- Environment

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Shell is the exclusive feature of

VuAnswers.com

Answer (Please select your correct option)

- Application Software
- System Software
- DOS
- UNIX

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

Round robin is very good for_____ where response is an important issue

VuAnswers.com

Answer (Please select your correct option)

- Scope
- Batch system
- Time sharing system
- None of the given

not sure

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

In the translation look-aside buffer (TLB)
A solution to this problem is to use special, small, fast lookup hardware, called
translation look-aside buffer (TLB),

VuAnswers.com

Answer (Please select your correct option)

- Translation Look aside buffer not sure
- Inverse page table
- Segmented page table
- All the above

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

The mechanism that brings a page into memory only when it is needed is called _____

VuAnswers.com

Answer (Please select your correct option)

- Segmentation
- Fragmentation
- Demand Paging
- Page Replacement

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ happens when a dynamic memory allocation algorithm allocates some memory and a small piece is left over that cannot be effectively used.

VuAnswers.com

Answer (Please select your correct option)

- Fragmentation
- Segmentation
- External Fragmentation
- Internal Fragmentation

not sure

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

A ----------system collects physically separate, possibly heterogeneous, systems into a single coherent system, providing the user with access to the various resources that the system maintains

Answer (Please select your correct option)

VuAnswers.com

- Distributed
- Real-time
- Single user
- Time-sharing

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

The process of switching from one process to another is called ----------

Answer (Please select your correct option)

VuAnswers.com

- context switching
- scheduling
- quantum period
- latency

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

Variable names are ---------- addresses

Answer (Please select your correct option)

VuAnswers.com

- Physical
- Relocatable
- Relative
- Symbolic

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

The set of all logical addresses generated by a program form the ----------of a process.

Answer (Please select your correct option)

VuAnswers.com

- None of the given options
- Logical address space
- Process address space
- Physical address space

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

Answer (Please select your correct option)

VuAnswers.com

- Frames, pages
- Pages, Frames
- Frames, holes
- Holes, segments

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

----------is the separation of user logical memory from physical memory

Answer (Please select your correct option)

VuAnswers.com

- Virtual Memory 
- None of the given options
- ROM
- Physical memory

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ allocation scheme free frames are equally divided among processes

Fixed allocation
In this scheme free frames are equally divided among processes

Answer (Please select your correct option)

VuAnswers.com

- Fixed Allocation
- Propotional Allocation
- Priority Allocation
- None of the given options

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is created by the system when a symbolic link is created to an existing file, allowing you to rename the existing file and share it without duplicating its contents

Answer (Please select your correct option)

VuAnswers.com

- Ordinary File
- Link File
- Directory
- Character-special file

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

The_____ algorithm selects the request with the minimum seek time from the current head position

The SSTF algorithm selects the request with
the minimum seek time from the current head position

Answer (Please select your correct option)

VuAnswers.com

- Scan
- SSTF
- Look
- C-Look

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

The Operating system is a layer of software between _____ and _____

Answer (Please select your correct option)

VuAnswers.com

- Hardware, software application
- Kernel, hardware
- Dos, Windows
- Windows, Kernel

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Wrong use of wait and signal operations (in context with semaphores) can cause _____ problem(s).

Answer (Please select your correct option)

VuAnswers.com

- Mutual Exclusion
- Deadlock
- Bounded Waiting
- All of the given options are correct

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

The process of holding at least one resource and waiting to acquire additional resources that are currently being held by other processes is known as _____.

Answer (Please select your correct option)

VuAnswers.com

- Mutual exclusion
- Hold and wait
- No preemption
- Circular wait

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

The problem of Deadlocks can be solved by _____ method(s).

Answer (Please select your correct option)

VuAnswers.com

- Deadlock prevention
- Deadlock avoidance
- Allowing deadlock and recovery
- All of the given

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

The most important property of the working set is its _____.

Answer (Please select your correct option)

VuAnswers.com

- delay
- thrashing
- time
- size

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

In_____, the library files are linked at load time.

Answer (Please select your correct option)

VuAnswers.com

- Static Linking
- Dynamic Linking
- Non of these
- both of these

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

Intel 80386 used paged segmentation with _____ level paging.

Answer (Please select your correct option)

VuAnswers.com

- One
- Two
- Three
- Four

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

When the process tries to access locations that are not in memory, the hardware traps the operating system. This is called as _____.

Answer (Please select your correct option)

VuAnswers.com

- Paging
- Segmentation
- Page Fault — When the process tries to access locations that are not in memory, the hardware traps the operating system (page fault).
- Page replacement

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ frame allocation scheme free frames are equally divided among processes

Answer (Please select your correct option)

VuAnswers.com

- Fixed
- Proportional
- Priority
- All of the given

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

ln –s command is used to create a _____link

Answer (Please select your correct option)

VuAnswers.com

- Soft
- Hard
- Soft or Hard
- None of the given options

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

The major advantage of multi-programming system is

Answer (Please select your correct option)

VuAnswers.com

- CPU utilization increases
- Jobs can be completed quickly
- The operating system keeps several jobs in memory simultaneously
- All of the options are correct

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

The main disadvantage of semaphore is ----------

Answer (Please select your correct option)

VuAnswers.com

- Context switching
- Busy waiting

The main disadvantage of the semaphore discussed in the previous section is that it requires **busy waiting**

- Synchronization
- None of the given options

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

A set of processes are said to be in ---------- condition if each process in the set is waiting for an event that only another process in the set can cause (including itself).

Answer (Please select your correct option)

VuAnswers.com

- Mutual exclusion
- Deadlock
- Release
- Lock

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

Deadlocks can be described more precisely in terms of .....

Answer (Please select your correct option)

VuAnswers.com

- Directed Graph
- Critical path
- Resource allocation graph

Deadlocks can be described more precisely in terms of a directed graph called a system **resource allocation graph**

- Mixed graph

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Which command, displays permissions and some other attributes for prog1.c in your current directory?

chmod 700 ~ …….. Set permissions on home directory to 700
chmod 744 ~/file……. Set permissions on ~/file to 744
chmod 755 ~/directory… Set permissions on ~/directory 755
ls –l ~ …….. Display permissions and some other attributes for all files and directories in your home directory
ls –ld ~ ……. Display permissions and some other attributes for your home directory
ls –l prog1.c ……. Display permissions and some other attributes for prog1.c in your current directory
ls –ld ~/courses …….. Display permissions and some other attributes for your home directory

VuAnswers.com

Answer (Please select your correct option)

- ls –l prog1.c
- ls –d prog1.c
- ls file prog1.c
- ls –l prog1.c /Directory

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

A modification of free-list approach in free space managment is to store the addresses of n free blocks in the first free block is known as _____.

Answer (Please select your correct option)

VuAnswers.com

- counting
- linked list
- bit vector
- grouping

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

Files that start with a -------- in UNIX/Linux directory structure are known as hidden files .

Answer (Please select your correct option)

VuAnswers.com

- . (dot)
- # (hash)
- / (slash)
- ~ (tilt)

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

The ----------system call is used to open or create a file.

Answer (Please select your correct option)

VuAnswers.com

- open()
- read()
- write()
- close()

The open() System call

The open() system call is used to open or create a file. Its synopsis is as follows:

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is the name of the technique that is designed to get rid of deadlocks by changing the specifications of the system.

Answer (Please select your correct option)

VuAnswers.com

- Deadlock avoidance

not sure

- Deadlock prevention
- Deadlock
- Deadlock free

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Linux is a version of

Answer (Please select your correct option)

VuAnswers.com

- Windows
- Solaris
- Unix
- Mac

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Memory can be protected by using

Answer (Please select your correct option)

VuAnswers.com

- Base register and program counter
- Base register and memory address register
- Base register and Limit register
- Limit register and program counter

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

Round robin is very good for_____ where response is an important issue

Answer (Please select your correct option)

VuAnswers.com

- Scope
- Batch system
- Time sharing system
- None of the given

not sure

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

Semaphore can be used for solving _____.

Answer (Please select your correct option)

VuAnswers.com

- Wait & signal
- Deadlock
- Synchronization
- Priority

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

In one of the deadlock prevention methods, impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration. This violates the _____condition of deadlock

Answer (Please select your correct option)

VuAnswers.com

- Mutual exclusion
- Hold and Wait
- Circular Wait
- No Preemption Right

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is NOT a valid deadlock prevention scheme?

Answer (Please select your correct option)

VuAnswers.com

- Release all resources before requesting a new resource
- Number the resources uniquely and never request a lower numbered resource than the last one requested.
- Never request a resource after releasing any resource
- Request and all required resources be allocated before execution.

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ page replacement algorithm suffers from Belady's anamoly.

Answer (Please select your correct option)

VuAnswers.com

- LRU
- MRU
- FIFO not sure
- LIFO

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Thrashing _____.

Answer (Please select your correct option)

VuAnswers.com

- Reduces page I/O
- Decreases the degree of multiprogramming
- Implies excessive page I/O
- Improve the system performance

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

In memory management , a technique called as paging, physical memory is broken into fixed-sized blocks called _____.

Answer (Please select your correct option)

VuAnswers.com

- Pages
- Frames
- Blocks
- Segments

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

Where does the swap space reside ?

Answer (Please select your correct option)

VuAnswers.com

- RAM
- Disk
- ROM
- On-chip cache

not sure

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ happens when a dynamic memory allocation algorithm allocates some memory and a small piece is left over that cannot be effectively used.

Answer (Please select your correct option)

VuAnswers.com

- Fragmentation
- Segmentation
- External Fragmentation
- Internal Fragmentation

not sure

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following statements is true for the Banker's algorithm?

Answer (Please select your correct option)

VuAnswers.com

- It cannot be used for a system with many resources, each of which is unique with no multiple copies.
- It is used to detect deadlock.
- An unsafe situation will always lead to a deadlock.
- It is not applicable when many users share a resource simultaneously.

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

A computer system that allows only one user to use the computer at a given time is known as a ----------

Answer (Please select your correct option)

VuAnswers.com

- Batch systems
- Multi programmed systems
- single-user system 
- Time-sharing systems

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

You can terminate a foreground process by pressing ----------

Answer (Please select your correct option)

VuAnswers.com

- <Ctrl-A>
- <Ctrl-C>
- <Ctrl-Z>
- None of the given options

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

The priorities of processes in the ----------Group remain fixed whereas the priorities of processes in the ----------Group are recalculated every second.

Answer (Please select your correct option)

VuAnswers.com

- Kernel, Kernel
- User, Kernel
- User, User
- Kernel, User



Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

----------**processes** may want only to read the content of the shared object.

Answer (Please select your correct option)

VuAnswers.com

- Mutex
- Writers
- Readers 
- None of the given options

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

An arrow from resource to process shows an instance of the resource has been ---------- to the process.

Answer (Please select your correct option)

VuAnswers.com

- Allocated
- Waiting
- Requesting
- None of the given options

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

What do we name to an address that is generated by the CPU?

Answer (Please select your correct option)

VuAnswers.com

- Logical address 
- Physical address
- Binary addresses
- None of the given options

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

The set of all physical addresses corresponding to the logical addresses is a ---------- of the process

Answer (Please select your correct option)

VuAnswers.com

- Logical address space
- Physical address space 
- Process address space
- None of the given options

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

The run-time mapping from virtual to physical addresses is done by a piece of hardware in the CPU, called the ----------

Answer (Please select your correct option)

VuAnswers.com

- Registers
- None of the given options
- CPU Scheduler
- Memory management unit (MMU)



Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

A page table needed for keeping track of pages of the page table is called ----------

Answer (Please select your correct option)

VuAnswers.com

- 2-level paging
- Page directory
- Page size
- Page table size

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

Each page is a power of -------- bytes long in paging scheme.

Answer (Please select your correct option)

VuAnswers.com

- 2
- 3
- 4
- 5

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is based on the locality of reference concept— the least frequently used page is not in the current locality

Answer (Please select your correct option)

VuAnswers.com

- Least Frequently Used algorithm 
- Page Buffering Algoritm
- None of the given options
- Most Frequently Used algorithm


Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ allocation scheme free frames are equally divided among processes

Answer (Please select your correct option)

VuAnswers.com

- Fixed Allocation 
- Propotional Allocation
- Priority Allocation
- None of the given options

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is created by the system when a symbolic link is created to an existing file, allowing you to rename the existing file and share it without duplicating its contents

Answer (Please select your correct option)

VuAnswers.com

- Directory
- Character-special file
- Ordinary File
- Link File 

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

The _____ method requires each file to occupy a set of contiguous blocks on the disk.

Answer (Please select your correct option)

VuAnswers.com

- Contiguous Allocation 
- Linked Allocation
- Indexed Allocation
- None of the given options

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____algorithm the disk arm starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk

Scan
In the Scan algorithm the disk arm starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

VuAnswers.com

Answer (Please select your correct option)

- Scan 
- SSTF
- Look
- C-Look

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

In Linux directory structure, there is _____ root directory.

Answer (Please select your correct option)

VuAnswers.com

- 2
- 3
- 4
- 1



Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

The integer value of _____ semaphores can not be greater than 1.

Answer (Please select your correct option)

VuAnswers.com

- Bounded buffer
- Counting
- Binary
- Mutex

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

The main memory is usually divided into partitions, one for _____ and other for _____ .

Answer (Please select your correct option)

VuAnswers.com

- Operating System, User processes
- Operating system, CPU
- Processes, Virtual Memory
- Base Register, Limit Register


Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for **p (page number)**?

Answer (Please select your correct option)

VuAnswers.com

- 4 bits 
- 8 bits
- 16 bits
- 32 bits

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for **f (frames)**?

Answer (Please select your correct option)

VuAnswers.com

- 5
- 6
- 7
- 8

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

In the Scan algorithm the disk _____ starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

Answer (Please select your correct option)

VuAnswers.com

- arm
- cylinder
- head
- non of these

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

Segmentation is a memory management scheme that supports _____

Answer (Please select your correct option)

VuAnswers.com

- Programmer's view of memory
- System's view of memory
- Hardware's view of memory
- None of the given


Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

A _____ is a piece of code in a cooperating process in which the process may updates shared data (variable, file, database, etc.).

Answer (Please select your correct option)

VuAnswers.com

- critical section 
- critical region
- monitor
- all of the given are correct

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

The next layer above the hardware layer in the layered approach of Operating System is---------- layer

Answer (Please select your correct option)

VuAnswers.com

- User interface
- Kernel not sure
- Hardware
- None of the given options

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

Priority of a process is ---------- to the priority number of the process.

Answer (Please select your correct option)

VuAnswers.com

- Directly proportional
- Equal
- Inversely proportional
- Greater


Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

_____is the operating system's attempt to improve the computer system's utilization and throughput.

Answer (Please select your correct option)

VuAnswers.com

- Exec
- Fork
- Demand Paging 
- Thrashing

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- automatically holds for printers and other non-sharables

Answer (Please select your correct option)

VuAnswers.com

- Hold and wait
- Circular wait
- Mutual exclusion
- No preemption:

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

The main disadvantage of semaphore is ----------

Answer (Please select your correct option)

VuAnswers.com

- Context switching
- Busy waiting 
- Synchronization
- None of the given options


Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ states that as a process executes it moves from locality to locality.

Answer (Please select your correct option)

VuAnswers.com

- Working Set Model
- Page Fault Frequency
- Locality of Reference 
- None of the given options


Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is a way to establish a connection between the file to be shared and the directory entries of the users who want to have access to this file.

Answer (Please select your correct option)

VuAnswers.com

- Link 
- Directory
- Common Group
- Access Permission


Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

A parent process calling _____ system call will be suspended until children process terminates.

Answer (Please select your correct option)

VuAnswers.com

- wait
- fork 
- exit
- exec

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

High-level synchronization construct that allows the safe sharing of an abstract data type among concurrent processes is called a ----------

Answer (Please select your correct option)

VuAnswers.com

- Read/Write Lock
- Swap
- Semaphore
- Monitor

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is the name of the technique that is designed to get rid of deadlocks by changing the specifications of the system.

Answer (Please select your correct option)

VuAnswers.com

- Deadlock avoidance
- Deadlock prevention
- Deadlock
- Deadlock free

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

In which of the following operations, the scheduler is not called into play?

Answer (Please select your correct option)

VuAnswers.com

- Process requests for I/O.
- Process finishes execution.
- Process finishes its time allotted.
- All of the given

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

"Only one process may use a resource at a time" best describes which one of the following?

Answer (Please select your correct option)

VuAnswers.com

- Circular wait
- Hold and wait
- No preemption
- Mutual Exclusion

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is NOT a valid deadlock prevention scheme?

Answer (Please select your correct option)

VuAnswers.com

- Release all resources before requesting a new resource
- Number the resources uniquely and never request a lower numbered resource than the last one requested.
- Never request a resource after releasing any resource
- Request and all required resources be allocated before execution.

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ page replacement algorithm suffers from Belady's anamoly.

Answer (Please select your correct option)

VuAnswers.com

- LRU
- MRU
- FIFO
- LIFO

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

A page fault occurs

Answer (Please select your correct option)

VuAnswers.com

- when the page is in the memory
- when the process enters the blocked state
- when the process is in the ready state
- when the page is not in the memory

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

The mechanism that brings a page into memory only when it is needed is called _____

Answer (Please select your correct option)

VuAnswers.com

- Segmentation
- Fragmentation
- Demand Paging
- Page Replacement

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ occurs in a dynamic memory allocation system when many of the free blocks are too small to satisfy any request.

Answer (Please select your correct option)

VuAnswers.com

- Segmentation
- Virtual memory
- Page fault
- Fragmentation

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

1 KB or 1 kilobyte is equivalent to ------

Answer (Please select your correct option)

VuAnswers.com

- 10 bytes
- 1000 bytes
- 1024 bytes
- 10000 bytes

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

A ----------system collects physically separate, possibly heterogeneous, systems into a single coherent system, providing the user with access to the various resources that the system maintains

A distributed system collects physically separate, possibly heterogeneous, systems into a single coherent system, providing the user with access to the various resources that the system maintains.

Answer (Please select your correct option)

VuAnswers.com

- Distributed

correct

page 13

- Real-time
- Single user
- Time-sharing

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

Preemptive ----------scheduling is sometimes called **shortest-remaining-time-first** scheduling.

Preemptive SJF scheduling is sometimes called shortestremaining-time-first scheduling. page 83

Answer (Please select your correct option)

VuAnswers.com

- First-Come-First-Served (FCFS)
- Round-Robin
- Sorted Job First (SJF)

correct

- Priority

Made by: Waqar Siddhu

The semaphore empty is initialized to the value ---------; the semaphore full is initialized to the value --------.

The semaphore empty is initialized to the value n; the semaphore full is initialized to the value 0.

page 116

Answer (Please select your correct option)

VuAnswers.com

- 0,n
- n,0 correct
- n,n
- 0,0

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

A ----------is a region of code where shared resources are accessed.

Whereas resource sharing is one of the major advantages of threads

page 70

Answer (Please select your correct option)

VuAnswers.com

- deadlock
- critical region
- process
- thread

correct

Made by: Waqar Siddhu

In ---------- technique, memory is divided into several fixed-size partitions.

Multiprogramming with Fixed Tasks (MFT)
In this technique, memory is divided into several fixed-size partitions.

page 160

Answer (Please select your correct option)

VuAnswers.com

- Swapping
- Overlays
- Multiprogramming with Fixed Tasks (MFT) correct
- Multiprogramming with Variable Tasks (MVT)

Made by: Waqar Siddhu

Every ----------generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

Every logical address generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

page 164

Answer (Please select your correct option)

VuAnswers.com

- Page
- Process address space
- Physical address
- Logical address

correct

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

If validation bit is 0, it indicates a/an --------- state of segment.

Validation bit : if the validation bit is 0, it indicates an illegal segment

page 178

Answer (Please select your correct option) VuAnswers.com

- protected
- shared
- legal
- illegal

correct

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is based on the locality of reference concept— the least frequently used page is not in the current locality

This algorithm is based on the locality of reference concept— the least frequently used page is not in the current locality. LFU

page 204

Answer (Please select your correct option)

VuAnswers.com

- Least Frequently Used algorithm

  correct
- Page Buffering Algoritm
- None of the given options
- Most Frequently Used algorithm

Made by: Waqar Siddhu

In _____ allocation scheme number of frames allocated to a process is proportional to its size .

Proportional Allocation
Number of frames allocated to a process is proportional to its size in this scheme.

page 205

Answer (Please select your correct option)

VuAnswers.com

- None of the given options
- Fixed Allocation
- Propotional Allocation

correct

- Priority Allocation

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

In case of thrashing if CPU utilization is too low the operating system _____ the degree of multiprogramming

if CPU utilization is too low, the operating system increases the
degree of multiprogramming by introducing one or more new processes to the system.

page 208

Answer (Please select your correct option)

VuAnswers.com

- Increases

  correct
- Decreases
- Increases or Decreases
- None of the given options

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ enable processes to communicate with each other

FIFO enable processes to communicate with each other.

page 218

Answer (Please select your correct option)

VuAnswers.com

- Directory
- FIFO

correct

- Link File
- Ordinary File

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

When a _____link is created, a directory entry for the existing file is created

When a hard link is created, a directory entry for the existing file is created—there is still only one file.

page 225

Answer (Please select your correct option)

VuAnswers.com

- Soft
- Hard
- Soft or Hard
- Soft or Hard

correct

Made by: Waqar Siddhu

In _____, each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.

Linked Allocation
Each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.

page 235

Answer (Please select your correct option)

VuAnswers.com

- Indexed Allocation
- Contiguous Allocation
- Linked Allocation

correct

- None of the given options

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

Shared libraries and kernel modules are stored in _____ directory

/lib Shared libraries and kernel modules are stored in this directory

page 23

Answer (Please select your correct option)

VuAnswers.com

- /bin
- /dev
- /boot
- /lib

correct

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

The problem of Deadlocks can be solved by _____ method(s).

VuAnswers.com

Answer (Please select your correct option)

- Deadlock prevention
- Deadlock avoidance
- Allowing deadlock and recovery
- All of the given

correct

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ page replacement algorithm oldest frame is replaced with another.

page 119

Answer (Please select your correct option)

VuAnswers.com

- LIFO
- FIFO

correct

- LRU
- Optimal

Made by: Waqar Siddhu

In Resource Allocation Graph, a _____ $P_i \rightarrow R_j$ indicates that process P_i may request resource R_j at some time in the future.

Resource Allocation Graph Algorithm
In addition to the request and assignment edges explained in the previous lectures, we introduce a new type of edge called a claim edge to resource allocation graphs. A claim edge Pi →Rj indicates that process Pi may request resource Rj at some time in the future.

page 136

VuAnswers.com

Answer (Please select your correct option)

- Claim edge — correct
- Request edge
- Assignment edge
- Allocation edge

Made by: Waqar Siddhu

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for **p (page number)**?

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. No. of bits needed for p = ceiling [log2 16] bits = 4 bits

page 166

Answer (Please select your correct option)

VuAnswers.com

- 4 bits — correct
- 8 bits
- 16 bits
- 32 bits

Made by: Waqar Siddhu

In the Scan algorithm the disk _____ starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

Scan

In the Scan algorithm the disk arm starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

page 245

VuAnswers.com

Answer (Please select your correct option)

- arm

correct

- cylinder
- head
- non of these

Made by: Waqar Siddhu

Segmentation is a memory management scheme that supports _____

Segmentation is a memory management scheme that supports programmer's view of memory.

page 176

VuAnswers.com

Answer (Please select your correct option)

- Programmer's view of memory — correct
- System's view of memory
- Hardware's view of memory
- None of the given

Made by: Waqar Siddhu

_____is a variation of fork system call in several Unix operating system used for Virtual Memory.

vfork()
Several versions of UNIX provide a variation of the fork() system call—vfork() (for virtual memory fork).

page 194

VuAnswers.com

Answer (Please select your correct option)

- vfork ( ) — correct
- wfork ( )
- avfork ( )
- bfork ( )

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

The bottom layer in the layered approach of Operating System is----------

page 20

VuAnswers.com

Answer (Please select your correct option)

- User interface
- Hardware
- Kernel
- None of the given options

correct

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Named pipes give a ----------flow of data by default

46 page

Answer (Please select your correct option)

VuAnswers.com

- half-duplex (one-way) — correct
- full duplex(both-ways)
- both half-duplex and full duplex
- none of the given options

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ frame allocation scheme free frames are equally divided among processes

Fixed allocation
In this scheme free frames are equally divided among processes

page 205

Answer (Please select your correct option)

VuAnswers.com

- Fixed

correct

- Proportional
- Priority
- All of the given

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- automatically holds for printers and other non-sharables

Answer (Please select your correct option)

VuAnswers.com

- Hold and wait

correct

cheking require

- Circular wait
- Mutual exclusion
- No preemption:

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- is a single program that produces an object file

Answer (Please select your correct option)

VuAnswers.com

- Linker
- Compiler

correct

- Loader
- Text editor

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

----------keeps in memory only those instructions and data that are needed at any given time.

The idea of overlays is to keep in memory only those instructions and data that are needed at any given time.

page 157

Answer (Please select your correct option)

VuAnswers.com

- Paging
- Swapping
- Overlays

correct

- Fragmentation

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------*address*, and the address it gets translated to by the MMU is calle
a ---------*address*.

page 153

Answer (Please select your correct option)

VuAnswers.com

- Virtual, physical

  correct
- Hexadecimal, Binary,
- Valid, invalid
- Physical, Virtual

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is/are a memory management scheme that supports programmer's view of memory.

page 176

VuAnswers.com

Answer (Please select your correct option)

- Paging
- **Segmentation**

correct

- All of the given options
- Demand Paging

Made by: Waqar Siddhu

A new process is created by the---------- system call

VuAnswers.com

Answer (Please select your correct option)

- exit
- fork

correct

midterm solve

- wait
- exec

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

The ---------- are used for communication between related or unrelated processes on the same system or unrelated processes on different systems.

BSD Socket: The BSD sockets are used for communication between related or unrelated processes on the same system or unrelated processes on different systems,

page 50

Answer (Please select your correct option)

VuAnswers.com

- None of the given
- SSD socket
- DSD socket
- BSD sockets

correct

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ wastes CPU cycles and hence a problem in real multiprogramming system.

Busy waiting wastes CPU cycles that some other process may be able to use productively.

page 111

Answer (Please select your correct option)

VuAnswers.com

- Busy waiting

  correct
- Semaphore
- Critical section
- Mutex

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

High-level synchronization construct that allows the safe sharing of an abstract data type among concurrent processes is called a ----------

Answer (Please select your correct option)

VuAnswers.com

- Read/Write Lock
- Swap
- Semaphore
- Monitor

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

In ..... system, the user space contains one process at a time because only one process is executing at a given time.

In case of a batch system, the user space contains
one process at a time because only one process is executing at a given time.

page 5

Answer (Please select your correct option)

VuAnswers.com

- Multi programmed
- Batch
- Time-sharing system
- None of the given

correct

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the correct syntax to copy file1 to file2?

page 27

VuAnswers.com

Answer (Please select your correct option)

- cp file2, file1
- cp file1/file2 correct
- cp file2 file1
- cp file1 file2

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ points to the smallest memory address of a process.

limit registers are used
to point to the smallest memory address of a process

159 page

Answer (Please select your correct option)

VuAnswers.com

- Limit register — correct
- Base register
- Stack pointer
- None of the given

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

A wait operation on a semaphore should not occur within a critical section controlled by that semaphore because

Answer (Please select your correct option)

VuAnswers.com

- A deadlock will occur
- A semaphore is not a shared variable
- A signal on a semaphore is always given from outside the critical section
- None of the given

Made by: Waqar Siddhu

_____ page replacement algorithm suffers from Belady's anamoly.

Example for the FIFO page replacement algorithm
The problem with this algorithm is that it suffers from Belady's anomaly:

199

Answer (Please select your correct option)

VuAnswers.com

- LRU
- MRU
- FIFO
- LIFO

correct

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

Answer (Please select your correct option)

VuAnswers.com

- Translation Look aside buffer
- Inverse page table
- Segmented page table
- All the above

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

----------is the process of mapping a name to an address.

nooooo ideaaaa

VuAnswers.com

Answer (Please select your correct option)

- Addressing
- Binding
- Routing
- Memory

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

When the address used in a program gets converted to an actual physical RAM address, it is called ----------

VuAnswers.com

Answer (Please select your correct option)

- Execution
- Loading
- Address Binding

ans

- Compiling

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

The set of all logical addresses generated by a program form the ----------of a process.

VuAnswers.com

Answer (Please select your correct option)

- Process address space
- Physical address space

ans

- Logical address space
- None of the given options

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

Each page is a power of -------- bytes long in paging scheme.

VuAnswers.com

Answer (Please select your correct option)

- 2
- 3
- 4

ans

- 5

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

----------is the separation of user logical memory from physical memory

VuAnswers.com

Answer (Please select your correct option)

- Physical memory
- ROM
- Virtual Memory

ans

- None of the given options

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is based on the locality of reference concept— the least frequently used page is not in the current locality

VuAnswers.com

Answer (Please select your correct option)

- Least Frequently Used algorithm

ans

- Page Buffering Algoritm
- None of the given options
- Most Frequently Used algorithm

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

In case of thrashing if CPU utilization is too low the operating system _____ the degree of multiprogramming

VuAnswers.com

Answer (Please select your correct option)

- Increases

ans

- Decreases
- Increases or Decreases
- None of the given options

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is created by the system when a symbolic link is created to an existing file, allowing you to rename the existing file and share it without duplicating its contents

VuAnswers.com

Answer (Please select your correct option)

- Directory
- Character-special file
- Ordinary File
- Link File

ans out of lectues

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ brings all the pointers to the block together into a disk block

VuAnswers.com

Answer (Please select your correct option)

- Indexed Allocation

  ans

- None of the given options
- Linked Allocation
- Contiguous Allocation

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____algorithm the disk arm starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk

out of lect

VuAnswers.com

Answer (Please select your correct option)

- Scan
- SSTF
- Look
- C-Look

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

Wrong use of wait and signal operations (in context with semaphores) can cause _____ problem(s).

VuAnswers.com

Answer (Please select your correct option)

- Mutual Exclusion
- Deadlock
- Bounded Waiting
- All of the given options are correct

ans

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

A process is _____if it is spending more time on paging

VuAnswers.com

Answer (Please select your correct option)

- Thrashing ans
- Demand paging
- Paging
- Fixed Allocation

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is caused due to un-used space in physical memory.

VuAnswers.com

Answer (Please select your correct option)

- Internal fragmentation

ans

- External fragmentation
- Paging
- MVT

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

External Fragmentation takes place in _____

VuAnswers.com

Answer (Please select your correct option)

- Multiprogramming with Variable Tasks (MVT)
- Multiprogramming with Fixed Tasks (MFT)
- Multi-tasking
- Paging

ans

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

To eliminate external fragmentation in segmentation the scheme used is _____

VuAnswers.com

Answer (Please select your correct option)

- Fixed size partition scheme
- Variable size partition scheme

and

- Fixed size paging scheme
- Variable size paging scheme

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

In paged segmentation, the logical address is legal if **d** is _____segment length.

VuAnswers.com

Answer (Please select your correct option)

- Less than

ans

- Greater than
- Equal to
- Greater than or equal to

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

In a UNIX system,_____ system call can be used to request the operating system to memory map an opened file.

VuAnswers.com

Answer (Please select your correct option)

- mmap( )

ans

- fork ( )
- exec( )
- read( )

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

A _____ is an integer variable that, apart from initialization is accessible only through two standard atomic operations: wait and signal.

VuAnswers.com

Answer (Please select your correct option)

- Semaphore

  ans
- Monitor
- Critical region
- Critical section

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

The bottom layer in the layered approach of Operating System is----------

VuAnswers.com

Answer (Please select your correct option)

- User interface
- Hardware
- Kernel
- None of the given options

ans

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ frame allocation scheme free frames are equally divided among processes

VuAnswers.com

Answer (Please select your correct option)

- Fixed

ans

- Proportional
- Priority
- All of the given

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

A set of processes are said to be in ---------- condition if each process in the set is waiting for an event that only another process in the set can cause (including itself).

VuAnswers.com

Answer (Please select your correct option)

- Mutual exclusion
- Deadlock
- Release
- Lock

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ states that as a process executes it moves from locality to locality.

out of

VuAnswers.com

Answer (Please select your correct option)

- Working Set Model
- Page Fault Frequency
- Locality of Reference
- None of the given options

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

A modification of free-list approach in free space managment is to store the addresses of n free blocks in the first free block is known as _____.

out of

VuAnswers.com

Answer (Please select your correct option)

- counting
- linked list
- bit vector
- grouping

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ commands in Linux is used to copy file

VuAnswers.com

Answer (Please select your correct option)

- ls
- cp
- mv
- mkdir

ans

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

You can use the rm file1 command to _____ file1.

out of

VuAnswers.com

Answer (Please select your correct option)

- Retrieve
- Make
- Modify
- Remove

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

A parent process calling _____ system call will be suspended until children process terminates.

VuAnswers.com

Answer (Please select your correct option)

- wait

ans

- fork
- exit
- exec

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

----------are used for communication between unrelated processes on a system.

VuAnswers.com

Answer (Please select your correct option)

- Pipes
- Named pipe (FIFO):

  ans
- BSD Sockets
- none of the given options

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ wastes CPU cycles and hence a problem in real multiprogramming system.

VuAnswers.com

Answer (Please select your correct option)

- Busy waiting

ans

- Semaphore
- Critical section
- Mutex

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

High-level synchronization construct that allows the safe sharing of an abstract data type among concurrent processes is called a ----------

VuAnswers.com

Answer (Please select your correct option)

- Read/Write Lock
- Swap
- Semaphore
- Monitor

ans

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

We want a page replacement algorithm with the _____ page-fault rate.

VuAnswers.com

Answer (Please select your correct option)

- Highest
- Lowest

ans

- Normal
- None of the given

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is used to point to the size of a process.

VuAnswers.com

Answer (Please select your correct option)

- Base register
- Limit register
- Stack pointer
- None of the given

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

A binary semaphore_____.

VuAnswers.com

Answer (Please select your correct option)

- has the values one or zero.

ans

- is essential to binary computers.
- is a deadlock scheme.
- None of the given.

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

In one of the deadlock prevention methods, impose a total ordering of all resource types, and require that each process requests resources in an increasing order of enumeration. This violates the _____condition of deadlock

VuAnswers.com

Answer (Please select your correct option)

- Mutual exclusion
- Hold and Wait
- Circular Wait ans
- No Preemption Right

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is NOT a valid deadlock prevention scheme?

VuAnswers.com

Answer (Please select your correct option)

- Release all resources before requesting a new resource
- Number the resources uniquely and never request a lower numbered resource than the last one requested.
- Never request a resource after releasing any resource
- Request and all required resources be allocated before execution.

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Where does the swap space reside ?

VuAnswers.com

Answer (Please select your correct option)

- RAM and
- Disk
- ROM
- On-chip cache

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

Command-line interpreter is often known as the --------

VuAnswers.com

Answer (Please select your correct option)

- register
- shell

ans

- kernel
- timer

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

You can suspend a foreground process by pressing ---------- key press

VuAnswers.com

Answer (Please select your correct option)

- <Ctrl-A>
- <Ctrl-C>
- <Ctrl-Z>

ans

- None of the given options

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

Preemptive scheme of Short job first scheduling is known as -------

VuAnswers.com

Answer (Please select your correct option)

- First Come First Serve Scheduling
- Shortest-Remaining-Time-First
- Priority Scheduling

ans

- Round-Robin Scheduling

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

Wait and signal operations of semaphores were originally termed ----------

VuAnswers.com

Answer (Please select your correct option)

- P and V respectively.
- V and P respectively.
- P and P respectively.
- V and V respectively.

and

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

A ----------is a region of code where shared resources are accessed.

VuAnswers.com

Answer (Please select your correct option)


- deadlock
- critical region

ans

- process
- thread

Made by: Waqar Siddhu

For More Solutions or Short Lectures (Playlist) Visit our Youtube Channel



VUNET.BLOGSPOT.Com