File by MAM MEHWISH 03184148783
Paid LMS Handling Available

We also provide Past papers for Mids. and Finals

Cross Check your answers before submitting directly from the file. We are not responsible for 100% correction as human error exists

MCQ 1: Which of the following is the correct definition for signal operation?

Options:

a) signal(S) {
  while(S>=0)
  ; // no op
  S--;
}

b) signal(S) {
  while(S<=0)
  ; // no op
  S--;
}

c) signal(S) {
  S--;
}

d) signal(S) {
  S++;
}

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

Correct option: c) signal(S) {

S--;

}

MCQ 2: Following is not the classical problem of synchronization.

Options:

a) Reader-writer problem

b) Bounded buffer problem

c) Counting Semaphore problem

d) Dining philosophers problem

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

Correct option: b) Bounded buffer problem

MCQ 3: A dashed line is used to represent a _____ in Resource Allocation Graph.

Options:

a) Assignment edge

b) Claim edge

c) Allocation edge

d) Request edge

Correct option: d) Request edge

MCQ 4: Deadlock can be dealt with _____ ways.

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

Options:

a) 2

b) 3

c) 4

d) 5

e) 6

Correct option: c) 4

MCQ 5: Typically, a monitor, a high-level synchronization tool, is characterized by _____ and _____.

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

Options:

a) Local data, programmer-defined operators

b) Local variables, semaphores

c) Local variables, semaphores

d) Global variable, local variable

Correct option: a) Local data, programmer-defined operators

MCQ 6: The integer value of _____ semaphores cannot be greater than 1.

Options:

a) Mutex

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

b) Counting

c) Bounded buffer

d) Bounded buffer

Correct option: a) Mutex

MCQ 7: In Resource Allocation Graph, a _____ Pi ---> Rj indicates that process Pi may request resource Rj at some time in the future.

Options:

a) Assignment edge

b) Allocation edge

c) Request edge

d) Claim edge

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

Correct option: c) Request edge

MCQ 8: Banker's algorithm is used for _____.

Options:

a) Deadlock avoidance

b) Deadlock detection

c) Deadlock prevention

d) Deadlock removal

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

Correct option: a) Deadlock avoidance

MCQ 9: The _____ scheme is not applicable to a resource allocation system with multiple instances of each resource type.

Options:

a) Wait-for graph

b) Resource allocation graph

c) Both Resource-allocation and wait-for graph

d) None of the given options

Correct option: b) Resource allocation graph

File by MAM MEHWISH 03184148783
Paid LMS Handling Available

MCQ 10: Wrong use of wait and signal operations (in the context of semaphores) can cause _____ problem(s).

Options:

a) Mutual Exclusion

b) Deadlock

c) Bounded Waiting

d) All of the given options are correct

Correct option: d) All of the given options are correct

File by MAM MEHWISH 03184148783
Paid LMS Handling Available