4G 4G 5:19

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 10 of 10 (Start time: 05:20:24 PM, 02 July 2022)

Total Marks: 1

Speed is the magnitude of ----.

Select the correct option

- energy
- acceleration
- force
- velocity

4G 4G 5:19

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 9 of 10 (Start time: 05:19:49 PM, 02 July 2022)

Total Marks: 1

If a body of weight 5N is hanging in equilibrium by a light inextensible string then the tension in the string is-----

Select the correct option

- 5N
- 0N
- 0.5N
- 50N

4G 4G 5:18

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 8 of 10 (Start time: 05:19:10 PM, 02 July 2022)

Total Marks: 1

If a particle is in equilibrium under the action of three coplanar concurrent forces, then each force has a magnitude proportional to the ----of the angle between the other two.

Select the correct option

- tangent
- sine
- secant
- cosine

Save and Next | Move to next question

4G 4G 5:17

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 7 of 10 (Start time: 05:18:38 PM, 02 July 2022)

Total Marks: 1

Acceleration is a ..... quantity.

Select the correct option

- scalar
- both vector and scalar
- none of the given
- vector

Save and Next | Clear Response | Mark for Review and Next

4G 4G 5:16

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 86 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 6 of 10 (Start time: 05:17:24 PM, 02 July 2022)

Total Marks: 1

Lamy's Theorem cannot be applied if angle between any two forces is…….

Select the correct option

- 40 degrees
- 180 degrees
- 70 degrees
- 100 degrees

4G 4G 5:15

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 74 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 5 of 10 (Start time: 05:16:27 PM, 02 July 2022)

Total Marks: 1

While using Lamy's Theorem which of the following can be angle between any two forces?

Select the correct option

- 80 degrees
- 180 degrees
- 0 degrees
- 360 degrees

4G 4G 5:14

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 4 of 10 (Start time: 05:15:00 PM, 02 July 2022)

Total Marks: 1

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle. If X=4N and Y=0N then the angle made by the Resultant with with +ve x-axis is -----

Select the correct option

- 180 degrees
- 270 degrees
- 0 degrees
- 90 degrees

Go to Next Question | Move to Next Section

4G 4G 5:13
quiz.vu.edu.pk/Qu
36

BC200408250: IQRA MUNIR

Time Left 82 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 3 of 10 (Start time: 05:14:15 PM, 02 July 2022)

Total Marks: 1

The branch of mechanics which deals with the bodies at rest is called-----

Select the correct option

- kinematics
- kinetics
- statics
- dynamics

Go to Next Question | Move to Last Question

5:11

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 10 of 10 (Start time: 05:11:24 PM, 02 July 2022) Total Marks: 1

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle then magnitude of Resultant force acting on the particle is given by

Select the correct option

Reload Math Equations

- $R = X + Y$
- $R = \sqrt{X^2 - Y^2}$
- $R = X - Y$
- $R = \sqrt{X^2 + Y^2}$

5:11

quiz.vu.edu.pk/Qu

36

BC200408250: IQRA MUNIR

Time Left 85 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:04 PM, 02 July 2022

Question # 2 of 10 (Start time: 05:11:48 PM, 02 July 2022)

Total Marks: 1

If a body is moving at 2m/s, then 2m/s is the ..... of the body.

Select the correct option

- force
- acceleration
- velocity
- speed

Go to Next Question | Move to Last Question

4G 5:10

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 87 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 9 of 10 (Start time: 05:10:46 PM, 02 July 2022) Total Marks: 1

If two forces p and q act at an angle

$$\alpha$$

then the angle

$$\theta$$

made by the resultant with force p is given by

Select the correct option

Reload Math Equations

- $\tan\theta = \frac{p\sin\alpha}{q - p\cos\alpha}$
- $\tan\theta = \frac{p\sin\alpha - q}{p\cos\alpha}$
- $\tan\theta = \frac{p\sin\alpha + q}{p\cos\alpha}$
- $\tan\theta = \frac{p\sin\alpha}{q + p\cos\alpha}$

4G 5:09

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 88 sec(s)

MTH304: QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 8 of 10 (Start time: 05:09:07 PM, 02 July 2022)

Total Marks: 1

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle. If X=0N and Y=-5N then the angle made by the horizontal with +ve x-axis is ----

Select the correct option

- 270 degrees
- 0 degrees
- 180 degrees
- 90 degrees

5:08

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 89 sec(s)

MTH304: QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 6 of 10 (Start time: 05:08:09 PM, 02 July 2022)

Total Marks: 1

The branch of science which deals with the behavior of physical bodies when subjected to forces or displacements is called.....

Select the correct option

- mathematics
- physics
- chemistry
- mechanics

5:08

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 89 sec(s)

MTH304: QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 7 of 10 (Start time: 05:08:41 PM, 02 July 2022)

Total Marks: 1

In Lamy's Theorem sum of the three angles used must be.... degrees.

Select the correct option

- 270
- 360
- 90
- 180

5:07

Quiz
quiz.vu.edu.pk

A particle is moving in two-dimensional plane with speed 5m/s. Which of the following is NOT the possible velocity of the particle?

Select the correct option

- 5i
- 2i+3j
- 5j
- 3i+4j

Jazz
Telenor
49% 5:06 PM
quiz.vu.edu.pk/QuizQuestion.

MTH304:QUIZ NO.1 Quiz Start Time: 05:04 PM, 02

Question # 1 of 10 (Start time: 05:05:37 PM, 02 July 2022) Tot

According to Lamy's theorem

Select the correct option

- If the three forces acting at a point are in equilibrium, the each force is proportional to the sine of the angle betwe the other two
- The three forces must be at 120° to each other
- The three forces must be equal
- none of these

5:07

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022


Question # 4 of 10 (Start time: 05:07:00 PM, 02 July 2022)

Total Marks: 1

If a particle is in equilibrium under the action of three coplanar concurrent forces, then each force has a magnitude proportional to the ----of the angle between the other two.

Select the correct option

- O tangent
- O cosine
- O sine
- O secant


Jazz
Telenor
50%
5:05 PM
quiz.vu.edu.pk/QuizStart.asp
QUIZ NO 1
Total Questions : 10
Announcement
It has come to the University's knowledge that some students are using unfair means while attempting their Mid-Term quiz.
The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means,
i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s)
including cancellation of thee Mid-Term quiz.
Please read the following instructions carefully!
1. Quiz will be based upon Multiple Choice Questions (MCQs)
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. DO NOT press Back Button / Backspace Button while attempting a question, otherwise you will lose that question.
6. DO NOT refresh the page unnecessarily, specially when following messages appear
• Saving...
• Question Timeout. Now loading next question...
7. Javascript MUST be enabled in your browser, otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.
Start Quiz

5:04

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 89

MTH304: QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 3 of 10 (Start time: 05:04:48 PM, 02 July 2022)

Total Marks: 1

If a particle is in equilibrium under the action of coplanar Forces then removing a horizontal force makes the particle in---

Select the correct option

O	Both horizontal and vertical equilibrium
O	vertical equilibrium only
O	horizontal equilibrium only
O	neither horizontal equilibrium nor vertical equilibrium

4G 5:04

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 2 of 10 (Start time: 05:04:17 PM, 02 July 2022)

Total Marks: 1

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle then magnitude of Resultant force acting on the particle if Y=0 is given by—.

Select the correct option

O	R=2X
O	R=X
O	R=2Y
O	R=Y

[redacted]

5:03

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 89 sec(s)

MTH304: QUIZ NO.1

Quiz Start Time: 05:03 PM, 02 July 2022

Question # 1 of 10 (Start time: 05:03:41 PM, 02 July 2022)

Total Marks: 1

If a force of 6 N acts at an angle of 60 degrees with the horizontal, then the horizontal component of the force is..... N.

Select the correct option

O	6
O	0
O	3
O	5.20

BC200403763: MUHAMMAD USMAN

MTH304:QUIZ NO.1

Question # 2 of 10 (Start time: 04:47:22 PM, 02 July 2022)

In Lamy's Theorem sum of the three angles used must be.... degrees.

Select the correct option

- 360
- 90
- 180
- 270

Type here to search

MTH304:QUIZ NO.1

Question # 10 of 10 (Start time: 04:55:25 PM, 02 July 2022)

Law of cosines is applicable on———.

Select the correct option

- any triangle
- acute-angled triangle only
- obtuse-angled triangle only
- right-angled triangle only

Type here to search

Question # 9 of 10 (Start time: 04:54:06 PM, 02 July 2022)

Lamy's Theorem cannot be applied if a body is in state of vertical equilibrium only under the action of three concurrent coplaner forces

Select the correct option

- ○ False
- ○ True

MTH304:QUIZ NO.1

Question # 8 of 10 (Start time: 04:52:47 PM, 02 July 2022)

Three forces (2i+3j)N, (4i-2j)N and (-5i+4j)N are acting on a body. What single force must be applied on the body to make it in complete equilibrium?

Select the correct option

- -i+5j
- i-5j
- -i-5j
- i+5j

Quiz - Google Chro...

Question # 7 of 10 (Start time: 04:51:46 PM, 02 July 2022)

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle then magnitude of Resultant force acting on the particle if Y=0 is given by—

Select the correct option

- R=X
- R=2Y
- R=Y
- R=2X

Type here to search

Quiz - Google Chro...

41°C

MTH304:QUIZ NO.1

Question # 6 of 10 (Start time: 04:50:58 PM, 02 July 2022)

_____ is used in Lamy's Theorem.

Select the correct option

- Differentiation
- Integration
- Trigonometry
- None of the given

Type here to search

Question # 5 of 10 (Start time: 04:50:12 PM, 02 July 2022)

The branch of science which deals with the behavior of physical bodies when subjected to forces or displacements is called

Select the correct option

- mechanics
- physics
- chemistry
- mathematics

Type here to search

Quiz - Google Chro...

Question # 4 of 10 (Start time: 04:49:33 PM, 02 July 2022)

Acceleration is a ..... quantity.

Select the correct option

- scalar
- both vector and scalar
- none of the given
- vector

Type here to search

BC200403763: MUHAMMAD USMAN

MTH304:QUIZ NO.1

Question # 3 of 10 (Start time: 04:48:40 PM, 02 July 2022)


If a particle is in equilibrium under the action of coplanar forces, then sum of horizontal forces is ____

Select the correct option

- -1
- 1
- 0
- cannot be found

Type here to search

Quiz - Google Chro...



Question # 2 of 10 (Start time: 04:47:22 PM, 02 July 2022)

In Lamy's Theorem sum of the three angles used must be.... degrees.

Select the correct option

- 360
- 90
- 180
- 270

Type here to search

BC200403763: MUHAMMAD USMAN

MTH304:QUIZ NO.1

Question # 1 of 10 (Start time: 04:46:20 PM, 02 July 2022)

If a body is moving at (2i+3j)m/s. then (2i+3j)m/s is the ..... of the body.

Select the correct option

- velocity
- force
- acceleration
- speed

Type here to search

4:32 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09

MTH304-QUIZ NO 1

Quiz Start Time: 04:28 PM, 02 July 2022

Question # 9 of 10 (Start time: 04:32:46 PM, 02 July 2022)

Total Marks: 1

A body of mass 20kg is placed on an inclined plane which is lying at an angle 60 degrees to the horizontal.Then the Normal component of force acting on the body is ----N.

Select the correct option

- 100
- 173
- 10
- 17.3

4:39 60%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 10 of 10 (Start time: 04:39:13 PM, 02 July 2022)

Total Marks: 1

Lamys theorem applies if a particle is in -----.

Select the correct option

- non-equilibrium state
- equilibrium state

4:38 60%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 9 of 10 (Start time: 04:38:27 PM, 02 July 2022)

Total Marks: 1

If two forces p and q act at an angle

α

then the angle

θ

made by the resultant with force p is given by

Select the correct option

Reload Math Equations

- $\tan\theta = \frac{p\sin\alpha - q}{p\cos\alpha}$
- $\tan\theta = \frac{p\sin\alpha}{q - p\cos\alpha}$
- $\tan\theta = \frac{p\sin\alpha + q}{p\cos\alpha}$
- $\tan\theta = \frac{p\sin\alpha}{q + p\cos\alpha}$

◀ ● ■

4:38 61%
quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 8 of 10 (Start time: 04:38:02 PM, 02 July 2022)

Total Marks: 1

Law of cosines is applicable on---------.

Select the correct option

- right-angled triangle only
- obtuse-angled triangle only
- acute-angled triangle only
- any triangle

4:37 61%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 7 of 10 (Start time: 04:37:22 PM, 02 July 2022)

Total Marks: 1

The property of matter that resists changes in its motion is called.....

Select the correct option

- weight
- mass
- force
- inertia

4:36 61%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 6 of 10 (Start time: 04:36:55 PM, 02 July 2022)

Total Marks: 1

------- is used in Lamy's Theorem.

Select the correct option

- Differentiation
- None of the given
- Trigonometry
- Integration

4:36 61%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 88 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 5 of 10 (Start time: 04:36:20 PM, 02 July 2022) Total Marks: 1

If a body is in Vertical equilibrium only then which of the following is true?

Select the correct option

Reload Math Equations

- $\sum F_X = 0, \sum F_Y = 0$
- $\sum F_X = 0, \sum F_Y \neq 0$
- $\sum F_X \neq 0, \sum F_Y = 0$
- $\sum F_X \neq 0, \sum F_Y \neq 0$

4:35 61%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 89 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 4 of 10 (Start time: 04:35:48 PM, 02 July 2022)

Total Marks: 1

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle then magnitude of Resultant force acting on the particle if Y=0 is given by---.

Select the correct option

- R=2Y
- R=2X
- R=X
- R=Y

Save and Next Mark for Review Next Question

◀ ● ■

4:35 61%

quiz.vu.edu.pk/QuizC 15

BC200401560: FEEZA JAVAID BHATTI

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 3 of 10 (Start time: 04:35:24 PM, 02 July 2022)

Total Marks: 1

Acceleration is a ..... quantity.

Select the correct option

- both vector and scalar
- scalar
- vector
- none of the given

◀ ● ■

4:34 61%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 90 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 2 of 10 (Start time: 04:34:49 PM, 02 July 2022)

Total Marks: 1

A body is hanging in equilibrium by a light in-extensible string.If the mass of the body is doubled, then tension in the string must be——.

Select the correct option

- none of these
- halved
- trebled
- doubled

Save and Next Move to Next Question

4:34 61%

quiz.vu.edu.pk/QuizC

BC200401560: FEEZA JAVAID BHATTI

Time Left 88 sec(s)

MTH304:QUIZ NO.1

Quiz Start Time: 04:34 PM, 02 July 2022

Question # 1 of 10 (Start time: 04:34:18 PM, 02 July 2022)

Total Marks: 1

If a force of 6 N acts at an angle of 60 degrees with the horizontal, then the horizontal component of the force is..... N.

Select the correct option

O	3
O	0
O	5.20
O	6

Save and Next Answer & Move to Next Question

4:33 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09

MTH304-QUIZ NO 1

Quiz Start Time: 04:28 PM, 02 July 2022

Question # 10 of 10 (Start time: 04:33:07 PM, 02 July 2022)

Total Marks: 1

If a body of weight 5N is hanging in equilibrium by a light inextensible string then the tension in the string is-----

Select the correct option

- 50N
- 0N
- 5N
- 0.5N

4:32 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 03 min(s)

MTH304-QUIZ NO 1

Quiz Start Time: 04:28 PM, 02 July 2022

Question # 8 of 10 (Start time: 04:32:25 PM, 02 July 2022)

Total Marks: 1

A body is hanging in equilibrium by a light in-extensible string.If the mass of the body is doubled, then tension in the string must be----.

Select the correct option

- trebled
- none of these
- doubled
- halved

4:32 PM
Quiz
quiz.vu.edu.pk

BC200419638: MUHAMMAD ARSLAN

Time Left 07

MTH304-QUIZ NO 1

Quiz Start Time: 04:28 PM, 02 July 2022

Question # 7 of 10 (Start time: 04:32:03 PM, 02 July 2022)

Total Marks: 1

In Lamy's theorem forces are..... to the sine of the angle between the other two.

Select the correct option

- ● proportional
- ○ not proportional

Click to Save Answer & Move to Next Question

4:31 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09

MTH304-QUIZ NO 1

Quiz Start Time: 04:28 PM, 02 July 2022

Question # 6 of 10 (Start time: 04:31:41 PM, 02 July 2022)

Total Marks: 1

Lamys theorem applies to ------coplanar concurrent forces.

Select the correct option

- two
- three
- five
- four

4:31 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09 sec(s)

MTH304-QUIZ NO 1

Quiz Start Time: 04:29 PM, 02 July 2022

Question # 5 of 10 (Start time: 04:31:19 PM, 02 July 2022)

Total Marks: 1

If a body doesn't change its position with respect to its surrounding then it is said to be in state of.....

Select the correct option

- motion
- rest

4:30 PM
Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09

MTH304-QUIZ NO 1

Quiz Start Time: 04:29 PM, 02 July 2022

Question # 4 of 10 (Start time: 04:30:52 PM, 02 July 2022)

Total Marks: 1

------ is used in Lamy's Theorem.

Select the correct option

- Integration
- Trigonometry
- None of the given
- Differentiation

4:30 PM
Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09 sec(s)

MTH304-QUIZ NO 1

Quiz Start Time: 04:29 PM, 02 July 2022

Question # 3 of 10 (Start time: 04:30:09 PM, 02 July 2022)

Total Marks: 1

If a particle is in equilibrium under the action of coplanar forces, then sum of horizontal forces is .....

Select the correct option

O	-1
O	0
O	1
O	cannot be found

4:29 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09 min(s)

MTH304-QUIZ NO 1

Quiz Start Time: 04:29 PM, 02 July 2022

Question # 2 of 10 (Start time: 04:29:31 PM, 02 July 2022)

Total Marks: 1

The branch of science which deals with the behavior of physical bodies when subjected to forces or displacements is called.....

Select the correct option

- mechanics
- mathematics
- chemistry
- physics

4:28 PM

Quiz
quiz.vu.edu.pk

BC200418638: MUHAMMAD ARSLAN

Time Left 09 sec(s)

MTH304-QUIZ NO 1

Quiz Start Time: 04:28 PM, 02 July 2022

Question # 1 of 10 (Start time: 04:28:45 PM, 02 July 2022)

Total Marks: 1

If a body is hanging in equilibrium by a light inextensible string with tension 20N, then the mass of the body is-----

Select the correct option

- 20kg
- 10kg
- 2kg
- 5kg

All Images News Videos More Tools

About 13,000,000 results (0.78 seconds)

zero

You can see that R will be maximum when **θ is equal to zero** that is when the 2 vectors are parallel to each other.

https://www.toppr.com › ask › en-pk › question › resultan...

Resultant of two given vectors is maximum when angle ...

About featured snippets • Feedback

People also ask

At what angle the resultant of two forces is greatest?

Question # 10 of 10 (Start time: 04:24:16 PM, 02 July 2022)

Greatest Resultant of two forces p and q is possible when angle between the two forces is—— degrees.

Select the correct option

O	180
O	270
O	0
O	90

Question # 9 of 10 (Start time: 04:23:10 PM, 02 July 2022)

If the body is in horizontal equilibrium under the action of co-planar forces then the Resultant of the forces acts in the direction of ---

Select the correct option

- vertical axis
- first quadrant
- second quadrant
- horizontal axis

PM, 02 July 2022)

If the body is in horizontal equilibrium under the action of co-planar forces then the Resultant of the forces acts in the direction of ---

Select the correct option

- vertical axis
- first quadrant
- second quadrant
- horizontal axis

Greatest resultant of forces 3N and 5N is —.

Select the correct option

- 5N
- 8N
- 3N
- 2N

Type here to search

Question # 7 of 10 (Start time: 04:20:02 PM, 02 July 2022)

A particle is moving in two-dimensional plane with speed 5m/s. Which of the following is NOT the possible velocity of the particle?

Select the correct option

○	$2i+3j$
○	$5j$
○	$3i+4j$
○	$5i$

Question # 6 of 10 (Start time: 04:19:22 PM, 02 July 20

Trigonometric ratios are applicable on——.

Select the correct option

- any triangle
- obtuse-angled triangle only
- right-angled triangle only
- acute-angled triangle only

Type here to search

PM, 02 July 2022)

If a particle is in equilibrium under the action of coplanar forces, then which of the following is always true?

Select the correct option

- Sum of Rightward forces =Sum of Upward forces
- Sum of Rightward forces ≠Sum of Leftward force
- Sum of Rightward forces =Sum of Leftward forces
- Sum of Rightward forces ≠Sum of Downward forces

MTH304:QUIZ NO.1

Question # 4 of 10 (Start time: 04:16:37 PM, 02 July 2022)

In Lamy's theorem forces are___ to the sine of the angle between the other two.

Select the correct option

- proportional
- not proportional

Type here to search

Question # 3 of 10 (Start time: 04:15:45 PM, 02 July 2022)

If a body is in equilibrium under the action of coplanar forces and upward forces are trebled, then to keep the body in equilibrium, downward forces need to be _

Select the correct option

- halved
- unchanged
- trebled
- doubled

Question # 2 of 10 (Start time: 04:14:25 PM, 02 July 2022)

Law of Sines is applicable on------.

Select the correct option

- Any triangle
- Acute-angled triangle only
- Obtuse-angled triangle only
- Right-angled only

Type here to search

MTH304:QUIZ NO.1

Quiz S

Question # 1 of 10 (Start time: 04:12:37 PM, 02 July 2022)

Let X be the Sum of Horizontal forces and Y be the sum of Vertical Forces acting on a particle. If X=4N and Y=0N then the angle made by the Resultant with with +ve x-axis is ----

Select the correct option

- 270 degrees
- 180 degrees
- 0 degrees
- 90 degrees

Type here to search

29°C

g the link for Quiz in VULMS.

t speeds, it is recommended that you should save your answer within 60 seconds. While

e before moving to the next question, make sure that you have selected the best option.

quiz again from the question next to the last shown question. But remember that you have to

Start Quiz

