Scanned with CamScanner

Scanned with CamScanner

Question # 3 of 5 (Start time: 03:56:12 PM, 06 March 2022) Total Marks: 1

$$The\ graph\ of\ f(x) = |x|\ at\ x = 0\ has\ a$$

Download More Quizzes Files From

VUAnswer.com

Select the correct option

Reload Math Equations

- Both (a) and (b)
- Cusp
- Derivative
- Node

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 2 of 5 (Start time: 03:55:22 PM, 06 March 2022) Total Marks:

$\frac{x^2}{16} + \frac{y^2}{25} = \frac{z^2}{36}$, is the equation of _____.

Select the correct option

Reload Math Equations

- cylinder
- cone
- sphere
- paraboloid

Download More Quizzes Files From VUAnswer.com

Scanned with CamScanner

Question # 1 of 5 (Start time: 03:54:35 PM, 06 March 2022) Total Marks: 1

If $f(x) = (x-1)^{2/3} - 3(x-1)$ and $f'(x) = \frac{2}{3(x-1)^{1/3}} - 3$ then the singular point of $f(x)$ is

Select the correct option

Download More Quizzes Files From VUAnswer.com


Reload Math Equations

- 1
- -1
- 0
- 2

Click to Save Answer | Move to Next Question

Loading [MathJax]/jax/output/HTML-CSS/jax.js

Scanned with CamScanner



BC200404409: FIZZA NASEER

Time Left 86 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 01:52 PM, 06 March 2022

Question # 1 of 5 (Start time: 01:52:48 PM, 06 March 2022)

Total Marks:

$\frac{x^2}{4} + \frac{y^2}{9} + 1 = \frac{z^2}{16}$, is an equation of _____

Download More Quizzes Files From


VUAnswer.com

Select the correct option

Reload Math Equations

- Hyperboloid of two sheets
- Hyperboloid of one sheet
- Paraboloid
- Ellipsoid

Click to Save Answer & Move to Next question



Scanned with CamScanner

4G 82 1:00

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:57 PM, 06 March 2022

Question # 3 of 5 (Start time: 12:59:50 PM, 06 March 2022)

Total Marks: 1

$The\ graph\ of\ f(x) = |x|\ at\ x = 0\ has\ a$

Select the correct option

Reload Math Equations

- Cusp
- Both (a) and (b)
- Derivative
- Node

Download More Quizzes Files From

VUAnswer.com

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:30 91%

Quiz
quiz.vu.edu.pk

BC200408355: MARYAM ARSHAD

Time Left 89 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:28 PM, 06 March 2022

Question # 3 of 5 (Start time: 12:30:25 PM, 06 March 2022)

Total Marks: 1

To discuss the nature of a double point, we have to calculate the

Select the correct option

- Normal
- Tangents
- Both (a) and (b)
- Binormal

Scanned with CamScanner



Scanned with CamScanner

Question # 5 of 5 (Start time: 02:38:45 PM, 06 March 2022) Total Marks:

A _____ is 3-dimensional object shaped like a ball; with every point on its surface is the same distance from the center.

Select the correct option

- O sphere
- O pyramid
- O cube
- O tetrahedron

Clear Your Answer | Mark for Next Question

Scanned with CamScanner

Question # 4 of 5 (Start time: 02:37:54 PM, 06 March 2022) Total Marks:

The curve $(x^2 + y^2)\,x - 2ay^2 = 0$ has tangents at origin as $y^2 = 0$, then the origin is a

Select the correct option

Reload Math Equations

- Conjugate point
- Node
- Isolated point
- Cusp

Download More Quizzes Files From

VUAnswer.com

Scanned with CamScanner

Question # 3 of 5 (Start time: 02:36:50 PM, 06 March 2022) Total Marks:

$\frac{x^2}{3^2} + \frac{y^2}{4^2} = 1$, is the equation of ____ cylinder.

Select the correct option

Reload Math Equations

- O parabolic
- O elliptic
- O hyperbolic
- O circular

Download More Quizzes Files From
VUAnswer.com

Scanned with CamScanner

Question # 2 of 5 (Start time: 02:36:02 PM, 06 March 2022) Total Marks:

Trace of a cone $x^2 + \frac{y^2}{9} = z^2$, in xz - plane is ____.

Select the correct option

Reload Math Equations

- O no trace
- O $x = \pm z$
- O $x = \pm \frac{y}{3}$
- O $y = \pm 3z$

Click to Save / Answer & Move to Next Question

Loading [MathJax]/jax/output/HTML-CSS/jax.js

Scanned with CamScanner

Question # 1 of 5 (Start time: 02:35:14 PM, 06 March 2022) Total Marks:

If the elements of a cylinder are normal to a plane, then it is known as _____ with respect to that plane.

Select the correct option

- right cylinder
- sphere
- cone
- paraboloid

Download More Quizzes Files From
VUAnswer.com

Scanned with CamScanner

○	Node
	All of them

Scanned with CamScanner

○	cone

Scanned with CamScanner

○	Isolated point

Scanned with CamScanner


(a) perpendicular

Scanned with CamScanner

Cusp



Scanned with CamScanner



Download More Quizzes Files From

VUAnswer.com

Scanned with CamScanner

1:55

quiz.vu.edu.pk/QuizQue

BC200404409: FIZZA NASEER

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 01:52 PM, 06 March 2022

Question # 4 of 5 (Start time: 01:55:29 PM, 06 March 2022)


Total Marks:

In cylinder each line through the curve and _____ to the line is called an element (or ruling) of the cylinder.

Select the correct option


- (d) both (a) and (b)
- (a) perpendicular
- (c) center
- (b) parallel

Scanned with CamScanner




Download More Quizzes Files From

VUAnswer.com



Scanned with CamScanner



BC200404409: FIZZA NASEER

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 01:52 PM, 06 March 2022

Question # 2 of 5 (Start time: 01:53:47 PM, 06 March 2022)


Total Marks:

Points of inflection and multiple points are the types of

Select the correct option

- None of these
- End points
- Double point
- Singular point

Download More Quizzes Files From VUAnswer.com



Scanned with CamScanner

MTH403 Quiz No. 3 Quiz Start Time: 01:04 PM, 06 March 202

Question # 4 of 5 (Start time: 01:07:47 PM, 06 March 2022) Total Marks:

If $(f_{xy})^2 - f_{xx}f_{yy} = 0$, then the double point (x, y) would be a

Select the correct option

Reload Math Equations

- Node
- Isolated point
- None of above
- Cusp ✓

Click to Save Answer & Move to Next Question

Download More Quizzes Files From

VUAnswer.com

Scanned with CamScanner

Question # 3 of 5 (Start time: 01:06:15 PM, 06 March 2022) Total Marks:

In curve $y^2 = x(x-a)^2$, *the singular point* $(a,0)$ *is a* ..... *when* $f_{xx}(a,0) = -2a$, $f_{yy}(a,0) = 2$ *and* $f_{xy}(a,0) = 0$.

Select the correct option

Reload Math Equations

- Node
- Isolated point
- Conjugate point
- Cusp

Download More Quizzes Files From VUAnswer.com

Scanned with CamScanner

Question # 2 of 5 (Start time: 01:05:09 PM, 06 March 2022) Total Marks:

$\frac{x^2}{16} + \frac{y^2}{25} = \frac{z^2}{36}$, is the equation of _____.

Select the correct option

Reload Math Equations

- cone
- sphere ✔
- cylinder
- paraboloid

Scanned with CamScanner

Question # 1 of 5 (Start time: 01:04:29 PM, 06 March 2022) Total Marks:

The flat shapes are studied in _____ geometry.

Download More Quizzes Files From

VUAnswer.com

Select the correct option

- O solid
- O plane
- O spherical
- O differential

Scanned with CamScanner

4G 81 1:02

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:57 PM, 06 March 2022

Question # 5 of 5 (Start time: 01:02:05 PM, 06 March 2022)

Total Marks:

$If\ (f_{xy})^2 - f_{xx}f_{yy} > 0,\ then\ the\ double\ point\ (x,\ y)\ would\ be\ a$

Select the correct option

Reload Math Equations

- Both (a) and (b)
- Isolated point
- Node
- Cusp

Click to Save Answer & Move to Next Question

Scanned with CamScanner

4G 82 1:01

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:57 PM, 06 March 202

Question # 4 of 5 (Start time: 01:01:14 PM, 06 March 2022)

Total Marks:

$\frac{x^2}{4} + \frac{y^2}{9} + 1 = \frac{z^2}{16}$, is an equation of _____.

Select the correct option

Reload Math Equations

- Hyperboloid of one sheet
- Hyperboloid of two sheets
- Paraboloid
- Ellipsoid

Click to Save Answer & Move to Next Question

Scanned with CamScanner

4G 12:59

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 85 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:57 PM, 06 March 2022

Question # 2 of 5 (Start time: 12:58:59 PM, 06 March 2022)

Total Marks:

$\frac{x^2}{64} + \frac{y^2}{81} + 1 = \frac{z^2}{100}$, is an equation of _____.

Select the correct option

Reload Math Equations

- Hyperboloid of one sheet
- Paraboloid
- Ellipsoid
- Hyperboloid of two sheets

Click to Save Answer & Move to Next Question

Scanned with CamScanner

4G 84 12:57

Quiz
quiz.vu.edu.pk

BC190407302: MUHAMMAD SADDAM LIAQAT

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:57 PM, 06 March 2022

Question # 1 of 5 (Start time: 12:57:23 PM, 06 March 2022)

Total Marks:

$\frac{x^2}{16} + \frac{y^2}{25} = z$, is an equation of _____.

Select the correct option

Reload Math Equations

- Hyperboloid of two sheets
- Elliptic paraboloid
- Hyperbolic paraboloid
- Hyperboloid of one sheet

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 5 of 5 (Start time: 12:56 12 PM, 06 March 2022) Total Marks:

To discuss the nature of a double point, we have to calculate the

Select the correct option

- Both (a) and (b)
- Tangents
- Binormal
- Normal

Scanned with CamScanner

Question # 4 of 5 (Start time: 12:55:13 PM, 06 March 2022) Total Marks:

In curve $y^2 = x(x-a)^2$, the singular point $(a,0)$ is a ..... when $f_{xx}(a,0) = -2a$, $f_{yy}(a,0) = 2$ and $f_{xy}(a,0) = 0$.

Select the correct option

Reload Math Equations

- Cusp
- Isolated point
- Node
- Conjugate point

Scanned with CamScanner

Question # 3 of 5 (Start time: 12:54:35 PM, 06 March 2022) Total Marks: 1

If $(f_{xy})^2 - f_{xx} f_{yy} < 0$, then the double point (x, y) would be a

Select the correct option

Reload Math Equations

O	All of them
O	Cusp
O	Node
O	Isolated point

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 2 of 5 (Start time: 12:54:00 PM, 06 March 2022) Total Marks:

The flat shapes are studied in _____ geometry.

Select the correct option

- solid
- differential
- plane
- spherical

Download More Quizzes Files From
VUAnswer.com

Scanned with CamScanner

12:51 86%

Quiz
quiz.vu.edu.pk

BC200408247: AYESHA ARSHAD

Time Left 83 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:48 PM, 06 March 2022

Question # 5 of 5 (Start time: 12:51:06 PM, 06 March 2022)

Total Marks: 1

If two real branches of a curve passing through the double point are real and tangents to them are distinct then the double point is a

Select the correct option

○	Cusp
○	Isolated point
○	None of these
●	Node

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:50 86%

Quiz
quiz.vu.edu.pk

BC200408247: AYESHA ARSHAD

Time Left 89 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:48 PM, 06 March 2022

Question # 3 of 5 (Start time: 12:50:22 PM, 06 March 2022)

Total Marks: 1

Ellipsoid is symmetrical about _____.

Select the correct option

O	(a) xy-plane
O	(c) xz-plane
O	(b) yz-plane
O	(d) All (a),(b) and (c)

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Quiz
quiz.vu.edu.pk

BC200408247: AYESHA ARSHAD

Time Left 81 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:48 PM, 06 March 2022

Question # 2 of 5 (Start time: 12:49:13 PM, 06 March 2022)

Total Marks: 1

$\frac{x^2}{16} + \frac{y^2}{25} = \frac{z^2}{36}$, is the equation of _____.

Select the correct option

Reload Math Equations

- sphere
- paraboloid
- cone
- cylinder

Scanned with CamScanner

12:48 86%

Quiz
quiz.vu.edu.pk

BC200408247: AYESHA ARSHAD

Time Left 88 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:48 PM, 06 March 2022

Question # 1 of 5 (Start time: 12:48:39 PM, 06 March 2022)

Total Marks: 1

If $f(x) = (x-1)^{2/3} - 3(x-1)$ and $f'(x) = \frac{2}{3(x-1)^{1/3}} - 3$ then the singular point of $f(x)$ is

Select the correct option

Reload Math Equations

- -1
- 2
- 1
- 0

Click to Save Answer & Move to Next Question

Scanned with CamScanner

O	Hyperboloid of one sheet

Scanned with CamScanner

O	tetrahedron

Click to Save / Answer / Review / Next Question

Scanned with CamScanner

○	Double point

Clear my choice | Move to next Question

Scanned with CamScanner

Scanned with CamScanner

To discuss the nature of a double point, we have to calculate the

Select the correct option

- Both (a) and (b)
- Binormal
- Tangents
- Normal

Scanned with CamScanner

12:42 40.72 KB/s 97%

Quiz
quiz.vu.edu.pk

BC200417878: MUBASHAR IQBAL

Time Left 87 sec(s)

MTH403 Quiz No. 3

Quiz Start Time: 12:36 PM, 06 March 202

Question # 5 of 5 (Start time: 12:42:03 PM, 06 March 2022)

Total Marks:

If $(f_{xy})^2 - f_{xx} f_{yy} < 0$, then the double point (x, y) would be a

Select the correct option

Reload Math Equations

- All of them
- Cusp
- Isolated point
- Node

Click to Save / Answer & Move to Next Question

Scanned with CamScanner

12:40 91.0 KB/s 97%

Quiz
quiz.vu.edu.pk

BC200417878: MUBASHAR IQBAL

Time Left 88 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:36 PM, 06 March 2022

Question # 4 of 5 (Start time: 12:40:15 PM, 06 March 2022)

Total Marks:

If the elements of a cylinder are normal to a plane, then it is known as _____ with respect to that plane.

Select the correct option

- sphere
- paraboloid
- cone
- right cylinder

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:38 35.17 KB/s 97%

Quiz
quiz.vu.edu.pk

BC200417678: MUBASHAR IQBAL

Time Left 89 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:36 PM, 06 March 2022

Question # 3 of 5 (Start time: 12:38:32 PM, 06 March 2022)

Total Marks:

The flat shapes are studied in _____ geometry.

Download More Quizzes Files From

VUAnswer.com

Select the correct option

- differential
- plane
- solid
- spherical

Scanned with CamScanner

12:37 35.0 KB/s 98%

Quiz
quiz.vu.edu.pk

BC200417878: MUBASHAR IQBAL

Time Left 87 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:36 PM, 06 March 2022

Question # 2 of 5 (Start time: 12:37:34 PM, 06 March 2022)

Total Marks:

When $a = b = c$, the ellipsoid $\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$, becomes the _____.

Select the correct option

Reload Math Equations

- sphere
- paraboloid
- hyperboloid
- cone

Scanned with CamScanner

12:36 23.93 KB/s 98%

Quiz
quiz.vu.edu.pk

BC200417878: MUBASHAR IQBAL

Time Left 86 sec(s)

MTH403 Quiz No. 3

Quiz Start Time: 12:36 PM, 06 March 202

Question # 1 of 5 (Start time: 12:36:17 PM, 06 March 2022)

Total Marks:

$\frac{x^2}{3^2} + \frac{y^2}{4^2} = 1$, is the equation of _____ cylinder.

Select the correct option

Reload Math Equations

- elliptic
- hyperbolic
- circular
- parabolic

Scanned with CamScanner

12:33 24.9 K/s
quiz.vu.edu.pk/Qu 31

BC200417035: GULAM AYESHA

Time Left 88 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:29 PM, 06 March 2022

Question # 5 of 5 (Start time: 12:33:31 PM, 06 March 2022)

Total Marks: 1

If two real branches of a curve passing through the double point are real and tangents to them are coincident then the double point is a

Select the correct option

- Cusp
- Conjugate point
- Node
- All of them

Scanned with CamScanner

12:32 4G 7.1 K/s
quiz.vu.edu.pk/Qu 31

BC200417035: GULAM AYESHA

Download More Quizzes Files From
VUAnswer.com

Time Left 86 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:29 PM, 06 March 2022

Question # 4 of 5 (Start time: 12:32:41 PM, 06 March 2022) Total Marks: 1

For the curve $x^3 + y^3 - 3axy = 0$, the tangents at the origin are $x = 0$ and $y = 0$, then the origin is a

Select the correct option

Reload Math Equations

- Isolated point
- Node
- None of these
- Cusp

Scanned with CamScanner

12:32 90%

Quiz
quiz.vu.edu.pk

BC200408355: MARYAM ARSHAD

MTH403:Quiz No. 3 Quiz Start Time: 12:28

Question # 5 of 5 (Start time: 12:32:15 PM, 06 March 2022)

A point on the curve through which r branches of the curve pass is called Multiple point of

Select the correct option

- pth order
- rth order
- sth order
- Multiple order

Scanned with CamScanner

12:31 8.5 K/s
quiz.vu.edu.pk/Qu 31

BC200417035: GULAM AYESHA

Time Left 87 sec(s)

MTH403 Quiz No. 3

Quiz Start Time: 12:29 PM, 06 March 2022

Question # 3 of 5 (Start time: 12:31:14 PM, 06 March 2022)

Total Marks: 1

In cylinder each line through the curve and _____ to the line is called an element (or ruling) of the cylinder.

Select the correct option

O	(c) center
O	(d) both (a) and (b)
O	(b) parallel
O	(a) perpendicular ✓

Scanned with CamScanner

12:31 91%

Quiz
quiz.vu.edu.pk


Question # 4 of 5 (Start time: 12:31:04 PM, 06 March 2022)

$$\frac{x^2}{16}+\frac{y^2}{25}=\frac{z^2}{36}, \text{ is the equation of } ____.$$

Select the correct option

○	paraboloid
○	cylinder
○	sphere
○	cone

Scanned with CamScanner



BC200417035: GULAM AYESHA

Time Left 88 sec(s)

MTH403:Quiz No. 3

Quiz Start Time: 12:29 PM, 06 March 2022

Question # 2 of 5 (Start time: 12:30:21 PM, 06 March 2022)

Total Marks: 1


Points of inflection and multiple points are the types of

Download More Quizzes Files From

VUAnswer.com

Select the correct option

- Singular point
- Double point
- End points
- None of these



Scanned with CamScanner

12:29 ⬇ 4G 2.4 K/s
quiz.vu.edu.pk/Qu 31

Question # 1 of 5 (Start time: 12:29:32 PM, 06 March 2022)

$x^2 + \frac{y^2}{16} - \frac{z^2}{25} = 1$, is an equation of _____.

Select the correct option

- ○ Ellipsoid
- ○ Hyperboloid of one sheet
- ○ Hyperboloid of two sheets ✓
- ○ Paraboloid

Scanned with CamScanner

12:29 91%

Quiz
quiz.vu.edu.pk

uestion # 2 of 5 (Start time: 12:29:26 PM, 06 March 2022)

The functions $y = 4\sqrt{x}$ *and* $y = -4\sqrt{x}$ *are two branches of parabola*

elect the correct option

- ○ $y^2 = 4x$
- ○ $y = 16x$
- ○ $y^2 = -4x$
- ● $y^2 = 16x$

Click to Save Ans

Scanned with CamScanner

12:28 91%

Quiz
quiz.vu.edu.pk

BC200408355: MARYAM ARSHAD

MTH403:Quiz No. 3

Question # 1 of 5 (Start time: 12:28:47 PM, 06 March 2022)

$x^2 + \frac{y^2}{16} - \frac{z^2}{25} = 1$, is an equation of _____.

Select the correct option

○	Ellipsoid
○	Hyperboloid of two sheets
○	Paraboloid
○	Hyperboloid of one sheet

Scanned with CamScanner

MTH403:Quiz No. 3

Question # 4 of 5 (Start time: 12:17:55 PM, 06 March

$\frac{x^2}{36} + \frac{y^2}{49} = z$, is an equation of _____.

Select the correct option

○	Elliptic paraboloid ✓
○	Hyperbolic paraboloid
○	Hyperboloid of two sheets
○	Hyperboloid of one sheet

Scanned with CamScanner

Question # 5 of 5 (Start time: 12:24:52 PM, 06 March 2022) Total Marks: 1

A branch of geometry that studies relations concerning lengths and angles of triangles is known as _____.

Download More Quizzes Files From

VUAnswer.com

Select the correct option

- solid geometry
- trigonometry
- plane geometry
- spherical geometry

Scanned with CamScanner



Scanned with CamScanner

Scanned with CamScanner

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 5 of 5 (Start time: 12:18:58 PM, 06 March 2022

If two tangents at the origin are imaginary then the origin is a

Select the correct option

- None of these
- Node
- Cusp
- Conjugate point

Scanned with CamScanner

ion # 1 of 5 (Start time: 12:15:03 PM, 06 March 2022)

The graph of $f(x) = |x|$ at $x = 0$ has a

ect the correct option

Reload Math

- Derivative
- Node
- Cusp
- Both (a) and (b)

Scanned with CamScanner



Scanned with CamScanner