

Traceback of Smith-Waterman starts from value in the matrix and then go backwards

Answer (Please select your correct option)

Maximum

☐

Maximum

☐

Bottom left corner

☐

None of the above

☐

Start Time: 11:03 AM

108:00

Time Left



Question Summary : (Attempted Question)




Paper.aspx



Document1 - Microsoft

VOTES 7.2 Fall 2021 (F...

ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA

Traceback of Smith-Waterman starts from value in the matrix and then go backwards

Answer (Please select your correct option)

Maximum



Minimum



Bottom left corner



None of the above



Start Time: 11:03 AM

108:00

Time Left



Question Summary : (Attempted Question)




Paper.aspx



Document1 - Microsoft

VOTES 7.2 Fall 2021 (F...

ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

BIF501 Bioinformatics II

Question No : 21 of 61

DNA array is also known as

Answer (Please select your correct option)

☒ DNA chip

☐ DNA replication

☐ DNA probes

☐ None of the above

Start Time: 11:03 AM

108:00

Time Left

Question Summary : 1 Attempted Question

ATTEMPTED BY KASHIF MURTAZA

Question No : 16 of 61

1D Bowie algorithm was proposed by Bowie et al in

Answer (Please select your correct option)

☐ 1990

☒ 1991

☐ 1985

☐ None of the above


Start Time: 11:03 AM

111:00


Time Left

Question Summary : (Attempted Question)


ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

Question No : 15 of 61

..... Helps in finding global minimum

155

Answer (Please select your correct option)

☒ Local energy optimization

☐ Global energy optimization

☐ Both of the above

☐ None of the above

Start Time: 11:03 AM

111:00

Time Left



Question Summary : (Attempted Question)



Document1 - Microsoft

VITEEE 7.2 Fall 2021 (P...

ATTEMPTED BY KASHIF MURTAZA

501 Bioinformatics II

Question No : 13 of 61

Mar

..... programming approach does not require prior sequence alignment

Answer (Please select your correct option)

☒ Dynamic

☐ Iterative

☐ Progressive

☐ None of the above

Start Time: 11:03 AM

111:00

Time Left



Question Summary : (Attempted Question)

ATTEMPTED BY KASHIF MURTAZA

favorites

F501 Bioinformatics II

Question No : 11 of 61

Marks: 1 (Bud

..... percent of sequences is unique enough to differentiate people

Answer (Please select your correct option)

☐ 0.05

☐ 0.03

☒ 0.01

☐ None of the above

Start Time: 11:03 AM

112:00 Time Left

Question Summary : (Attempted Question)

ATTEMPTED BY KASHIF MURTAZA

Question No : 12 of 61

..... layer of neural network has classifiers

Answer (Please select your correct option)

☐ Input layer

☐ Hidden layer

☒ Output layer

☐ None of the above

ATTEMPTED BY KASHIF MURTAZA

BIF501 Bioinformatics II

Question No : 9 of 61

_____ Many methods are used for lead validation

Answer (Please select your correct option)

5

☒

6

☐

7

☐

None of the above

☐

Start Time: 11:03 AM

113:00

Time Left




Question Summary: (Attempted Question)




WUFS 1.2 Feb 2021 (F...

ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

Genes present in different organisms having different structure may have function

Answer (Please select your correct option)

☐ Different

☒ Similar

☐ Consistent

☐ Varying

Start Time 11:03 AM

114:00

Time Left

Question Summary : (Attempted Question)

Paper.aspx

Start

Document3 - Microsoft

WUTES 3.2 Fall 2023 (P...

ATTEMPTED BY KASHIF MURTAZA

Genes present in different organisms having different structure may have function

Answer (Please select your correct option)

☐ Different

☒ Similar

☐ Consistent

☐ Varying

Start Time 11:03 AM

114:00

Time Left

Question Summary : (Attempted Question)


Paper.aspx

Start


Document3 - Microsoft

WUTES 3.2 Fall 2023 (P...


ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

10:11



4G 66%

BIF501-Past Fin...ilable Uptill).pdf - Read-only



25. Chou fasman algorithm helps to find ____ 2ndary structure of protein

26. Plant mitochondria contain genes ____ 150 - 200kb

27. Brut force is an Pattern finding algorithm ____ Approximation algorithm

28. Which identify the structure with minimum free energy ____ Ab initio

29. Length of each line for FASTA algorithm should be _ shorter than 80 or (60)

30. Genome rearrangement results in a change of ____ gene ordering

31. Human genome consist of repeats ____ 20 %

32. Responsible for protein function ____ protein structure

33. pattern matches with k mismatches or differences ____ approximate

34. We look for molecule which need to be selected as target and those molecule that cause disease ____ target discovery

35. GEO for ____ gene expression omnibus

36. Intron start from 5' end is and 3' end is GT, AG

37. SINE are bp long 80 - 300

38. Needle man publicsh in ____ 1970

39. Chou fasman algorithm was 1st used in ____ 1974 - 1978

40. The notion of spectral similarity with shared peaks count ____ P1, P2-S1 and S2

41. Human genome project ____ 1988

42. TCGGGATTTC is in drosophila for activate ____ immunity

43. BLOSUM 6 is good for ____ un gaped alignment


44. Disease that are hereditary ____ 3000 - 4000

45. Computational technique use for protein not present in database ____ Denovo

46. Motif are found in ____ promoter



ATTEMPTED BY KASHIF MURTAZA



- $V(R) = E_{\text{bonded}} + E_{\text{non-bonded}}$
- 16) .In 3D-1D Bowie Algorithm there are 18 distinct states (1D profiles) for each amino acid.
- 17) The word Ab initio means _____ Non of the above

- 18) Protein core is _____ Hydrophobic
- 19) .In 3D-1D Bowie Algorithm there are _____ 360 distinct states (1D profiles) for 20 amino acid.
- 20) .iTasser stands for _____ Iterative threading assembly refinement
- 21) What is the Advantages Ab Initio methods _____ Predictions are mostly accurate and correctly and describe the natural folding process
- 22) . Which statement is true for Twilight Zone _____ Low alignment quality and alignment identity
- 23) in Shotgun Sequencing , the DNA is fragmented into small pieces _____ Sonication
- 24) Sanger used to Digest Protein _____ Protease
- 25) Size probes will be used to identify the fragments that are needed to be sequenced in sequencing by hybridization _____ 8-32
- 26) Alu fragment is long repeat _____ 300bp
- 27) Programmed Cell death _____ Apoptosis
- 28) In human genome Project How many nucleotides were sequenced _____ 3 billion
- 29) Which statement is true for Protein sequencing technology _____ obtaining reads is difficult and Assembly of those reads is easy.
- 30) In Shotgun sequencing technique, the genome fragment length is _____ 500700
- 31) In Smith & Waterman algorithm, the initial matrix is created with Columns & Rows _____ $M + 1$ & $N + 1$
- 32) Spliceosome complex contains more than _____ 100 Proteins
- 33) The First step of Smith Waterman algorithm is _____ Initialization of a matrix with zero

- 34) The Mass of Water is _____ 18 Dalton

ATTEMPTED BY KASHIF MURTAZA

10:10



4G 67%

BIF501-Past Fin...ilable Uptill).pdf - Read-only



with zero

- 34) The Mass of Water is _____ 18 Dalton
- 35) The Mass of Ammonia is _____ 17 Dalton
- 36) Which statement is correct for Superstring _____ A Superstring is the one that contains all substrings
- 37) Alu Repeat Sequence is repeated in approximately _____ times in human Genome _____ 1 million
- 38) Steps of mass spectrometry involve _____ Protein, Peptide, Small fragment, measure mass
- 39) Which amino Acid Forms Disulphide Bridge _____ Cysteine
- 40) Percent of human Genome consists of repeated sequence _____ 20 percent
- 41) In Smith waterman algorithm the first column and first row are initializing with _____ zero
- 42) BACs fragment Size is _____ 150kb

Lcs scoring mechanism is for _____ sequence similarity analysis

1. Physiological base approach _____ disease centric
2. An association rule has two parts _____ if and then
3. Transfer of gene among organism is called _____ horizontal gene transfer
4. Eco R1 break down DNA at _____ GAATTC
5. Programming language used for modeler _____ Python
6. It is to compute the prefix function _____ $O(m)$
7. Prob used by sequencing in hybridization have size _____ 8-32
8. Which is correct _____ homology vs paralogy + orthology
9. _____ helps in finding global alignment _____ Needleman Wunsch



10. Brute force algorithm use every possible _____ to find the solution _____ l mer

11. LCS scoring award 1 for _____ match


12. _____ programming approach does not require prior sequence alignment _____
dynamic programming




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

BIF501 Bioinformatics II

Question No : 24 of 61

Which one is the fourth step of Homology modeling?

Answer (Please select your correct option)

☐ Alignment Correction

☐ Backbone generation

☒ Loop modeling

☐ Template recognition

Start Time: 11:03 AM

107:00

Time Left

Question Summary : (Attempted Question)


Paper.aspx

Start


Document1 - Microsoft

VUTES 7.2 Fall 2021 (P...


ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

BIF501 Bioinformatics II

Question No : 25 of 61

Which statement is correct?

Answer (Please select your correct option)

☐ Orthology : Paralogy vs Homology

☐ Paralogy: Homology vs. Orthology

☒ Homology: Paralogy vs. Orthology

☐ Homology: Homology vs. Orthology

Start Time: 11:03 AM

107:00

Time Left

Question Summary : (Attempted Question)


Pages: 2/21

Start


Document 1 - Microsoft

VUTES 2.2 Fall 2021 (F...


ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA




ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

BIF501 Bioinformatics II

Question No : 21 of 61

DNA array is also known as

Answer (Please select your correct option)

☐ DNA chip

☐ DNA replication

☒ DNA probes

☐ None of the above

Start Time: 11:03 AM

108:00

Time Left

Question Summary : | Attempted Question


Page: 2/21

Start


Documents - Microsoft

WITEN 1.2 Full (64-bit) (x64)


ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

favorites

F501 Bioinformatics II

Question No : 11 of 61

Marks: 1 (Bud

..... percent of sequences is unique enough to differentiate people

Answer (Please select your correct option)

☐ 0.05

☐ 0.03

☒ 0.01

☐ None of the above

Start Time: 11:03 AM

112:00 Time Left

Question Summary : (Attempted Question)

11

ATTEMPTED BY KASHIF MURTAZA

Question No : 12 of 61

..... layer of neural network has classifiers

Answer (Please select your correct option)


☐ Input layer

☐ Hidden layer

☒ Output layer

☐ None of the above

ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

BIF501 Bioinformatics II

Question No : 9 of 61

_____ Many methods are used for lead validation

Answer (Please select your correct option)

5

☒

6

☐

7

☐

None of the above

☐

Start Time: 11:03 AM

113:00

Time Left




Question Summary: (Attempted Question)



WUFS 1.2 Feb 2021 (F...)

ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA

Genes present in different organisms having different structure may have function

Answer (Please select your correct option)

☐ Different

☒ Similar

☐ Consistent

☐ Varying

Start Time 11:03 AM

114:00

Time Left

Question Summary : (Attempted Question)


Paper.aspx

Start

Document3 - Microsoft

WUTES 3.2 Fall 2023 (P...

ATTEMPTED BY KASHIF MURTAZA



ATTEMPTED BY KASHIF MURTAZA