

BT101
ECOLOGY BIODIVERSITY &
EVOLUTION
OBJECTIVE FOR MID TERM

1. The rate that new organic matter is made by means of individual growth and reproduction in all the herbivores is:

   Secondary productivity

2. Liberating chemical-bond energy for metabolic use in glycolysis, Krebs's cycle and electron transport chain

   Heterotrophs

3. Introduced to Hawaii in the late 1800's.

   Asian Tiger Mosquito

4. There is No limit to number of ------- in Mullerian mimicry

   species participating

5. Negative Phototactic movement occurs in

   Earthworms

6. oscillations are produced by interactions between populations of at least ----different species

   two

7. Mutualistic gut flora e.g. cellulose digesting

   Bacteria

8. Removal of apex predator in environment called

   Cascade Effect

9. analogous structures are the product of

   Convergent Evolution

10. Use of DDT was Banned in US in

    1972

11. According to ------- concept 'Fossils resemble but are not exactly the same as modern species

    Theory of Uniformitarianism

COLLECTED BY M. KASHIF & MAHAY GUL-

12. At either limit, one or more essential functions cease

Tolerance range

13. They Synthesis of the organic compounds of their bodies from inorganic precursors

Autotrophs

14. It Occurs when uptake from the water is greater than excretion

Bioconcentration

15. Prokaryotic microbes can synthesize ------and nitrate from N2 in the atmosphere

Ammonia

16. Arctic fox changes from brown or grey in the ------ to white in the winter

Summer

17. the water that goes into the atmosphere is ------- than it was on Earth.

Cleaner

18. Pathogens is the source of ---------- pollutions.

Non-Point source

19. Temperature of the troposphere ------- with altitude.

Decreases

20. ------ is an early freshwater reptile found as fossils from the early Permian period.

Mesosaurus

21. Mutualism Long-term relationship between individuals of ----- species

different

22. There is limited number of feeding or trophic levels in -----

COLLECTED BY M. KASHIF & MAHAY GULL

Food Chain

23. Which off the following pyramids is formed only in aquatic ecosystem.

Pyramid of inverted biomass

24. ---- is loss of feature due to loss of its value in changed environment

Vestigiality

25. They Release digestive enzymes by their hyphae.

Fungi

26. Ecologists support ------ concept of communities.

Individualistic

27. Distribution and concentration of variable varies in

space and time

28. troposphere contains ----- of the atmosphere's mass

75%

29. Koalas are the example of ------

Folivores

30. Insects, frog, turtle undergo

Aestivation

31. One of the major disruptions is loss of habitat.

Extinction

32. Layers of atmosphere increases with ------- in some regions

Altitude

33. Variability in Net Primary Productivity Wetlands and tropical rain forests is ---

2000 g/m2 / year

COLLECTED BY M. KASHIF & MAHAY GULL

34. Mercury bioaccumulates in the ------ of top predators of the open ocean

Muscles

35. Different colors of Mullerian mimicry depend on ------ and visibility

Location

36. Volcanic eruptions release ------ into the atmosphere

sulfur

37. Which of the following is not the characteristic of Eutrophic lake

Good light penetration

38. Atmosphere is ------ nitrogen by volume

78%

39. ------- are strongly affected by light pollution.

Reptiles

40. Who was proposed the law of use and disuse

LAMARCK

41. Land fill is the example of --------

Point source pollution

42. ------ enables animals to survive periods of reduced food availability.

Torpor

43. Adult human body contains ----- of water by weight.

60%

44. ------- was Father of geology and stratigraphy

Nicolas Steno

45. In nitrogen cycle Immobilization is the opposite of -------

COLLECTED BY M. KASHIF & MAHAY GULL

mineralization

46. Cascade Effect leads to increase in their --------species.

prey

47. Flies and ------- have outlandish proboscises

moths

48. Food chain only follows a direct, ------- pathway of one animal at a time.

Linear

49. Which of the following has low algal growth

Oligotrophic lake

50. a specific functional role and place of an organism called its -------

niche

51. In mesosphere Lower boundary is -------- to 65 kilometers

50

52. The atmosphere provides Protective shield against radiation and -----

cosmic rays

53. Thermosphere Known as ------

Ionosphere

54. It Represent tiny portion of the complexity of real ecosystems

Food Web

55. Each -------- trophic level has its own secondary productivity

Heterotroph

56. In interspecific counter-illumination eliminate -------

Light

57. In crypsis Animals habitually press their bodies to the -----

COLLECTED BY M. KASHIF & MAHAY GULL

Ground

58. ------- competition, occurs between two species to use the same resources

Interspecific

59. The process of -------- through plant leaves is called transpiration

Evaporation

60. ----is the amount of chemical energy as biomass that primary producers create in a given length of time.

Gross primary production (GPP)

61. Hibernation occur which of the following animals

Rodents

62. There are ------ types of herbivory depending upon different feeding habits.

Eight

63. They obtain energy by means of inorganic oxidation reactions

Chemoautotrophs

64. Existence of shared ancestry between a pair of structures, or genes, in different taxa occur in

Divergent evolution

65. Mimicry resemblance of one ------ to another for protective or aggressive purposes

Species

66. Which of the following factor are the major reason of invasion of species

Human activities

67. Motion dazzling is protection without ------

Hiding

COLLECTED BY M KASHIF & MAHAY GUL

68. Bacteria are use to remove organic matter dissolved in water (ODW)in the ------- process of conventional sewage treatment

Secondary

69. Species Invest more heavily in fewer offspring

k-selected

70. In water cycle Rate of synthesis and breakdown is--------.

Equal

71. Mesosphere called as "--------".

near space

72. Animals use --------- to make organic molecules

chemical bond energy

73. Which Microparasites: reproduce inside host

Bacteria

74. Asian Tiger Mosquito Can be a vector for a virus for --------- disease.

West Nile

75. Polar aurora is observed due to entry of solar-----.

Winds

76. ------ is key element in survival of life.

Atmosphere

77. Weismann made the important distinction between -------cells and ---- -cells.

Germ, somatic

78. Which of the following species is hunted for its fur?

Passenger pigeon

79. The process of carbon cycle is sometimes called -------

COLLECTED BY M. KASHIF & MAHAY GULL

carbon fixation

80. Intraspecific interaction Follows logistic ------- growth curve

Population

81. Friction with atmospheric gases ------them long before they reach the ground.in atmosphere

Destroys

82. ------- bacteria perform Denitrification Facultative

Anaerobic

83. In Third Atmosphere Inflow and outflow of CO2 from ------ continental carbonate stores

Large

84. A ----- rapidly changes its color.

Chameloen

85. There are Lower mortality in adults in survivorship curve

Type iii

86. is the slowest cycle

Phosphorus cycle

87. Lagoons Stabilization Ponds are ------ feet deep

3-5'

88. swallows and pink fairy armadillos are ----

Insectivores

89. --------of global fresh water use in agriculture

69% to 90%

90. ------ near the surface, however, harmful to life

Ozone

91. Batesian Mimicry Mimics usually ----- than models

COLLECTED BY M. KASHIF & MAHAY GULL

Smaller

92. Appearance of an animal that warns predators it is toxic, distasteful or dangerous.

Aposematism

93. In Mutualism both individuals get ------

Benefit

94. Which is not the effect of fragmentation?

Genetic drift is decreased

95. ------ are sensitive to UV, indirectly affecting crops

Cyanobacteria

96. ------ of human body is carbon by weight.

20%

97. In large forests, an enormous amount of water will ------ through leaves.

Transpire

98. Evidences of evolution are based upon following EXCEPT

Immunology

99. k-selected species are Typically are ----- competitors in such crowded habitats.

Strong

100. Oxygen was produced ---- billion year ago.

2.5

101. Troposphere make 99% of the total ------ of water vapor and aerosols

Mass

102. 12 to 50 km layer of atmosphere is ----

COLLECTED BY M. KASHIF & MAHAY GULL

Stratosphere

103. ------ Simplified abstractions of real food webs, but complex in their dynamics

Food Chain

104. It has a half life of 15 year

Dichlorodi phenyltrichloroethane

105. ----- are worst affected due to their edges.

Plants

106. Sometimes species cannot utilize their ----- niche.

Entire

107. Humans are ----- species

k-selected

108. Tropical deforestation is responsible for approximately ------ of world greenhouse gas emissions.

20%

109. It has two phase

Exponential Growth

110. These stage from a foraging cycle-----

All of these

111. Camouflage also known as ------

Cryptic coloration

112. Transparency more efficient in

deeper water

113. An ---- species becomes invasive when it becomes established in its new environment and out competes native species

Exotic

COLLECTED BY M. KASHIF & MAHAY GULL

114. ---- is produced as result of lightening.

Nitric acid

115. The shape of type II survivorship curve is ----

Diagonal

116. Female ----- enters via ostiole and oviposits in female flowers

Wasp

117. The ----- located directly above the thermosphere.

Exosphere

118. -----density populations may attract predators who wouldn't bother with a sparser population.

High

119. ----- is useful tool to distinguish atmospheric layers

Temperature

120. HMS Beagle set sail on December 27, 1831 on a ----- voyage.

5-year

121. Each successional stage is called a -------

seral stage

122. animal wastes, plant residues have -------- BOD

high

123. ------ water holds less DO than cold water

Warm

124. Chemicals that contain carbon atoms are called

Organic Compounds

125. Third Atmosphere Reduces the amount of ------- in the atmosphere

Oxygen

COLLECTED BY M. KASHIF & MAHAY GULL

126. Zebra Mussel Accidentally introduced to the Great Lakes in ------

1988

127. A ------ Feeds on plants such as grasses, soft flowering plants (forbs) and algae

Grazers

128. Genetic code of ----- is universal.

mRNA

129. Invertebrates predator are such as

jelly fish

130. Ticks and mites are the example of.....

Ectoparasites

131. Removal of the top -------can alter the food web dynamics

Predator

132. Which of these Native to the Pacific Ocean

Lionfish

133. They can breakdown Carbohydrate Anaerobically also

Bacteria

134. Extinct hippopotamus like animal, now called

Toxodon

135. Disjunct Distribution occur due to following barriers except

Chemical

136. In the process of bacteria. release compounds such as cadaverine and putrescine causing decaying odor

Putrefaction

137. Reduction in area of safe zones for prey making them vulnerable to----.

COLLECTED BY M. KASHIF & MAHAY GULL

Predators

138. Mutualism is the long-term relationship between individuals of .....

species Different

139. Atmosphere of Earth is the layer of .....

Gases

140. Population size _____above carrying capacity.

Decreases

141. Horses had been present and had become extinct long ago in_____.

S. America

142. Likely sea level rise during the 21st century is _____.

5 mm per year

143. . ____ cycle is thermostat of earth.

Carbon dioxide

144. In ..... water changes from its liquid state to a gaseous state

Evaporation

145. Extremely wet or dry events within the monsoon period have increased since ____

1980

146. In stratosphere temperature ranges from .....near the tropopause

-51c

147. Inter specific competition between individuals of .....species.

Same

148. A niche may be described in terms of.....

COLLECTED BY M. KASHIF & MAHAY GULL

All of these

149. Which of the following limiting factor cannot regulate population at constant level?

Density independent

150. . _____can damage physiological and psychological health.

Noise pollution

151. Speed of wind far exceed those in the troposphere reaching near .....

220 km/h

152. 541 million years ago, O2 made stable ---- of atmosphere.

15%

153. Reduction in area of safe zones for prey making them vulnerable to ..

Predators

154. Mimicry is ..... them as something else.

Disguising

155. communities may begin in areas nearly devoid of.....

Life

156. Death ..... new species and additional nutrients establish this community.

Decay

157. In Mesosphere Layer, directly above the .....and directly below the thermosphere

Stratosphere

158. It has relatively high probability of surviving to adulthood.

k-selected

COLLECTED BY M. KASHIF & MAHAY GULL

159. Gradual changes over the time with changing environment was foundation of

Theory of uniformitarianism

160. Animals absorb phosphates by _____ eating plants or

Herbivores

161. Natural environment where a species/organism lives is called_____.

Habitat

162. In homeostasis _____is a critical factor.

Water

163. In Layers of atmosphere air pressure and density ..... with altitude.

Decreases

164. The entire niche that a species is capable of using based on its __ tolerance limits and resource needs.

Physiological

165. Atmosphere contains about ___billion metric tons of carbon in form of CO2.

750

166. The resemblance of ... species to another for protective or aggressive purposes

One

167. Drop in vapor pressure is due to

Gravity

168. Temperature increased due to absorption of Sun's UV radiation by the

Ozone layer

COLLECTED BY MR KASHIF & MAHAY GULL

169. Atmosphere holds around 12,900 cubic kilometers of ... at any given time.

Water

170. 12-50 Km layer of atmosphere is

Stratosphere

171. In aposematism advertisement of signals includes

Color, odor, sound

172. Subset of the food-web ... is impacted by a change in population numbers

Dynamic

173. Y-axis is a logarithmic plot of numbers of survivors. X-axis is a linear plot of

Age

174. The first community to become established in an area is called the

pioneer community

175. plants, algae, and cyanobacteria

Photoautotroph

176. 3 oxygen atoms form:

Ozone

177. Second layer:

Stratosphere

178. Deforestation directly affects rate of

Transpiration

179. Pere David's Deer was a native species of

China

COLLECTED BY M. YASHIF & MAHAY GULL

180. High population ... can lead to the accumulation of harmful waste products

Densities

181. The maximum population ... of the species that the environment can sustain indefinitely

Size

182. Raw rate at which the primary producers synthesize new organic matter

Gross primary productivity (GPP)

183. Interaction as a system between both components

Non-living components

184. group of individuals belonging to same species occupying same space in particular time.

Population

185. group of populations occupying same space in particular time.

Community

186. External factors

Climate, topography

187. Formed in response to specific external factors in that environment

Biome

188. Animals use ... bond energy to make organic molecules.

Chemical

189. Synthesis of the organic compounds of their bodies from inorganic precursors

Autotrophs

190. Occurs in dark habitats

COLLECTED BY M.KASHIF & MAHAY GULL

Chemoautotrophs

191. There are ... types of herbivory depending upon different feeding habits.

8

192. Primary food source is both plant and animal-based.

Omnivore

193. Breaking down of tissues by the body's own internal chemicals and enzymes

Autolysis

194. Breakdown of tissues by bacteria

Putrefaction

195. Freshwater ecosystem is the main source of:

???

196. Measurement of species per unit area

Species richness

197. Geographic limit causes the size of a population

Decrease

198. The species occupation in its environment is tremendous

Beavers

199. Butterflies are one of the best example of:

Indicator species

200. Response of an organism towards an abiotic stimuli

Taxis

201. Examples of primary consumers

Zooplanktons, cow, zebra, rabbits, deer

202. The living portion of earth surface is named as

COLLECTED BY M. KASHIF & MAHAM GULL

Biosphere

203. A population increases by immigration & decrease by ... or departure of individuals from the population

Emigration

204. The population density of small organism is

High

205. Currently human population is

7.4 billion

206. Division of freshwater ecosystem are ...

Lotic & lentic water bodies

207. The large natural bodies of standing freshwater found by precipitation on run off are

Lakes

208. Corals are tiny living animals belong to group of organisms

Cnidarian

209. Aestivation is commonly occurred in

Invertebrates, reptiles, amphibians

210. Plant named, Viola Orvensis is present in

Basic soil

211. Species having wider range of niches

Generalist species

212. Panda is an example of

Specialist species

213. Who play role in ecological engineers in ecosystem

Beavers

214. Hawk is an example of

COLLECTED BY M. KASHIF & MAHAY GULL

quaternary consumer

215. The process of making carbohydrates from water & carbon dioxide is called

Photosynthesis

216. ... plays a major role in shaping communities

Foundation species

217. Top most horizon

O horizon

218. Each successional stage is

Seral

219. Which succession begins in an area where an ecosystem has been disturbed?

Secondary

220. Ecology deals with the study of

Reciprocal relationship b/w living & non-living components

221. Energy flows in an ecosystem is

Unidirectional

222. The source of energy in an ecosystem is

Sunlight

223. An ecosystem must have continuous source of

Energy

224. The group of organisms which can interbreed freely constitutes a

Species

225. A small group of individuals which resembles closely in structure & function

COLLECTED BY M. KASHIF & MAHAY GULL

Species

226. What is the main difference b/w prokaryote & eukaryotes

Prokaryotes cannot undergo cell division

227. The term ecology was derived by

Ernst Hackle in 1869

228. There are ... types of organisms according to their cell structure

2

229. Eukaryotes consist of

Uni + multicellular organisms

230. Which of the following factor decreases the size of population

Migration

231. Community consists of

Many populations

232. Species is the largest unit of

Population

233. Abiotic component of ecosystem

Air

234. Biomes are

Abiotic factors

235. The act of dispersal involves ... phases

3

236. Natal dispersal is

From birth site to breeding site

237. Dispersal is a movement of

COLLECTED BY M. KASHIF & MAHAY GULL

Seed + spores

238. Which of the following statement is true?

Ecosystems may vary in size

239. Which of the following organism can grow broad variety of niches?

Bacteria

240. An ecological niche includes all of its interactions with

Biotic + abiotic factors

241. A ... niche describes the habitat of organisms

Typical

242. Which of the following pseudomonas genus is isolated from insects

Pseudomonas Entomophila

243. During hibernation black bear loses its ... weight

40%

244. The species that can tolerate large range of environmental conditions

Generalist species

245. Specialist species live in ... type of habitat?

1

246. Tiger salamander breed in

Fishless ponds

247. Knot picks up

Worms

248. Carboniferous period of cockroach is

345-280 million years

COLLECTED BY M. KASHIF & MAHAY GULL

249. One species of cockroach can survive being frozen for ... hours

48

250. Cockroach plays an important role in

Food web

251. Species having narrow range of niches is referred as

Specialist niche

252. Snow leopard is an example of ... species.

Indigenous species

253. Non-native species shows the involvement of

Human

254. Species which plays a role in structuring community

Foundation specie

255. In ... Brazil imported wild African bees

1957

256. In how many ways a species can introduce

2

257. An indicator species have effect on ... of an ecosystem

Biological conditions

258. The ocean would be filled with dead fishes without

Sharks

259. Bamboo is a special diet of

China's giant Panda

260. Species which are harmful for human

Invasive species

261. Concept of ecological pyramid is first proposed by

COLLECTED BY M. KASHIF & MAHAY GULL

Charles Elton 1927

262. Types of ecological pyramids

Pyramid of biomass + numbers + primary consumers

263. A graphical representation of individuals of different species belonging to each trophic level in an ecosystem is known as:

Pyramid of numbers

264. Energy pyramid illustrates the flow of energy in ... to next level.

Upward

265. Biotic factors come from

Biosphere

266. a change in tolerance range ... the animal function?

Ceases

267. The phototoxic movement of euglena is

Positive

268. The basic source of food chain is

Sun

269. Consumer-resource system is

Interconnection of food

270. Right sequence of food chain is

Grass, rabbit, leopard

271. All food chains begin with

Producers

272. Primary producers eating animals are

Herbivores

273. Rest of dead body left after consumers feed is

COLLECTED BY M. KASHIF & MAHAY GULL

Decomposed

274. Tertiary consumers are at ... in trophic level

4th

275. In chemosynthetic process ... is used reciprocal to sunlight

H_2S

276. Food web provides ... to the ecosystem

Stability

277. Food chain & food web is made up of

Trophic levels

278. In a food chain, organisms

Feed in proceeding one, provide food for succeeding organism

279. Trophic level refers to

Stages in food chain

280. convert radiant energy into chemical energy are

Plants

281. Organisms that feed on both plants & animals

Omnivores

282. Greatest amount of energy is lost while

Moving from producers to pri-consumers

283. More energy is available if man feeds

Directly on plants

284. Energy pyramid is broader at base and narrow at apex, as energy

Decreases in food chain

285. Green plants capture ... of solar energy

COLLECTED BY M. KASHIF & MAHAY GULL

1%

286. Plants use ... in excess to sunlight for photosynthesis

CO2

287. Species composition is an important tool for the determination of ... of a specific place.

Community structure

288. Species composition can be expressed by:

Individual species basis, species group

289. Species composition can be used as an indicator by ... ways.

2

290. Which species is the number of individuals species, and relative abundance refers to the evenness of distribution of individual among species in a community?

Species abundance

291. Species is linked with:

Species richness, species evenness

292. Communities have low diversity usually have low?

Evenness

293. Which species support high level of species diversity?

Species hotspot

294. Which is not the process of ecological succession?

Water

295. How many types of succession?

Two

COLLECTED BY M. KASHIF & MAHAY GULL

296. Primary succession takes ... of years to develop by gradual accumulation of nutrients.

Thousand

297. Wavelength is the distance b/w successive ... in the wave of light.

Troughs, crusts

298. There are ... types of electromagnetic radiations.

2

299. Electromagnetic radiations with long wavelength:

Infrared radiations

300. Which of the following has more energy:

Electromagnetic radiations of short wavelength

301. ... makes up most of the spectrum of electromagnetic radiations emitted by the sun:

Visible light

302. A dispersed form of energy that has a little capacity to do useful work is:

Low quality energy

303. Which is not the example of high quality energy?

Moving water molecules

304. Important attribute of community ecology is

Species composition + species richness + species diversity & dominance

305. Community ecology consists of interactions of:

Different populations

306. Which is not vital interaction in community ecology:

Commensalism

COLLECTED BY M. KASHIF & MAHAY GULL

307. Body temperature does not falls in:

Winter sleeping

308. Reptiles like chuckwalla survives in summer temperature of

40 degree

309. Aestivation occur in

Dry condition

310. Example of aestivating animal

Chuckwalla

311. Product of photosynthesis

Glucose/food + oxygen

312. Which of the following is not the role of light in lives

Respiration

313. Animals take in

Oxygen

314. Electromagnetic radiation is in the form of

Kinetic energy

315. Human eye can detect electromagnetic radiations in range of

380 – 760 nm

316. Torpor mechanism is under ... control.

Physiological

317. Endotherms are

Warm blooded animals

318. Which of the following is the survival mechanism of endotherms in cold environment?

Vasodilation

COLLECTED BY M. KASHIF & MAHAY GULL

319. Ectothermal organisms body fluctuates with temperature of ... environment/

External

320. Which of the following is not the characteristics of ectotherms

Generate heat from body cellular activities

321. Torpor enables these animals to survive in a condition in which they are unable

To feed

322. Animals hibernate due to:

Very low temperature + shortage of food

323. Hibernating animals possess:

Low metabolic rate + low respiratory rate + low body temperature

324. Hibernating animals includes?

Small mammals

325. Ped means:

Soil

326. Which is special type of pedocal?

Laterite soil

327. Caliche is a tough cemented layer developed by the dense mass of ...?

Calcium carbonate

328. How many zones are exposed in soil profile?

4

329. In which zone all leaching material are accumulated in horizon?

B-horizon

COLLECTED BY M. KASHIF & MAHAY GULL

330. Normal body temperature of goat:

103 F

331. Which animal maintain its internal temperature constant?

Warm blooded animal

332. Mechanism of thermoregulation is influenced by:

Water + shelter + availability of water

333. Phytoplankton includes:

Algae

334. Photosynthetic bacteria carry out ... of primary productivity near oceans surface:

70%

335. The size of ultraplankton

2µm

336. Active swimmers belong to:

Nekton

337. Benthos does not include:

Deterioritus

338. Corals secrets ... in marine water.

Calcium carbonate

339. Which of the following is not included in importance of coral reefs?

Minerals

340. Corals belong to class

Cnidaria

341. The area of shoreline b/w low & high tides is

Intertidal zone

COLLECTED BY M. KASHIF & MAHAY GULL

342. Weathering is an important phenomenon in ... forming process?

Soil

343. In general soils are classified into main ... groups.

2

344. Which of the following is not the example of filter feeders?

Worms

345. Both cold & dark water is present in:

Abayssal zone

346. In bathyal zone the amount of sunlight is:

Very little

347. Phytoplankton carry out about ... of the world's photosynthetic activity?

40%

348. Eutrophic zone consists of high level of:

Oxygen

349. The zone containing 90% of marine species?

Coastal zone

350. Coastal zone makes up less than ... of the world's ocean?

10%

351. The overall economic benefit from marine coastal ecosystems is over ... per year.

$ 12 trillion

352. ... volume of water belongs to sea water.

97%

353. The economic service of marine ecosystem is:

Pharmaceuticals

COLLECTED BY M. KASHIF & MAHAY GULL

354. A microscopic drifting animal is known as:

Zooplankton

355. The mixture of water is:

Estuarine + brackish water

356. Estuary formed by action of valley glaciers:

Fjords

357. Waterlogged area present b/w land and open sea:

Coastal wetland

358. Sea grass beds supports to ... plant species:

60

359. Components of marine water ecosystem are:

4

360. Which of the following is not the component of marine water ecosystem?

Structural diversity

361. Which of the following shows functional diversity?

Biological & chemical processes for lives survival

362. Marine life found in ... zone.

3

363. Organisms that are found in Deep Ocean are called?

Deposit + filter feeders

364. Deposit feeders take ... into their guts.

Mud

365. Benthic zone is present at ... level of body water.

Lowest

COLLECTED BY M. KASHIF & MAHAY GULL

366. Exact definition of oligotrophic lakes is:

Poorly nourished lakes + having low accumulation of salts + having small supply of plants nutrients

367. The algae production in oligotrophic lakes is:

Low

368. Property of oligotrophic lake is:

Cold region, clear water, low density plankton

369. Eutrophic lake is covered with:

Algae + cyanobacteria

370. Process which is high in eutrophic lakes is:

Photosynthesis

371. Eutrophic lakes have:

Shallow depth + murky brown/green water + high turbidity

372. Lakes having excess amount of nutrients dissolved is:

Hypertrophic lake

373. There are ... types of eutrophic lakes.

2

374. Seasonal wet lands are flooded in:

Winter

375. Which is the land area that delivers run off, sediment and dissolve substances to a stream?

Watershed + drainage basin

376. Streams receive nutrients are?

Falling leaves + animal feces + insect

377. How many types of stream habitats?

COLLECTED BY M. KASHIF & MAHAK GULL

3

378. Which is an area of shallow & fast moving water?

Riffle

379. Floodplain zone containing?

River

380. There are ... zones in lakes.

4

381. Which of the following is not the factor of littoral zone?

Slope of water

382. Lakes contains:

Standing water

383. The water temperature in the profundal zone during winter season is:

4°C

384. Water away from the shore is in ... zone.

Limnetic zone

385. Which of the following is the property of profundal zone?

No photosynthesis + oxygen levels are often low + cool & dark water with fish species

386. High dissolved ... due to continuous flow of water.

Oxygen

387. Which is not example of lotic water?

Pond

388. Spring is freshwater body in which water flows out of the?

Ground

389. Lotic water bodies receive water supply from?

COLLECTED BY M. KASHIF & MAHAY GULL

Precipitation + snow water + springs

390. Ability of individuals to reproduce under ideal or optimum conditions is called:

Reproductive potential

391. Exponential growth is also called:

Geometric growth

392. Exponential growth cannot occur

Indefinitely

393. Due to ... natural resources are decreasing at an alarming rate.

Overconsumption

394. ... is a density – dependent factor

Competition + parasitism + predation

395. Density – dependent factors are more severe when population density is:

Mostly high but sometimes low

396. Human population growth has severally affected the environment:

By putting pressure on the natural resources

397. Which of the following is an impact of human population on environment?

Soil erosion + invasive species + oil spillage

398. ... is a human impact on environmental health.

Deforestation + pollution

399. What percent of the air includes water vapor, carbon dioxide and methane?

1%

400. Which of the following factor cannot effect the carrying capacity?

COLLECTED BY M. KASHIF & MAHAY GULL

Nutrients availability

401. What do you mean by post reproductive stage of population?

Too cold to reproduce

402. Weather conditions often limit

Population

403. Human activity ... often affect animal populations in a similar fashion.

Construction + deforestation

404. ... is density – independent factor

Fire + pollution + climate

405. At carrying capacity (k), population growth ... creating an S-shaped curve.

Levels off

406. Population of any ecosystem is regulated by ... factors.

Biotic + abiotic factors

407. di- TRI-tus meaning:

debris

408. which of the following organism is large scavenger?

Vultures

409. There are ... systems in earth life supportive system.

4

410. Earth gaseous atmosphere consists of ... of oxygen

21%

411. ... of the air includes greenhouse gases.

1%

412. Which of the following is not the component of greenhouse gases?

COLLECTED BY M. KASHIF & MAHAY GULL

Hydrogen sulphide

413. Thin layer of biosphere spread about ... km.

9

414. Exact definition of hydrosphere is:

Part of earth which includes water

415. Effect of greenhouse gases includes:

Warms the lower atmosphere

416. Ice in frozen layer of soil is known as:

Permafrost

417. Organisms that depend on producers for purpose of food are known as:

Consumers + heterotrophs

418. Organisms that feed on the flesh of other carnivores are:

Tertiary consumers

419. Omnivores are the organisms:

That feed on both herbivores & carnivores

420. Aquatic marine herbivores eat ... pounds plants each day.

150

421. Food of giraffe per day

75 pounds

422. Characteristic of carnivores

Long stomach + short intestine

423. In order to be a ... consumer, an animal must be a carnivore/ an omnivore.

Tertiary

424. Pelicans are the birds of:

COLLECTED BY M. KASHIF & MAHAY GULL

Sea

425. Decomposers help in:

Breaking dead waste + recycle nutrients

426. Decomposers feed by secreting:

Enzymes

427. $6\ CO_2 + 6\ H_2O +$ solar energy $\rightarrow$

$C_6H_{12}O_6 + 6\ O_2$

428. External mechanical force of terrestrial plants is:

Wind

429. Example of aquatic plants in open environment in open water?

Phytoplankton

430. Which of the following is not the characteristics of dinoflagellates?

Shells having interlocking parts

431. HABs stands for:

Harmful algal bloom

432. Red tides are produced by:

Dinoflagellates

433. ... pigment is used in photosynthesis.

Chlorophyll

COLLECTED BY M. KASHIF & MAHAY GULL