OBBJCTIVES OF CURRENT PAPER

BT201 - Ecology, Biodiversity & Evolution-II

Final-Term File 2024 By

SULMAN ALI (BS-ZOOLOGY)

(0341-7547044)

- Oparin in 1924 gives_. Primeval Soup The
- Gymnopserms means__. Naked Seeds
- Community structure is measured by_____ Species *Richness And Diversity
- A food_____ summarizes the feeding relation in a community. Web
- 1st multi-cellular organism found in China as carbonaceous filament were___ *1.8
- Billion Years*
- Ecology is derived from word. Greek
- Oikos which means ??? ..... at home
- PAR, accounts for about ____ of the total energy. 45%
- is a state of low metabolic rate and low body temperature when food is scarce and night temperature cold. Torpor
- Most endothermic aquatic species are _____. Air Breathers
- The refuges that promote the persistence of hosts and prey include____ *Seccure
- Places to Which the Exploiter Has Limited Access*
- Coalitions and prides groups in.... Iions
- Vapor pressure deficit is calculated as the difference between the actual water vapor pressure and the.....water vapor pressure..... Saturated
- Wormlike and algae fossils come from 700 to 900 million-year-old rocks in China
- The local population is density of the Glanville Fritillary.....Melitaeacinxia, is lowering on larger and on isolated habitat patches. Butterfly
- There Are..... Possible Outcomes of Interspecific Competition. 4
- PAR, accounts for about ____ of the total energy. 45%
- silica, calcium carbonate, and chitin (a complex organic substance) did not appear in abundance until the beginning of the Phanerozoic Eon 545 million years ago
- Study of transcripts that are present in an organism any time is called..... Transcriptomics
- The first genome sequenced completely was that of..... Homophilus Influenza
- demonstrated that the influence of consumers on community structure depends upon their feeding preferences, their local population density, and the relative competitive abilities of prey species. Jane Lubchenko
- Succession in the intertidal zone require..... 1 To 3 Years
- Robert Paine (1966).....proposed that the feeding activities of a few species have inordinate influences on community structure.
- Chinese farmers have used _____ as keystone predators to control pests in citrus orchards for over 1,700 years. Ants
- succession in the intertidal zone require__1 To 3 Year
- Crossing over occurs during the ecology derived from ____ word.
- Schistosoma, a highly pathogenic _____ parasite. Human
- Quinine is a drug used to treat___Malaria
- Human is in which order___ Primates
- the pathogenic microbes such as moth larva reduced the coverage of prickly pear cactus in _____ Australia
- __independently expanded the logistic model of population growth to represent interspecific competition. Lotka And Volterra

- Hardy-Weinberg principal conditions necessary to maintain constant allele's frequencies in a population except_____ Immigration
- Kimberella is ..... Kimberella, an animal from latest Proterozoic rocks in Russia. Exactly what Kimberella was remains uncertain
- R0 stands for..... net reproductive rate
- The behavior of spiny headed worm is an example of..... ____Exploitation
- C4 and CAM plants are .....more.... Efficient in their use of water then C3 plants
- Application of classical plant breeding area....
- Oparin 1924 gave the.... Primeval soup theory
- 1st multicellular organisms found in china .... 1.8 Billion Years
- Who works on developing of paleontology.... Smith,buckland, curvier, Brongniart
- The environment limits population growth by.... Changing Birth and Death Rates
- Highest rate of terrestrial primary production occur under.... Warm and moist conditions
- There are ..... Possible outcome of interspecific competition----------four
- Preston's graphs were approximately "….. curves and are called "lognormal" distributions._ bell-shaped"
- PAR can be quantified....45%
- Humans belong to.....primate
- Bacteria are the ....diverse organism.
- Eukaryotic RNA is ....monocidtronic
- Conjugation take place in.....Plants
- OIKOS..... Home
- Genetic code is .....nonoverlapping
- Preston's graphs were approximately "….. curves and are called "lognormal" distributions._ bell-shaped "
- silica, calcium carbonate, and chitin (a complex organic substance) did not appear in abundance until the
- beginning of the Phanerozoic …..ago --- Cambrian age__ Eon 545 million years
- Most complex level of social behaviour ..... Eusociality
- Freshwater contain less than ___ water. 1%
- Water potential, vapor pressure and osmotic pressure are all measured in _____ Pascal (N/$\boldsymbol{M2}$)
- There are _____ source of energy. 3
- ____ feed on dead plants material with lower nitrogen. Detritivores
- In the logistic model, the rate of population growth ____ as population density increases. Decreases
- An environment in which resources are patchy also fosters Clumped Distribution
- The rate of primary production is the amount of energy____ over some interval of time. Fixed
- _____ proposed the feeding activities of few species have inordinate influence on community structure. Robert Paine
- _____alters the outcome of competition by removing nutrient limitation on stress tolerant plants. Fertilization
- There Are_____ Possible Outcomes of Interspecific Competition. 4
- A ___ grouping consists of various species that lack a common ancestor is called. Polyphyletic
- _____cells are combination of proteins synthesizing system. Eukaryotic
- Schistosoma, a highly pathogenic _____ parasite. Human
- The behavior of Spiny-headed worms is an example of ____Exploitation
- A __ like impression is present in rocks 200 m below the Ediacara Hills. Jellyfish
- One of the first question that is asked when a species is considered for whole genome sequencing is__. What Is The Size Of Its Genome?
- The earth ecosystem interacting with physical environment as a whole maintained a steady state system intermediate in the flow of energy between the high energy input of the sun and thermal sink of space is called_____ Biosphere
- The Nobel Prize winning scientist Linus Pauling Aptly described science as the____ Search for Truth
- Coalitions and prides groups in.... Iions

- Vapor pressure deficit is calculated as the difference between the actual water vapor pressure and the.....water vapor pressure..... Saturated
- Wormlike and algae fossils come from 700 to 900 million-year-old rocks in China
- The local population is density of the Glanville
- Fritillary.....Melitaeacinxia, is lowering on larger and on isolated habitat patches. Butterfly
- There Are..... Possible Outcomes of Interspecific Competition. 4
- Animal eat other animals are called. Predators
- Possibility of working with molecules on the scale of few micrometers is___ Micro Technology
- Gymnopserms means__. Naked Seeds
- snRNA is a type of_. RNA
- Ecology is derived from ____ word. Greek
- The process of conjugation occurs in _____. Plant
- PAR, accounts for about ____ of the total energy. 45%
- here Are_____ Possible Outcomes of Interspecific Competition. 4
- Highest rate terrestrial primary production occur under___ Warm And Moist Conditions
- ___can be used to detect long-term ecological changes. Repeat Photography
- . _____ are using these new tools to study large scale dynamic ecological phenomenon such as inter annual variation. Ecologists
- he pathogenic microbes such as moth larva reduced the coverage of prickly pear
- cactus in _____ Australia
- _____independently expanded the logistic model of population growth to
- represent interspecific competition. Lotka And Volterra
- Larger osmotic difference b/w organism and environment generate__. High
- The rate at which organism can take in energy is___ either by external or internal constraints Limited deficit is calculated as the difference between the actual water vapor pressure and the saturation water vapor pressure. Vapor Pressure
- __ cited teeth in fetal baleen whales. Lamarck
- ____ feed on dead plants material with lower nitrogen. Detritivores
- In 1997 _____ % of the global human population was concentrated in Asia. 61.4
- _____ is an interaction between species that enhance the fitness of one individual at the expense of another. Exploitation
- Crossing over occurs during the process. Meiosis
- The experiment failed because the original cause ____ had not been eliminated. Rats
- Gymnopserms means__. Naked Seeds
- Succession in the intertidal zone require__1 To 3 Years
- The notochord is a flexible, rod-like structure derived from__. Mesoderm
- are using these new tools to study large scale dynamic ecological phenomenon such as inter annual variation. Ecologists
- Zooplankton feed on----------? Algae
- Zooplankton feed on----------? A) Bacteria B) Fungi C) Algae D) All
- Chordates are…….. deuterostomes,
- _____Group have common ancestor. Clade
- which trait are present in humans but not in chimpanzee and gorilla. Bipedal
- exploitation—interactions between species that enhance the fitness of one individual at the expense of another.
- insertions sequences and transposons) are…..Mobile genetic elements /transposable elements
- Most successful phylum ecologically diverse. Present in all regions of the earth. Arthropods
- Is the design of new ecosystems for human purposes, using the self-organizing principles Of natural ecosystems. Ecological engineering
- .Lamarck is best known for his contributions to evolution, or Lamarckism,
- The following are major activities of plant breeding; one of the following is the correct sequence of plant breeding_____. Collection of Variation-SelectionEvaluation-Release (CSER)
- Genome size of living organisms ranges across …. Orders of magnitude ……..

- By June 2005, no fewer than _____eukaryotes were the subject of ongoing genome sequencing projects……...496
- ___ used in food.... *Red algea*
- Amoeba cause____ diarreha
- Larval stage of echinoderm….
- .Herbivores feed on plant because they have..... *Carbon*
- Silica,calcium carbonate and chitin did not appear in abundance untill begening of the phanerozoic Eon___ million year ago.____ *545*
- Some expert's Estimate that around 30% of all species on earth will be extinct by 2050. 20) Species richness generally increases from middle and high latitudes to the equator.
- Paramecium moved by the…..cillia
- All known protozoic animals were…….Softed bodied
- Kimber Ella is .....Animal
- Was probably the first hereditary molecule having the ability to copy Itself……..RNA
- _____soon found that even these so-called simple communities included very complex feeding relations. Charles Elton (1927)
- Chimpanzee share … % with human 98.8
- The genome size of living organisms rang between ____ BP to _____bp? 103 bp - 1012 bp
- Genetic modification of plants is achieved by adding a specific gene or genes to a plant, or by knocking down a gene with_____. RNAI
- Phosphorus nitrogen concentration usually limits rates of primary production in freshwater ecosystems, while concentration usually limits rates of marine primary production.
- .Annelids have____ circulaty system? Closed
- The tiger beetle Cicindela longilabris is limited to cool boreal and mountain environments.
- the model plants arabidopsis and rice both employ the C3 photosynthetic pathway.
- Human differ from gorilla … Bipedal.
- Flowering plants are_____angiosperms
- Vertebrates make % of total animals …….5%
- rRNA loop belongs to….. R-loop
- A taxonomic method that uses a short genetic marker in an organism's DNA to identify it as belonging to a particular species __barcoding.
- Mutation can create genetic diversity within a population; bad and useful both
- classical breeding relies largely on homologous recombination between chromosomes to generate genetic diversity.
- Crossing over occurs during the process. Meiosis
- Keystone species differ from foundation specie, (Higher Trophic Level, And Top Predator; Tend to Modify Their Environment,) ALL GIVEN ABOVE.
- Protozoa reproduce except_____ Parthenogenesis
- .On Island and habitat patches on continents __Species Richness Increases with Area And Decreases With Isolation
- The ability to bounce back after disturbance is called_____ Resilience
- .PAR stands for_____. Photosynthetic Active Radiations
- .Succession in the intertidal zone require_____1 To 3 Years
- _____can be used to detect long-term ecological changes. Repeat Photography
- .A landscape is a heterogeneous area composed of several_____. Ecosystems
- ____ is an interaction between species that enhance the fitness of one individual at the expense of another. Exploitation
- .Birds and mammals rely heavily on _____ to regulate body temperature. Metabolic Energy
- .Tidal fluctuation produces _____ due to gravitational effects of sun and moon. Steep Gradient
- _____ are found mainly at temperate latitudes. Kelp Forests
- There Are_____ Possible Outcomes of Interspecific Competition. 4
- _____ are using these new tools to study large scale dynamic ecological phenomenon such as inter annual variation. Ecologists

- The local population is density of the Glanville Fritillary_____ Melitaeacinxia, is lowering on larger and on isolated habitat patches. Butterfly
- .The first biologists to conduct thorough studies of phenotypic and genotypic variation and to incorporate experiments in their studies, focused on_____ Plants
- Freshwater contain less than ___ water. 1%
- causes African Sleeping Sickness is caused by…….Trypanosoma -
- snRNA is a type of_____. RNA
- Size of plasmids vary from …. 2_200
- . First bipedal hominid found in ….. Africa
- . Animal ecologist call community ecology groups …… Guilds,
- …OIKOS means “At Home”
- . Most complex level of social behaviour ..... Eusociality
- Most powerful oxidants known _____. Oxygen
- _____ deficit is calculated as the difference between the actual water vapor pressure and the saturation water vapor pressure. Vapor Pressure
- The rate at which organisms can take in energy is_____. Limited
- . _____ explored the unity of parts and their patterns of development– skeletons in different vertebrates. St. Hilaire
- Biome, the entire community of plants and animals in a climatic region.
- Peptides form 3 D structure…. Enzymes
- Cuvier identified _____ basic body plans for animals– vertebrates, molluscs, arthropods, and radiata (jellyfish & others). 4
- Response……. Showed that the claims of undeniable catastrophes in the record where much exaggerated. Lyell The relationship between photon flux density and p lant photosynthetic rate is called __. Photosynthetic
- Which one of the following is not one of the positive interactions on microbe_____ Amensalism
- . Not Positive interaction _____ Competition
- Modern bread wheat is a mixture of recombined genes from _different wild species.3
- Have Less Space
- _____type of natural selection which favors more than two extreme phenotypes is. Disruptive Selection Which one of the following is not one of the advantages of in situ conservation_____ The Species
- Only_____ is a desert plant genus. Encelia
- _____ cited teeth in fetal baleen whales. Lamarck
- .In 1997 ___% of the global population was spread across oceanic island. 0.1
- .Of the water in the biosphere, the polar ice caps and glaciers contain___ 2%
- .Development proceeds up the tree of life. All animals begin as eggs _ Von Baer
- ._____ arises from interaction b/w organism and environment. Evolution
- .Lamarck realized_____ could not all be ordered in a single chain. Life
- Cooperative groups of females in African lions are called _____. Prides
- .Who worked on the developing of palaeontology_ Smith, Buckland, Cuvier, Brongniart
- .The most familiar relative measures of water content of air is__ Relative Humidity
- The rate at which organism can take in energy is___ either by external or internal constraints Limited
- .Oceans contain _____ of water. 97%
- The turnover of water of the hydrological cycle ranges from on _____ days for the atmosphere. 9
- ._____ form the largest continues environment on the earth. Oceans
- .Photosynthetic organisms restrict to _____ zone. Euphotic or Epipelagic
- .Hibernation occurs in winter, if it occurs in summer then called _____. Aestivation
- .In _____ environment water moves from hypo osmotic to hyper osmotic solution. Aquatic
- .Larger osmotic difference b/w organism and environment generate_____. High Osmotic Pressure
- The water potential of pure water is set at _____ Zero
- The relationship b/w food density and animal feeding rate are called _____ Functional Response Energy limitation is a assumption of _____theory. Optimal Foraging

- .Water potential, vapor pressure and osmotic pressure are all measured in _____ Pascal (N/M^2)
- .Oceanic temperature much more stable than _____ temperature. Terrestrial
- .Highest productivity occurs along _____. Costliness
- ._____are limited to the trophic & subtropics. Coral Reefs
- There are ____ types of coral reefs, frining reef, barrier reef, atolls. _____ 3
- .Kelp forests limited to areas with temperature range _____. 10-20℃
- .Reef building corals limited to areas with temperature _____18-29℃
- Salt marshes dominated by_____ vegetation. Herbaceous
- ____grows in the tropic and subtropics. Mangrove Forests
- _____ are extremely dynamic physically, chemically and biologically. Estuaries
- _____ are much like small seas. Lakes
- The salinity of lakes ranges from very dilute waters to over_____. 200%
- Freshwater environment is particularly vulnerable to introduction of ____Exotic Species
- The nature of fish assemblage is used to assess the _____of fresh water. Biological Integrity
- For the individual organism macroclimate may be _____ significant than microclimate. Less
- Most species perform best in a fairly _____ of temperature. Narrow Range
- The influence of temperature on the performance of organisms begins at the____ Molecular Level
- Plants and ectothermic animals use morphology and behaviour? ____Both
- Most endothermic aquatic species are _____. Air Breathers
- Flying insects & marine fish improve performance by heating parts of their ____ Anatomy
- The energetic requirements of thermoregulation may influence the _____ distribution of species. Geographic
- _____ is a state of low metabolic rate and low body temperature when food is scarce and night temperature cold. Torpor
- Aquatic organisms gain or lose water through _____. Osmosis
- There are _____ source of energy. 3 (Light, Organic & Inorganic Molecule)
- Photosynthetic plants and algae use light of wavelength b/w _____. 400-700nm
- There are _____ major alternative photosynthetic pathways, C3,C4 & CAM. 3
- .Heterotrophs use organic molecules as a source of carbon & _____Energy
- ____ feed on dead plants material with lower nitrogen. Detritivores
- Chemosynthetic bacteria use _____ molecules. Inorganic
- Bacteria are most diverse in the_____. Biosphere
- Eusociality is more complex level of social behaviour, which is considered to be____ The Pinnacle of Social Evolution
- Hardy-Weinberg principal conditions necessary to maintain constant allele's frequencies in a population except_____ Immigration
- _____explored the extent and sources of morphological variation in plant population including both the influence of environment and genetics. Clausen, Keck, And Hiesey
- Populations include _____ among individuals, which are significant aspects of population structure. Genetic and Phenotypic Variation
- Evolutionary fitness is a measure of_____ Reproductive Fitness
- _____ is generally accompanied by cooperative feeding, defence of the social group, and
- restricted reproductive opportunities. Sociality
- .In the logistic model, the rate of population growth ____ as population density increases. Decreases
- ._____ found a significant positive correlation between population size and genetic diversity in populations of chihuahua spruce. Ledig And His Colleagues
- _ of terrestrial plants form mutualistic relationships with mycorrhizal fungi. 90%
- Higher salt and lower water concentration is termed as_____ . Hyperosmotic
- .Type _____ survivorship, in which there is a fairly constant probability of mortality throughout
- life. II

- .In 1997 _____ % of the global human population was concentrated in Asia. 61.4
- Field experiment has_____ points. 4
- The validity of field experiments depends upon several design features except_____ Knowledge of Final Conditions
- Possibility of working with molecules on the scale of few micrometers is___ Micro Technology
- There are so-called _____that may be used to identify ecological important genes in incompletely characterized genome. Pre-Genomic Molecular Approaches
- Medicines from nature account for usage by____ of the world's population. 80%
- Habitat Destruction is major cause for_____ Loss of Biodiversity
- . Coral reefs which are biodiversity hotspots will disappear in ____year. 20-40
- Plant founded in particular area is_____ Flora
- An environment in which resources are patchy also fosters Clumped Distribution
- .In 1997 _____ % of the global human population was spread across Africa. 12.8
- .Leaf hoppers are an example of _____ competition. Intra Specific
- ._____independently expanded the logistic model of population growth to represent interspecific competition. Lotka And Volterra
- The environment Limits population growth by Changing Birth and Death Rates
- .The refuges that promote the persistence of hosts and prey include____ Secure Places to Which the Exploiter Has Limited Access
- In principle the transcriptome includes _____ in addition to ribosomal RNAs (rRNAs). Messenger RNAs (mRNAs)
- Scientist makes different branches of science on the bases of ___ and_____ of organisms. Habitat, Appearance
- Polypeptides can form complex 3-dimensional structures_____. Proteins
- . Depending on the selective pressure, mutations can be_____. Useful
- . The first genome sequenced completely was that of__ Homophilus Influenza
- To assemble a genome from a series of sequences requires tremendous____ Computational Power
- _____ in physical and chemical conditions across aquatic and terrestrial environment can account for significant portion of the diversity among planktonic algae and terrestrial plant. Heterogeneity
- The pathogenic microbes such as moth larva reduced the coverage of prickly pear cactus in _____ Australia
- over 1, 700 years. Ants
- The rate of primary production is the amount of energy____ over some interval of time. Fixed .Chinese farmers have used _____ as keystone predators to control pests in citrus orchards for
- ._____ proposed the feeding activities of few species have inordinate influence on community structure. Robert Paine
- ._____ occurs on newly exposed geological substrates not significantly modified by organisms. Primary Succession
- ._____ demonstrated that the influence of consumers on community structure depends upon their feeding preferences, their local population density, and the relative competitive abilities of prey species. Jane Lubchenko
- Sonoran Desert plant distribution map clearly on the soils of different ages and form a _____ mosaic that closely matches soil mosaic. Vegetative
- Highest rate terrestrial primary production occurs under___ Warm and Moist Conditions
- A resilient community or ecosystem may be _____ disrupted by disturbance but quickly return to former state. Completely
- Plant complete when_____ nutrients are less More Intensively
- _____alters the outcome of competition by removing nutrient limitation on stress tolerant plants. Fertilization
- PAR, accounts for about ____ of the total energy. 45%
- A ___ grouping consists of various species that lack a common ancestor is called. Polyphyletic
- _____uses DNA and other molecular data to determine evolutionary relationships Molecular Systematic

- Some _____ mutations stay within a population from generation to generation, and drive the evolution of that species. Beneficial
- The process of conjugation occurs in _____. Plants
- _____cells are combination of proteins synthesizing system. Eukaryotic
- Maximum parsimony assumes that the (appearances of shared derived characters) is the most likely. Tree That Requires the Fewest Evolutionary Events
- One of the following is not example of horizontal gene transfer____ Conjunction
- . Conjugation is a process of_____ Sexual Reproduction
- Ecology is derived from ____ word. Greek
- Odum ___. "The Structure and Function of Nature"
- Schistosoma, a highly pathogenic _____ parasite. Human
- The behavior of Spiny-headed worms is an example of ____Exploitation
- A __ like impression is present in rocks 200 m below the Ediacara Hills. Jellyfish
- 1st multi-cellular organism found in China as carbonaceous filament were___ 1.8 Billion Years
- Quinine is a drug used to treat_____Malaria
- The bark of this tropical tree contains a drug called quinine is used in the prevention of_____ Malaria
- Specie differ from foundation species is that they are likely to belong to_____ Higher Trophic Levels
- The_____ technique has now been replaced by sequencing using a mass spectrometry. Laborious Edman Degradation
- What is not true about Protein degradation____ Sequencing Using Mass Spectrometry Is Replaced by Admen Degradation
- Phylogenetic Trees are evaluated in order to find the relationship among _____ Species, Phylum, Family, (All of Given)
- Supporting evidence for endosymbiosis except_____ Comes from Studies of Living. Prokaryotic Cells
- A food_____ summarizes the feeding relation in a community. Web
- Annelide have circulatory system_____. Close
- Community structure is measured by_____ Species Richness And Diversity
- Which of the following is not common extension of omics_____ Vaccinomics
- Vertebrates make _____ % of total animals. 5%
- Number of alleles in a sample population is called _____ Allelic Richness
- One of the first question that is asked when a species is considered for whole genome sequencing is__. What Is The Size Of Its Genome?
- . Annelids are not_____ Predator
- . Gymnopserms means_____. Naked Seeds
- . If for genetic modification, genes of the species or of a crossable plant are used under control of their native promoter, then they are called____ plants. Cisgenic
- . A philosophical concept of value of something independent of its value to anything else is called_____. Intrinsic Value
- . The advantage of in-situ conservation except_____The Specie Will Not Evolve In Their Environment.
- . In 18th Century, Carolus Linnaeus published a system of taxonomy on resemblance____. TwoPart Names of Species And Hierarchical Classification
- . Oparin in 1924 gives_____. Primeval Soup Theory
- . Major technological developments of 1990s All of The Above (Computing, Communication, Micro Technology)
- ____are found in more than one copy in the genome. Paralogous Genes
- . Krill is a major food for_____ Whales
- . The earth ecosystem interacting with physical environment as a whole maintained a steady state system intermediate in the flow of energy between the high energy input of the sun and thermal sink of space is called_____ Biosphere
- . Human is in which order___ Primate
- Notochord is present throughout life or at least during embryonic stages in____ Chordates

- The field of biology specially in developing hardware and software to store and analyze the huge amount of data generated by life science is called ___ Bioinformatics
- Gregor Mendel's Experiments with plant hybridization led to his establishing_____ Laws of Inheritance
- . One of the following is the is not the correct sequence of deforestation_____ Decrease in The Level of Carbon Dioxide in The Atmosphere
- One of the following is NOT the part of maintaining balance of the ecosystem____ Protection of Food Crops
- The Nobel Prize winning scientist Linus Pauling Aptly described science as the____ Search for Truth
- . In Genome evolution Gene number & complexity of an organism____ Are Not Strongly Linked
- Gene diversity is the variation at the level of___ Both at Individual Gene And In A Population
- . Haldane (1929) gave the _____Hot, Dilute Soup Theory
- . Not an example of Ex-situ Conservation__ Natural Park and Natural Reserves
- One of the following a population over subsequent generations_____ Bad or Lethal Mutations
- . The fossil record is relatively incomplete for several reasons, which one is not true statement_____ Soft Tissues Are Mostly Preserved
- The process of synthesis of protein is called _____Translation
- . Animal eat other animals are called. Predators
- . Study of transcripts that are present in an organism any time is called____.Transcriptomics
- . Mass spectrometry is used to determine the sequence of_____ Amino Acids
- Which of the following is not part of human genome project____ Us Department of Medicine?
- . Comparative genomics is developing an increasing array of bioinformatics techniques. Which of the following is not done_____ Synteny Footprinting
- . Comparative genomics is developing an increasing array of bioinformatics techniques except. Synteny Shadow
- . Eukarya have been evolved form since ____ million years ago. Two
- The experiment failed because the original cause ____ had not been eliminated. Rats
- The notochord is a flexible, rod-like structure derived from_____. Mesoderm