

Question # 1 of 5 (**Start time: 01:32:46 PM, 26 June 2025**)

A relation is in third normal form if -----

Select the correct option

☒	It is already in second normal form
☐	It has a transitive dependency
☐	It has a partial dependency
☐	It has multivalued attributes

Question # 3 of 5 (Start time: 01:33:21 PM, 26 June 2025)

The anomalies caused by transitive dependency in a relation are removed by -----.

Select the correct option

☐	Reducing number of columns
☐	Reducing number of rows
☒	Breaking down the relation
☐	Changing primary key

Question # 4 of 5 (Start time: 01:33:38 PM, 26 June 2025)

A table is in third normal form if it is in second normal form and there is no -----.

Select the correct option

☐	Full functional dependency
☐	Consistency
☐	Partial dependency
☒	Transitive dependency

Question # 2 of 5 (Start time: 01:33:01 PM, 26 June 2025)

A transitive dependency occurs when _____

Select the correct option

☐	Part of the key is dependent on key attribute
☐	Non-key attribute is not dependent on another non-key attribute
☒	Non-key attribute is dependent on another non-key attribute
☐	Primary key attribute is dependent on non-key attribute

Question # 5 of 5 (Start time: 01:33:55 PM, 26 June 2025)

From the following options, Choose the correct statement for the third normal form.

Select the correct option

☐	Non key attribute is dependent on another non key attribute
☐	There is redundant data in the relation
☐	There is partial dependency in the relation
☒	No non key attribute is dependent on another non key attribute