VU QUIZ REPORT

Generated by VU TALK Extension

Subject: CS201P

Quiz Completed: 5/1/2026, 11:23:14 AM
Total Questions: 10

Question 1:

What will be the output of the following code? int i = 1; while(i<10){ if (i / 2 == 2) cout << i << “ ”; i++; }

A. 4 5

B. 2 4

C. 2 3

D. 6 7

Selected Answer: A

Question 2:

In C++, if we want to execute more than one statement within an ‘if statement’, then we have to enclose all statements in _____.

A. {}

B. []

C. <>

D. ()

Selected Answer: A

Question 3:

While programming in C++, the statement if (x = 3), will result into a _____.

A. Linker Error

B. Syntax Error

C. Runtime Error

D. Logical Error

Selected Answer: D

Question 4:

What will be the output of following program? #include using namespace std; int main() { int x = 5; while (x > 0) { x--; } cout << "Final value of x: " << x << endl; return 0; }

A. Final value of x: 0

B. Final value of x: 2

C. Final value of x: 6

D. Final value of x: 5

Selected Answer: A

Question 5:

Which of the following is an example of repetition structure?

A. while

B. if

C. cond

D. if-else

Selected Answer: A

Question 6:

What will be the output of the following code? int i = 0; while(i!=15){ cout << i << " "; i = i + 5; }

A. 5 10

B. 0 5 10

C. 1 5 10

D. 0 5

Selected Answer: B

Question 7:

Which of the following option is used when working with complicated expressions in C++ ?

A. ()

B. []

C. /

D. {}

Selected Answer: A

Question 8:

In C/C++, the algebraic expression (b2-4ac) / 2a can be written as:

A. b*b – 4*a* c/ 2*a

B. b*b – 4* a*c / (2*a)

C. (b*b – 4*a*c) / (2*a)

D. b*b – (4*a*c) / 2*a

Selected Answer: C

Question 9:

Which of the following C++ statements is used to show output on the screen?

A. cerr

B. cget

C. cin

D. cout

Selected Answer: D

Question 10:

Which of the following C++ statements is used take input from the user?

A. cout

B. cin

C. cerr

D. cget

Selected Answer: B