EASY TO LEARN WITH M.ZEESHAN

SUBSCRIBE TODAY

LMS HANDLING SERVICES AVAILABLE

- ✓COMPLETE/HALF LMS HANDLING
- ✓ASSIGNMENTS
- ✓QUIZZES
- ✓GDB
- ✓LECTURE WATCHING ASSISTANCE
- ✓PAST PAPERS
- ✓HANDOUTS
- ✓PROJECTS
- ✓THESES
- ✓IMPORTANT FILES & RESOURCES
- ✓ CISCO ASSIGNMENT
- ✓ WITH 90-100 GUARANTEED MARKS

Get in touch now for complete exam preparation and boost your grades!

0313-5610637

MUHAMMAD ZEESHAN

CS301P QUIZ 1 SOLUTION 2025

CS301P - Data Structures (Practical) (Graded Quiz - 1)

Question # 1 of 10 (Start time: 10:32:11 PM, 28 April 2025)

The stack will be considered full, if the current variable is equal to _____.

Select the correct option

◉	Size
○	Size ++
○	Size +1
○	Size -1

Click here to join our WhatsApp channel

CS301P - Data Structures (Practical) (Graded Quiz - 1)

Question # 2 of 10 (Start time: 10:32:36 PM, 28 April 2025)

In a doubly linked list, we can traverse the list in _____.

Select the correct option

◉	Both directions
○	Forward direction
○	Reverse direction
○	No direction

Click here to join our WhatsApp channel

Question # 3 of 10 (Start time: 10:33:06 PM, 28 April 2025)

Which of the following statement declares an array 'x' with 6 integers?

Select the correct option

○	int x = 6;
○	int [6] x;
◉	int x[6];
○	float x[6];

Click here to join our WhatsApp channel

CS301P - Data Structures (Practical) (Graded Quiz - 1)

Question # 4 of 10 (Start time: 10:33:40 PM, 28 April 2025)

In stack, parenthesis is used in the conversion of infix to postfix expressions to evaluate:

Select the correct option

◉	Operator precedence
○	Operand precedence
○	Expression precedence
○	Operator association

Click here to join our WhatsApp channel

CS301P - Data Structures (Practical) (Graded Quiz - 1)

Question # 5 of 10 (Start time: 10:34:05 PM, 28 April 2025)

In C++, same code can be re-used for different data types by writing _____.

Select the correct option

○	Push
◉	templates
○	traverse method
○	Pop

Click here to join our WhatsApp channel

Question # 6 of 10 (Start time: 10:34:28 PM, 28 April 2025)

Which type of linked list has two Null pointers?

Select the correct option

- (●) Circularly linked list
- ( ) None of the given options
- ( ) Singly linked list
- ( ) Doubly linked list

Question # 7 of 10 (Start time: 10:34:54 PM, 28 April 2025)

When an operator is found in stack while evaluating a postfix expression, which of the following operation is performed on previous two operands?

Select the correct option

- (●) pop
- ( ) push
- ( ) None of the given options
- ( ) Enqueue

Click here to join our WhatsApp channel

CS301P - Data Structures (Practical) (Graded Quiz - 1)

Question # 8 of 10 (Start time: 10:35:25 PM, 28 April 2025)


Each operator in a postfix expression refers to the previous _____ operand(s).

Select the correct option

- ○ 0
- ○ 1
- ○ 3
- ◉ 2

Click here to join our WhatsApp channel

In the given stack what will be the head and top after removing node with value 1?



Select the correct option

○	7 and 5
◉	7
○	2
○	5

Click here to join our WhatsApp channel

CS301P - Data Structures (Practical) (Graded Quiz - 1)

Question # 10 of 10 (Start time: 10:37:09 PM, 28 April 2025)

Which of the following is used in function calls?

Select the correct option

○	Linked list
○	Tree
◉	Stack
○	Queue

Click here to join our WhatsApp channel

WhatsApp group for more solution

https://chat.whatsapp.com/CnQepeok6wm5HWawGYn5vP

Join WhatsApp community group FOR LATEST FILES

https://chat.whatsapp.com/I3iL7NDTsi8GE569nYR5rD

Visit to my YouTube channel for more info

Jazakallak

https://youtube.com/@easytolearnwithm.zeeshan?si=Ph3euvxJZUQg-K6m

Click here to join our WhatsApp channel