Q.1 _____ type of simulation has no time axis.

A. Continuous events

B. Monte Carlo

C. Discrete events

D. Trace driven

Q.2 Which of the following is irrelevant for creating Tic.NED file?

A. Create Tic.NED file

B. Create Tic.cc file

C. Open project explorer

D. Select “Empty Project with src and simulation folders”

Q.3 80% of available resources restore _____ systems, applications, and data

A. 10 %

B. 80%

C. 50 %

D. 20 %

Q.4 Considering the common simulation pitfalls, ---------- are caused by lacking pseudo-random sequence.

A. Poor random number generators

B. No achievable goals

C. Incomplete mix of essential skills

D. Inadequate time estimate

Q.5 _____ File Editor lets the user configure simulation models for execution.

A. Basic

B. Exe

C. INI

D. User

Q.6 Lacking _____ sequence leads to predictability is a general mistake in simulation.

A. initial

B. pseudo-random

C. serial

D. distributed

Q.7 The syntax_____ is used to add parameter values?

A. parameters. sendMsgOnInit = false;

B. parameters sendMsgOnInit: true;

C. parameters: sendMsgOnInit = true;

D. parameters:: sendMsgOnInit = true;

Q.8 In _____ type of simulation, states changes to inputs at non discrete times.

A. Monte carlo simulation

B. Trace driven

C. Discrete events

D. Continuous event

Q.9 The value of a typical MTBF is once per_____

A. 4000 sec

B. 4000 hrs

C. 400 hrs

D. 4000 min

Q.10 A _____ is used to tell the compiler which source files you want to compile.

A. Makefile

B. Showfile

C. Initfile

D. Buildfile

VU TOOLKIT