Q.1 For 2D Maxima problem, Plane Sweep algorithm first of all _____.

A. Sorts all points

B. Output the elements

C. Pushes all points on stack

D. Delete some points

Q.2 For small values of n, _____ algorithm is fast enough.

A. Any

B. quick sort

C. heap sort

D. merge sort

Q.3 Θ(1) means _____.

A. that it is used for large n

B. that if used for small n

C. constant amount of time

D. time can not be calculated

Q.4 The asymptotic growth of n(n+1)/2 is:

A. O(n+2)

B. O(n log n)

C. $O(n^2)$

D. O(n)

Q.5 In Running Time Analysis, we are also concerned about the _____ required by the algorithm.

A. Memory

B. Both space and memory

C. code

D. Space

Q.6 In 2-D maxima problem, A point p is said to be dominated by point q if _____.

A. p.x = q.x and p.y = q.y

B. p.x ≠ q.x and p.y ≠ q.y

C. p.x ≤ q.x and p.y ≤ q.y

D. p.x ≥ q.x and p.y ≥ q.y

VU TOOLKIT

Q.7 Rank of an element can be defined as _____

A. Two minus the number of elements that are smaller

B. One minus the number of elements that are smaller

C. One plus the number of elements that are smaller

D. Two plus the number of elements that are greater

Q.8 For n > 1, _____ divides into two halves, sorts the two and then combine them together.

A. Heap Sort

B. Insertion Sort

C. MergeSort

D. Quick Sort

Q.9 Random Access Machine (RAM) can execute _____ instructions.

A. Only arithmetic

B. Logical and arithmetic

C. Only logical

D. Parallel

Q.10 The main purpose of mathematical analysis is measuring the _____required by the algorithm.

A. Execution time

B. Execution time and memory

C. Inputs & outputs

D. Space

VU TOOLKIT