Q.1 In 2-D maxima problem, A point p is said to be dominated by point q if _____.

A. p.x = q.x and p.y = q.y

B. p.x ≠ q.x and p.y ≠ q.y

C. p.x ≤ q.x and p.y ≤ q.y

D. p.x ≥ q.x and p.y ≥ q.y

Q.2 Algorithm is a sequence of computational steps that _____ the input into output.

A. transform

B. integrate

C. merge

D. assign

Q.3 _____ of reference is an important fact of current processor technology.

A. Assigning

B. Locality

C. Defining

D. Formality

Q.4 if A dominates B, and B dominates C, then it is necessary that

A. C dominates B

B. B dominates A

C. C dominates A

D. A dominates C

Q.5 In merge sort algorithm, to merge two lists of size n/2 to a list of size n, takes _____ time.

A. Theta log(n)

B. Theta nlog(n)

C. Theta (n)

D. Theta log2(n)

Q.6 To predict the cost of an algorithm in terms of resources is called _____.

A. Key

B. Design

C. Analysis

D. Output

Q.7 If we associate (x, y) integers pair to cars where x is the speed of the car and y is the negation of the price. High y value for a car means a _____ car.

A. Fast

B. Cheap

C. Slow

D. Expensive

Q.8 The main purpose of our mathematical analysis will be measuring the _____ time.

A. Debugging

B. Building

C. Compilation

D. Execution

Q.9 If the time complexity of an algorithm is O(n), then it is called _____ time complexity.

A. Average

B. Linear

C. Constant

D. Exponential

Q.10 In Random Access Machine, Instructions are executed

A. one by one

B. in the form of bytes

C. in parallel

D. in the form of bits

VU TOOLKIT