Q.1 The symbols used for logical true and false in LISP are:

A. T and F

B. T and NIL

C. Y and N

D. Tr and Fr

Q.2 Ada 95 was the first internationally standardized _____ programming language.

A. Object-Oriented

B. Non-Structured

C. Logical

D. Structured

Q.3 Array index in Ada:

A. must be an integer

B. cannot be a character

C. should always be a floating point number

D. can be of any discrete type

Q.4 Data types in Ada can be extended through:

A. Polymorphism

B. Inheritance

C. Functions

D. Arrays

Q.5 _____ is the Modulus Operator in ADA programming language.

A. &

B. %

C. Mod

D. Modulu

Q.6 In Ada, tagged type definition is performed in a _____.

A. Package

B. Record

C. Template

D. Structure

Q.7 The return value of a function in a tagged type of Ada language can be an instance of:

A. Package

B. Tagged type

C. Template

D. Another function

Q.8 One of the major design goal of Ada language was _____.

A. to help testers to test Ada application easily

B. to help developers to code the software in lesser time

C. to make it difficult for developers to make mistakes

D. to help develop an automated IDE for Ada

Q.9 Which of the following operator is used for string concatenation in Ada?

A. *

B. !

C. &

D. $

Q.10 Ada language supports function overloading based on their:

A. parameters

B. return type

C. characteristics

D. running time
