Q.1 Why is ERP important in operations?

A. Improves UI design
B. Creates marketing campaigns
C. Manages social media
D. Integrates data and processes across departments

Q.2 Which of the following companies uses robotic assembly lines?

A. Tesla
B. Nestlé
C. McDonald's
D. Facebook

Q.3 How does price skimming work?

A. Prices are never changed
B. Prices increase over time
C. High price is set first, then gradually lowered
D. Low prices are set initially

Q.4 Which pricing model adjusts prices in real-time based on demand?

A. Psychological pricing
B. Bundle pricing
C. Dynamic pricing
D. Skimming

Q.5 A fitness app targets senior citizens with low-impact workouts. This is an example of:

A. Undifferentiated marketing
B. Behavioral segmentation
C. Niche positioning
D. Geographic segmentation

Q.6 What is a key benefit of Just-in-Time (JIT) inventory?

A. Long-term warranties
B. Reduced inventory holding costs
C. Higher storage costs
D. Early product launch

Q.7 Which type of pricing is often used by tech companies launching innovative products?

A. Price skimming
B. Cost-based pricing
C. Penetration pricing
D. Bundle pricing

Q.8 What does the "positioning" process aim to do?

A. Launch a new product
B. Determine pricing
C. Create a unique image in consumers' minds
D. Build distribution channels

Q.9 What is the role of feedback in the production process?

A. Increase output

B. Replace machines

C. Ensure more labor

D. Improve efficiency and quality

Q.10 The marketing strategy that addresses societal issues along with profit is called:

A. Societal marketing

B. Environmental marketing

C. Ethical marketing

D. Public relations

Q.11 A set of functions \left\{ {{f_1}(x),{f_2}(x),{f_3}(x),.....,{f_n}(x)} \right\} is said to be _____ on an interval I if there exist constants {c_1},{c_2},{c_3},.....,{c_n} not all zero, such that {c_1}{f_1}(x) + {c_2}{f_2}(x),.....,{c_n}{f_n}(x) = 0,\;\;\forall x \in I

A. linear independent

B. linear dependent

Q.12 {\text{The}}\,\,{\text{input}}\,\,{\text{function}}\,\,g(x)\,\,{\text{can}}\,\,{\text{have}}\,\,{\text{one}}\,\,{\text{of}} function}}\,\,k;\,\,{\text{A}}\,\,{\text{polynomial}}\,\,{\text{function;}}\,\,_____.

A. {{(I)}}\,\,\,\,\,\,\,\,\,\,\,\,{{An}}\,\,{{exponential}}\,\,{{function}}\,\,{e^{ x}}

B. {{(II)}}\,\,\,\,\,\,\,\,\,\,\,\,{{The}}\,\,{{trigonometric}}\,\,{{functions}}\,\, x,\,\, x

C. {{(IV)}}\,\,\,\,\,\,\,\,\,\,\,\,{{All}}\,\,{{(I),}}\,\,{{(II)}}\,\,{{and}}\,\,{{(III)}}{{.}}

D. {{(III)}}\,\,\,\,\,\,\,\,\,\,\,\,{{Finite}}\,\,{{sums}}\,\,{{and}}\,\,{{products}}\,\,{{of}}\,\,{{these}}\,\,{{functions}}

Q.13 \begin{gathered} {\text{Consider}}\,\,{\text{the}}\,\,{\text{non - homogeneous}}\,\,{\text{linear}}\,\,{\text{differential}}\,\,{\text{equation,}}\,\,{a_n}{y^{(n)}} + {a_{n - 1}}{y^{(n - 1)}} + ... + {a_1}y' + {a_0}y = g(x).\,\, \hfill \\ If\,\,{\text{the}}\,\,{\text{input}}\,\,{\text{function,}}\,\,g(x) = {e^{5x}},\,\,{\text{then}}\,\,{\text{the}}\,\,{\text{assumed}}\,\,{\text{particular}}\,\,{\text{solution}}\,\,{y_p}\,\,{\te \hfill \\\\ \end{gathered}

A. A{e^{5x}} 5x + B{e^{5x}} 5x

B. (Ax + B){e^{5x}}

C. (A{x^2} + Bx + C){e^{5x}}

D. A{e^{5x}}

Q.14 The differential operator L is called an annihilator operator of the function f if: _____.

A. (iv) All (i), (ii) and (iii).

B. (ii) y = f(x) defines a sufficiently differentiable function.

C. (i) L is a linear differential operator with constant coefficients.

D. (iii) The function f is such that L(y)=0.

Q.15 {\text{If}}\,X\,{\text{is}}\,\,{\text{the}}\,\,{\text{remaining}}\,\,{\text{amount}}\,\,{\text{of}}\,{\text{the}}\,\,{\tex = kX,\,{\text{where}}\,\,k < 0\,\,{\text{because}}\,X\,\,{\text{is}}\,\,_____.

A. {{decreasing}}

B. {{increasing}}

Q.16 \begin{gathered} {\text{Consider}}\,\,{\text{the}}\,\,{\text{non - homogeneous}}\,\,{\text{linear}}\,\,{\text{differential}}\,\,{\text{equation,}}\,\,{a_n}{y^{(n)}} + {a_{n - 1}}{y^{(n - 1)}} + ... + {a_1}y' + {a_0}y = g(x).\,\, \hfill \\ If\,\,{\text{the}}\,\,{\text{input}}\,\,{\text{function,}}\,\,g(x) = (9x - 2){e^{5x}},\,\,{\text{then}}\,\,{\text{the}}\,\,{\text{assumed}}\,\,{\text{particular}}\,\,{\text{solution}}\,\,{y_p}\,\,{\ \hfill \\\\ \end{gathered}

A. (Ax + B){e^{5x}}

B. A{e^{5x}}

C. (A{x^2} + Bx + C){e^{5x}}

D. A{e^{5x}} 5x + B{e^{5x}} 5x

Q.17 The homogeneous linear differential equations always possess the _____ solution.

A. trivial

B. non-trivial

Q.18 In differential equations, the symbol D is known as _____ operator.

A. relational

B. differential

C. arithmetic

D. integral

Q.19 The polynomial linear differential operators with constant coefficients _____.

A. identical

B. distributive

C. commute

D. inverse

Q.20 \begin{gathered} {\text{A}}\,\,{\text{function}}\,\,{\text{satisfying}}\,\,{\text{the}}\,\,{\text{differential}}\,\,{\text{equation}}\,\,{\t \hfill \\ {\text{that}}\,\,{\text{the}}\,\,{\text{slope}}\,\,{\text{of}}\,\,{\text{the}}\,\,{\text{curve}}\,\,{\text{at}}\,\,{\text{th \hfill \\\ \end{gathered}

A. {{boundary}}

B. {{initial}}

Q.21 The simplest examples of periodic functions from \mathbb{R} into \mathbb{R} included the well-known Sine and Cosine functions, since for each k \in \mathbb{Z}

A. False

B. True

Q.22 A Fourier series expansion of a function is a representation of the function as a linear combination of sines and cosines as _____

A. \{ 1, nx, nx\} _{n = 0}^

B. \{ 1, nx, nx\} _{n = 1}^

C. \{ 1, nx, nx\} _{n = - }^

D. \{ 1, nx, nx\} _{n = 0}^{ - }

Q.23 \begin{gathered} {\text{If a function}}\,f\left(x \right){\text{, having the derivatives of all orders on some neighbourhood }}N\left(0 \right){\text{ of }}0{\text{, }} \hfill \\ {\text{be chosen first and the Taylor series }}\sum\limits_{n = 0}^\infty {\frac{{{f^{\left(n \right)}}\left(0 \right)}}{{n!}}} {x^n}\,\,{\text{be constructed, }} \hfill \\ {\text{then this power series will have }}f\left(x \right){\text{ as its sum on N}}\left(0 \right). \hfill \\\ \end{gathered}

A. False

B. True

Q.24 Let f be defined by a power series with finite radius of converges R. If \sum\limits_{n = 0}^\infty {{{(- 1)}^n}{a_n}{R^n}} diverges, then \mathop {\lim }\limits_{x \to ({x_0} + R) + } f(x) = \sum\limits_{n = 0}^\infty {{{(- 1)}^n}{a_n}{R^n}}

A. True

B. False

Q.25 \mathop {\lim }\limits_{n \to \infty } \frac{{{r^n}}}{{n!}} =

A. = 0, 0 < r <

B. = n! , 0 < r <

Q.26 \begin{gathered} {\text{If a function is defined in neighbourhood of 0 as ; }}f\left(x \right) = \left\{ \begin{gathered} {e^{ - \frac{1}{{{x^2}}}}},\,\,x \ne 0 \hfill \\ 0,\,\,\,\,\,\,\,\,\,x = 0 \hfill \\\ \end{gathered} \right.{\text{,}} \hfill \\ {\text{then Taylor series of }}f{\text{ about 0 is - - - - - - - }}{\text{.}} \hfill \\\ \end{gathered}

A. _{n = 0}^ {{{{f^{(n)}}({0 + })}}{{(n)!}}{x^n}}

B. _{n = 0}^ 0

Q.27 \tan x is an odd function, its derivatives of even order are equal to

A. at x_0=0

B. x x at x_0=0

C. 1 at x_0=0

D. 0 at x_0=0

Q.28 A given function " f(x) " can be represented as the sum of a convergent power series in " x ", if f(x) must have (be) --------- in the neighborhood of x=0.

A. continuous

B. derivatives of finite order

C. derivatives of all order

D. extreme points

Q.29 If f (x) and g(x) are periodic with the _____ \omega, then h(x) = af (x) + bg(x) is also a periodic function with period \omega.

A. cosine

B. sine

C. same period

D. different period

Q.30 A function f:\Omega \subset \mathbb{R} \to \mathbb{R} is said to be periodic if there exists a nonzero real number w such that _____ .

A. f(x) = f(x - w),x

B. f(x) = f(x w),x

C. f(x) = f(x + w),x

D. f(x) = f(x w),x

Q.31 If f(x)=\sin x, then \|f^{(k)}\|_{(-\infty,\infty)} =

A. 0.

B. [Image option]

C. constant.

D. 1.

Q.32 \begin{gathered} {\text{For the series, }}\frac{1}{3} - x + \frac{{{x^2}}}{{{3^2}}} - {x^3} + \frac{{{x^4}}}{{{3^4}}} - {x^5} + \cdots ,\,\, \hfill \\ \,\,{\text{Limit Superior of }}{\left| {{a_n}} \right|^{\frac{1}{n}}} = - - - . \hfill \\\ \end{gathered}

A. 1/3

B. 1

Q.33 If a series converges absolutely uniformly on S, then

A. it diverges

B. it is differentiable on S

C. None of these

D. it converges uniformly on S

Q.34 \begin{gathered} {\text{If }}\left({ - R,R} \right){\text{ is the interval of convergence of the power series }}f\left(x \right){\text{ = }}\sum\limits_{n = 0}^\infty {{a_n}{x^n}} ,{\text{then the convergence }} \hfill \\ {\text{of power series at }}x = \pm R{\text{, depends on the - - - - - - }}{\text{.}} \hfill \\\ \end{gathered}

A. {{nature of sequence }}{\{ {{a_n}} \}_{n {N}}}

B. {{nature of }}_{n = 0}^ {{x^n}}

C. {{length of interval of convergence}}

D. {{continuity of }}f(x)

Q.35 Which of the following is the incorrect option for the imports which will be increasing at the rate It and exports at the rate Et, both in billions of dollars per year, where I'(t) = 13.5e0.2t and E'(t) = 2.7t+2 ?

A. The trade deficit cannot be computed using integration

B. The export function is increasing at constant rate

C. The import function is increasing rapidly

D. The trade deficit is equal to D(t)= I(t) - E(t)

Q.36 Which of the following is the correct option in a certain community the fraction of the homes placed on the market that remain unsold for at least t weeks is approximately f(t) = 20e-1?

A. There will be 8 homes in the market for sale

B. There will be 20 homes in the market for sale

C. There will be shortage of 20 homes in the market

D. There will be about 8 homes in the market for sale

Q.37 Which of the following is the correct option for the values of group 1 and group 2 as 'L1(x)= 0.41 and L2(x)= 0.34' calculated with the GINI index formula, GI = 2\int\limits_0^1 {[x - L(x)]\,dx} ?

A. Group 1 is facing equal inequality as compare to group 2

B. Group 1 is facing more inequality as compare to group 2

C. Group 1 is not comparable to group 2 for income inequality

D. Group 1 is facing less inequality as compare to group 2

Q.38 Which of the following is the correct option for the total cost function from marginal cost function MC(Q)=3Q2 – 6Q?

A. 3Q3-6Q+c

B. Q3-3Q2+c

C. 3Q3-6Q2+c

D. 3Q3-3Q2+c

Q.39 Which of the following the correct option for the term "\int\limits_0^t {R(t)}" in present value formula of a gold mining project \pi = \int\limits_0^t {R(t)} {e^{ - rt}}dt ?

A. Interest Rate

B. Future value

C. Discount factor

D. Compound factor

Q.40 Firm's profit function and the level of output (Q) varies between 2 and 7 units, and the firm's average profit is \pi = \frac{1}{{b - a}}\,\int\limits_a^b {f(Q)\,dQ} =133 units. What is the interpretation of this profit value?

A. Average profit between 2 and 7 units of output

B. Average profit of 9 units of output

C. Average profit of 2 units of output

D. Average profit of 7 units of output

Q.41 Oil is being pumped from an oil field file:///C:/Users/MUHAMM~1.SHA/AppData/Local/Temp/ksohtml484/wps18.jpg years after its opening, the pumping rate function \int\limits_0^3 P '(t)dt = \int\limits_0^3 {2.7} {e^{0.04t}}dt = 0.4, using definite integrals. Which statement is true?

A. 0.4 barrels will be marginal efficiency in third year

B. 0.4 barrels will be extracted in third year

C. 0.4 barrels per hour will be average efficiency in first year

D. 0.4 barrels will be extracted in first three years

Q.42 Which of the following is the correct option in a certain community the fraction of the homes placed on the market that remain unsold for at least t weeks is approximately f(t) = 23e-0 ?

A. There will be shortage of 230 homes in the market

B. There will be 23 homes in the market for sale

C. There will be shortage of 23 homes in the market

D. There will be 230 homes in the market for sale

Q.43 Which of the following is correct differential of consumer surplus for two consumer in monopoly market if person A and person B have paid 130 and150 for one unit while they were willing to pay 130 and160 respectively?

A. 10

B. 40

C. 30

D. 20

Q.44 Which of the following is the correct option for the price if the value of crop, V(t)=$120 in the farmer's crop rate dC/dt= 0.4t2 + 0.5t + 12 and C(t)=30 units in 3 months?

A. Price=$40 per unit
B. Price=$360 per unit
C. Price=$30 per unit
D. Price=$10 per unit

Q.45 _____ multi-threading model provides full concurrency.

A. Many-to-Many
B. One-to-One
C. Many-to-One
D. One-to-Many

Q.46 When process opens its first file explicitly it will get descriptor number _____

A. 1
B. 4
C. 2
D. 3

Q.47 Which could not be the advantage of thread?

A. Quick response
B. Separate address space
C. Economical
D. Best in multiprocessing environment

Q.48 Performance measures of scheduling algorithms are calculated with _____ using Gantt charts, in order to evaluate an algorithm for a particular workload.

A. Queuing Models
B. Simulation
C. Analytic evaluation
D. Deterministic modelling

Q.49 In process management, some of the jobs can be suspended for some time in order to give other jobs a chance to be in execution. Which command can be used to place back a suspended program?

A. ps
B. top
C. fg
D. bg

Q.50 Processes P1, P2, P3, P4 enter the ready queue at times 0, 3, 3, 11 with burst times P1=8, P2=2, P3=1, P4=1. With Shortest Remaining Time First, _____ process is given CPU at time T=3.

A. P1
B. P4
C. P3
D. P2

Q.51 In process synchronization, if both the producer and consumer attempt to update the buffer concurrently, the machine language statements may get interleaved. Interleaving depends upon how the producer and consumer processes are_____.

A. separated
B. interrupted
C. stopped
D. scheduled

Q.52 A thread shares its resources (like data section, code section, open files, signals) with _____.

A. Other threads that belong to the same process
B. All of the mentioned
C. Other process similar to the one that the thread belongs to
D. Other threads that belong to similar processes

Q.53 Which of the following is a correct command line for running in background?

A. cat code.c | grep print %
B. cat code.c | grep print &
C. cat code.c | grep print #
D. cat code.c | grep print @

Q.54 Batch programs are usually _____ programs.

A. Non-interactive
B. Interactive
C. Foreground
D. Preemptive

Q.55 If the network is a WiFi network, the link layer applies _____ during transmission.

A. CMSA/CA
B. CSCA/CA
C. CSMA/CA
D. CSMA/AA

Q.56 TCP provide _____ and _____ during transmission.

A. Bit rate Control, bits setting control
B. Bit rate control, congestion control
C. Flow control, congestion control
D. Flow control, linear control

Q.57 The material that is displayed on the screen is contained in the _____ of the HTML document.

A. Body
B. Title
C. Head
D. Frame

Q.58 A _____ is an autonomous program that transfers itself through a network.

A. Trojan horse
B. Spyware
C. Worm
D. Malware

Q.59 How are hypertext documents typically transferred between browsers and webservers?

A. Web Transfer Protocol
B. Internet Transfer Protocol
C. File Transfer Protocol
D. Hypertext Transfer Protocol

Q.60 What role did the NNTP protocol play in the earlier days of the Internet?

A. News Transfer
B. VoIP
C. Remote Connection
D. File Transfer

Q.61 XML stands for:

A. Extensible Macro Language
B. Excel Macro Language
C. Extensible Markup Language
D. Extra Markup Language

Q.62 It is the responsibility of the Transport layer to:

A. Add sequence numbers to the small segments of a message
B. Determine the direction in which to forward packets
C. Use the services of the name servers to translate mnemonic addresses into IP addresses
D. Provide an address that is compatible with the Internet infrastructure

---

Q.63 Which layer decide the direction of packet for sending.

A. Link layer
B. Network layer
C. Application layer
D. Data layer

Q.64 Which protocol is used to connect to news servers and transfer news articles between systems?

A. FTP
B. NNTP
C. NTP
D. SMTP

Q.65 \begin{gathered} {\text{If}}\,\,{\text{the}}\,\,{\text{auxiliary}}\,\,{\text{equation,}}\,\,a{m^2} + bm + c = 0,\,\,{\text{has}}\,\,{\text{repeated}}\,\,{\text{real}}\,\,{\text{roots}}\,\,{\text{with}}\,\,{m_1} = \,\,{m_2}\,\,{\text{then}}\,\,{\text{the}}\,\,{\text{solution}} \hfill \\ {\text{of}}\,\,{\text{the}}\,\,{\text{differential}}\,\,{\text{equation,}}\,\,ay'' + by' + cy = 0,\,\,{\text{could}}\,\,{\text{be}}\,\,_____.\, \hfill \\\ \end{gathered}

A. {y_2} = {e^{{m_1}x}} + c\,{e^{{m_2}x}}
B. y = {e^m}
C. {y_2} = {e^{{m_1}x}} + {e^{{m_2}x}}
D. {y_1} = {e^{{m_1}x}}\,

Q.66 If initial amount of a radioactive isotope is 100g. What will be the amount at the end of 30 days such that K=0.043?

A. 363.279
B. 360.351
C. 380.560
D. 371.415

Q.67 Wronskian W(1,{e^x})=_____.

A. 0
B. 1
C. {e^x}
D. -1

Q.68 \begin{gathered} {\text{Consider}}\,\,{\text{the}}\,\,{\text{non - homogeneous}}\,\,{\text{linear}}\,\,{\text{differential}}\,\,{\text{equation,}}\,\,{a_n}{y^{(n)}} + {a_{n - 1}}{y^{(n - 1)}} + ... + {a_1}y' + {a_0}y = g(x).\,\, \hfill \\ If\,\,{\text{the}}\,\,{\text{input}}\,\,{\text{function,}}\,\,g(x) = 3{x^2} - 2,\,\,{\text{then}}\,\,{\text{the}}\,\,{\text{assumed}}\,\,{\text{particular}}\,\,{\text{solution}}\,\,{y_p}\,\,{\text{cou \hfill \\ \end{gathered}

A. A{x^2} + Bx + C
B. A
C. Ax + B
D. A{x^3} + B{x^2} + Cx + D

Q.69 If y = 2 + x , then which of the following is true for it?

A. Its annihilator operator is D+1
B. Its annihilator operator is {D^3}
C. Its annihilator operator is {D^2}
D. Its annihilator operator is D

Q.70 If 2,3,5 are real roots of a differential equation, then the general solution is_____.

A. {y_c} =\[({c_1} + {c_2} + {c_3}){e^{3x}} + {e^{2x}}
B. {y_c} = {c_1}{e^{2x}} + {c_2}{e^{3x}} + {c_3}{e^{5x}}
C. {y_c} = {c_1}{e^{2x}} + {c_1}{e^{ - 3x}} + {c_1}{e^{5x}}
D. {y_c} = {c_1}{e^{2x}} + {c_2}{e^{ - 3x}} + {c_3}{e^{5x}}

Q.71 The solution of the auxiliary equation determines the _____ of the differential equation.

A. degree
B. order
C. solutions
D. linearity

Q.72 In cooling/heating differential equation \frac{{dT}}{{dt}} = k(T - T_m), the term T_m represents _____ .

A. Temperature of surrounding environment
B. Temperature of body
C. Specific constant of heat
D. Change in temperature

Q.73 {\text{The}}\,\,{\text{logistic}}\,\,{\text{equation}},\,\,\frac{{dP}}{{dt}} = P(a - bP),\,\,{\text{can}}\,\,{\text{be}}\,\,{\text{identified}}\,\,{\text{as}}\,\,{\text{a}}\,\,{\text{nonlinear}}\,\,{\text{equat

A. {{separable}}

B. {{integrable}}

Q.74 Which technology creates virtual models of physical processes?

A. CRM

B. Digital Twins

C. AI

D. Blockchain

Q.75 Which of the following is an example of a direct distribution channel?

A. E-commerce website

B. Wholesaler

C. Distributor

D. Supermarket

Q.76 During the growth stage of a product lifecycle, what strategy would a marketer likely adopt?

A. Increase market share through differentiation

B. Offer frequent discounts

C. Reduce marketing to save cost

D. Discontinue the product

Q.77 Why do companies like Apple choose China for manufacturing?

A. High labor costs

B. Strict regulations

C. Lower product demand

D. Cost-efficiency

Q.78 Why is “People” important in the 7Ps of marketing?

A. It impacts service quality

B. It includes factory workers

C. It refers to product designers

D. It ensures automation

Q.79 Which of the following is an example of sustainability in operations?

A. Expanding warehouses

B. Increasing packaging waste

C. Using eco-friendly packaging

D. Hiring fewer workers

Q.80 A bakery prepares extra stock for Eid demand. Which process is this?

A. Outsourcing

B. Demand forecasting

C. Mass production

D. Just-in-Time

Q.81 A fundamental property of the exponential function: that (e^x)^{-1}=e^{-x}.

A. True.
B. False.

Q.82 _____ is/are CSS3 feature(s) which ensures that elements will behave predictably when the page layout must accommodate different display devices.

A. Media Queries
B. Box Model
C. All of the given
D. Flexbox

Q.83 Responsive imaging is a method for providing the browser with multiple image sources depending on _____

A. Image Size
B. Other factors
C. All of the given
D. Display Density

Q.84 Responsive websites are built on a _____ and use media queries to control the design and its content as it scales down or up with the browser or device.

A. Contents grid
B. Data grid
C. Fluid grid
D. Matrix grid

Q.85 The bulk of _____ work is done through .htaccess and PHP 5.x, which offers a great solution without complete dependency on JavaScript.

A. Responsive images
B. Fixed images
C. Adaptive images
D. Fluid images

Q.86 Which of the following gives a text description of the image if it is not available?

A. alt
B. height
C. src
D. title

Q.87 The actual number of pixels that mobile or computer device support is called _____.

A. None of the given
B. Physical pixel
C. Logical pixel
D. Optimization pixel

Q.88 A media query consists of a media type and an _____ to check for certain conditions of a particular media feature.

A. Category
B. Tag
C. Expression
D. Statement

Q.89 _____ hints allow clients to indicate a list of device and agent specific preferences.

A. HTTP Server
B. HTTP Socket
C. HTTP Client
D. HTTP

Q.90 By default, the background-image property repeats an image _____.

A. Vertically
B. Horizontally
C. None of the given
D. Both horizontally and vertically

Q.91 Physical pixel size of IPhone 6 Plus is _____ pixels.

A. 1080*1920
B. 1020*240
C. 720*340
D. 840*440

Q.92 Concurrent processes must be synchronized to prevent _____.

A. Critical Section
B. Mutual exclusion
C. Race condition
D. Waiting

Q.93 POSIX is a standard developed by _____

A. ISO
B. ACM
C. ANSI
D. IEEE

Q.94 A heavy weight process _____

A. contains multiple copies of stacks
B. has a single thread of execution
C. can have multiple or a single thread for execution
D. has multiple threads of execution

Q.95 Kernel is responsible for scheduling the user level threads.

A. False
B. True

Q.96 The priority of a process can be changed using _____ command.

A. cat
B. cmd
C. grep
D. nice

Q.97 A shell command mkfifo can be used to create a /an ----------.

A. Named pipe
B. Pipe
C. Unnamed pipe
D. Message queue

Q.98 In Unix/ Linux, by default the standard input file is attached to the _____

A. Joystick
B. Mouse
C. Keyboard
D. Light pen

Q.99 We can suspend a foreground process by pressing_____, which sends a STOP/SUSPEND signal to the process.

A. Ctrl+x
B. Ctrl+w
C. Ctrl+z
D. Ctrl+y

Q.100 _____ scheduling allows a process to move between queues.

A. Shortest Remaining Time First
B. First Come First Serve
C. Round Robin
D. Multilevel Feedback Queue

Q.101 A major problem with priority- scheduling algorithms is _____.

A. termination
B. aging
C. starvation
D. conclusion
