PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

MATH-603 FINAL TERM QUIZES BY VU SQUAD

LMS HANDLING

ASSIGNMENT

QUIZ

GDB

LECTURE WATCH

CISCO ASSIGNMENT

PROJECTS

CS-519,619 MATH-600,620 MGT MKT EDU

PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

ALL INTERSHIP AND THESIS

CONTACT ON WP / CALL 0313-7248280

SUBSCRIBE MY YOUTUBE CHANNEL VU SQUAD

https://www.youtube.com/@vusquad9329

Question:

In double integration, we keep one variable say x fixed and ……

Options:

A. Reliable the other variable y

B. Varying the other variable y

Question:

To evaluate numerically a double integral over a rectangular region bounded by the lines x = a, x =b, y = c, y = d we shall employ either trapezoidal rule or Simpson's rule, repeatedly with respect to ……variable at a time.

Options:

A. None of the given choices

B. One

C. Three

D. Two

PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

Question:

In the process of Numerical Differentiation, we differentiate an interpolating polynomial in place of ----------.

Options:

A. actual function

B. Newton's Divided Difference Interpolating polynomial

C. extrapolating polynomial

D. Lagrange's polynomial

Question:

At which of the following points the Maximum value of 2nd derivative of function

f(x) = -(2/x) in the interval:[1,4] exits?

Options:

A. At x=1

B. At x=3

C. At x=4

D. At x=2

Question:

For a function 'f(x) = x', with a step size of 'h=0.01', which of the following gives the 1st derivative at x =1 by using two point formula?

Options:

A. y'(x) = 1.01 + Some Truncation Error

B. y'(x) = 0.1 + Some Truncation Error

C. y'(x) = -0.1 + Some Truncation Error

D. y'(x) = 1+Some Truncation Error

Question:

In Trapezoidal rule, we assume that f(x) is continuous on [a, b] and we divide [a, b] into n subintervals of equal length using the ……points.

Options:

A. None of the given choices

B. n

C. n-1

D. n+1

Question:

Simpson's 3/8 rule is based on fitting …… points by a cubic.

Options:

A. None of the given choices

B. Three

C. Two

D. Four

PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

Question:

Zero-th order divided difference is defined as

Options:

A. y[x0]=x0

B. None of the given choices

C. y[x0]=y1

D. y[x0]=y0

Question:

Simpson's rule is a numerical method that approximates the value of a definite integral by using ……polynomials.

Options:

A. Cubic

B. Linear

C. Quadratic

D. None of the given choices

Question:

Which of the following is the Richardson's Extrapolation limit: F3(h/8) provided that F2(h/8) = F2(h/4) = 1 ?

Options:

A. 64

B. 1

PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

C. -1

D. 63