PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

MATH-633 FINAL TERM QUIZES BY VU SQUAD

LMS HANDLING

ASSIGNMENT

QUIZ

GDB

LECTURE WATCH

CISCO ASSIGNMENT

PROJECTS

PREPARED BY VU SQUAD 0313-7248280
LMS AND PROJECTS HANDLER EXPERT

CS-519,619 MATH-600,620 MGT MKT EDU

ALL INTERSHIP AND THESIS

CONTACT ON WP / CALL 0313-7248280

SUBSCRIBE MY YOUTUBE CHANNEL VU SQUAD

https://www.youtube.com/@vusquad9329

Question:

Let\,\left({G,} \right)\,be\,a\,group\,with\,subgroup\,H.\,For\,a,\,b \in G,\,a\,is\,congruent\,to\,b\,\bmod ulo\,H,\,and\,written\,a \equiv b\bmod H\,iff\,{a^{ - 1}}b \in H.

Options:

A. False

B. True

Question:

\begin{gathered} {\text{Let K be a Kernal of the group morphism f:G}} \to {\text{H}}.{\text{ Then}}\,G/K\,{\text{is isomorphism to the image of}}\,f,{\text{ and the isomorphism}}{\text{is defined by}} \hfill \\ \psi {\text{: }}G/K \to \operatorname{Im} \,f\,is\,defined\,by\,\psi (Kg) = f(g). \hfill \\ \end{gathered}

Options:

A. True

B. False

Question:

\begin{gathered} {\text{If }}\left({{\text{G}}, \bullet } \right){\text{ and }}\left({H,*} \right){\text{ are two groups}},{\text{ the function f:G}} \to {\text{H is called a group homomorphism if }} \hfill \\ {\text{f}}\left({{\text{a}} \bullet {\text{b}}} \right){\text{ }} = {\text{ f}}\left({\text{a}} \right) * {\text{f}}\left({\text{b}} \right),{\text{ for all a}},{\text{b }} \in {\text{G}}. \hfill \\ \end{gathered}

Options:

A. True

B. False

Question:

Let\,\left({G,} \right)\,be\,a\,group\,with\,subgroup\,H.\,For\,a,\,b \in G,\,a\,is\,congruent\,to\,b\,\bmod ulo\,H,\,and\,written\,a \equiv b\bmod H\,iff\,a{b^{ - 1}} \in H.

Options:

A. True

B. False

Question:

The\,quotient\,group\,R/Z\,is\,{\text{isomorphic}}\,{\text{to}} \,{\text{the circle}}\,{\text{group}}\,{\text{W = }}\left\{ {{{\text{e}}^{i\theta }} \in C|\theta \in R} \right\}.

Options:

A. True

B. False

Question:

{\text{If}}\,G\,{\text{is}}\,{\text{a}}\,{\text{finite}}\,{\text{group}}\,{\text{and}}\,N\,{\text{is}}\,{\text{a}}\,{\text{proper}}\,{\text{normal}}\,{\text{subgroup}}\,{\text{of}}\,G\,{\text{then}}\,G/N\,{\text{has}}\,{\text{the}}\,{\text{same}}\,{\text{structure}}\,{\text{as}}\,G.

Options:

A. {\text{false}}

B. {\text{True}}

Question:

{\text{Let G be a group and H be a subgroup of G then H is normal iff }}\left({{\text{aH}}} \right)\left({{\text{bH}}} \right) \ne \left({{\text{ab}}} \right){\text{H}},{\text{ for all a}},{\text{b}} \in {\text{G}}.

Options:

A. False

B. True

Question:

{\text{The}}\,{\text{trivial}}\,{\text{subgroup}}\,N = \{ 0\} \,{\text{of}}\,Z\,{\text{is}}\,{\text{not}}\,{\text{a}}\,{\text{normal}}\,{\text{subgroup}}\,{\text{of}}\,Z.

Options:

A. {\text{False}}

B. {\text{True}}

Question:

{\text{The}}\,{\text{trivial}}\,{\text{subgroup}}\,N = \{ 0\} \,{\text{of}}\,Z\,{\text{is}}\,{\text{a}}\,{\text{normal}}\,{\text{subgroup}}\,{\text{of}}\,Z.

Options:

A. {\text{True}}

B. {\text{False}}

Question:

{\text{A homomorphism }}\varphi :G \to G'\,is{\text{ injective iff }}\ker {\text{(}}\varphi) = \left\{ e \right\}{\text{.}}

Options:

A. False

B. True