* Which of the following are examples of monosaccharaides? -------Glucose

* . Formation of NH3 molecule from H2 and N2 is carried out at ------- temperature. 450- 500 °C

*A nucleoside is composed of ____ a base and 5 carbon sugar.

* Activation energy of an enzymatic reaction is ----------Low

34. Sex related disorders are ----------X- related

* . Following has a major role in down syndrome _____Maternal age

The side chains or R groups _____give different properties to each of the amino acids

*Free or attached to____involved in protein synthesis.------ ER

* Golgi apparatus ka function nhi hy nichy option diye huye thy. Receives materials from the rough ER and modifies them. Concentrates sorts and packages proteins and sends them to other destinations. Manufactures polysaccharides for the plant wall.

*ΔV means in reaction___

*ΔG means in reaction___ free energy

* Movement of electrons itself to konsa sign hoga statement ni saii sy yad___

*Pcr mein sy tha 1 mcq timing pochi hui thi statement ni yad 30 to 32, 10 to 12, 10 to 20 8 to 10 ye option thy

* Endocytosis _____ is a cellular process by which cells take in substances from the extracellular environment *

The observable feature in the subject of genetics called ------Trait, Character & phenotype, All of these

*AGGG UGGG named is option mein scientist k name diye thy..... Pta ni GAAA tha UGGG saii sy ni yad.

RFLP stands for..... Restriction fragment length polymorphism

2: transfer of electrons from one atom to another..... ionic bond

3: neucleoside contains..... Ribose sugar and base.

4: structure of amino acid is different due to ----R group

5: crllobiose has..... Beta 1, 4 glycosidic linkage.

6:smooth endoplasmic reticulum functions.....

7:Cells are small..... To maintain lager surface area to the volume ratio.

Ribosomes are produced in? ... nucleolus

DNA and proteins form a structure called..... Chromosomes

10: No of cells produced in meiosis.... 4

11: phase between two mitotic cycles----- Interphase

12: Mendel used in inheritance..... Peisum setiwum in experiments.

13: Cytoskeleton consists of.... microtubules, actin filaments, and intermediate filaments

okazaki fragments are joined by.... Ligase enzyme

sample in gel electrophorasis move toward.... Cathode

at equlibrium dekta G is..... 0

18: probability range is from ... 0 to 1

19: energy in motion is.... Kinetic

20: enzymatic site where substrate attach is..... Active site

21: Shape of protein is .... Three dimetional

22: non protein part is called .....prosthetic group

23: feature of Aquaporins..... Pass through cell membrane by osmosis

24: in prokaryotes genetic material lies in.... Nucleoid

26 : DNA is replicated during ..... S phase

27: Different forms of genes... Alleles

28: DNA replication obeys.... Semi conservative model

29: SRP stands for.... Signal recognition particles .

1.Temperature during NH3formatio.....450-500C

2. What is important ....maternal age wala the

3. Okazaki fragments are joined by..... Ligse

4.translation takes place in.....nucleulos ,nucleus.cytoplasm

5.cell remove material by visicle formation ....exocytosis

6. UUU code for....arginin, proline ,Alanine

7. DNA replicate during.....s phase

8. Bacteriophage destroys..... Bacteria,

9.power house of cell.....mitochondria

10.cell are small.....to maintain large surface area to volume ratio

11. Which is not cofactor.....NAD

12.substrate attach to .....active site

13. Ek kuch fragments wala tha short hain long ya ..pta nhi

14. RFLP stands for..... Restriction fragments length polymorphism

15. alleles segregate ....independent, dependent both

16. DNA me WO Jo PCR me polymerase ki length thi is trha tha kuch options me 30-32,10-14, 12-24 option thy

17.starch and glycogen found in.....and glucose found in.....

Options me plant and animal, animal and plant. Or plant or herbs tha

1.ammonia is formed at ..... 450_500 temperature

2.okazaki fragments are joined by.... Ligase enzyme

3. at equilibrium delta G is..... 0

4. probability range is from ... 0 to 1

5.The nuclear membrane is continuous with--- Endoplasmic reticulum

6.The observable feature in the subject of genetics called _ Trait, Character & phenotype, All of these

7.Cell membrane expels particles by vesicle formation-------- Exocytosis

8.RNAs in large sub…

Mcqs:

An average globular cell has ----- mitochondria. 10,000

2.which of these amino acid has non polar end----- Alanine (A), Leucine (L), Isoleucine (I) Methionine (M),

3.who introduced PCR---------- Kary Mullis

4.which macromolecule contain enormous amount of hereditery material-------DNA

5. RNA is produced in.....Cytoplasm

6.Transcription takes place .....Nucleus

7. All organelles collectively called as**....Cell**

Scale for Genetic map----- **Linkage**-disequilibrium **mapping** (LDM)

Amino acid divide in 2 groups

Mendal used which trait charactr

Unit of life

Phenylalanine hydroxlase change into -------- Phenylalanine to Tyrosine

Protein n nuclic acid made group is------ Chromosomes

SER assembled

Messenger hypothesis make protein by using

Nuceotide made up of Sugar and Nitrogenous base

Which proces involved in prometaphase

Kinesen and lysine are

Agarose gel is get from

Which step is not invloved in pcr

2 nonpolar bond intract

1. Who discovered)--- Robert Brown

2. Beta pleated sheet is found in --- Secondary protein structure

3. DNA replication--- Semi- conservative model

5. Which is not phase of interphase ------ phase G 0

6. Which one is a sex chromosome-- X

8. Inhibitors that binds to active site ... Compitatative inhibitors

9. Membrane in mitochondria---- Cristae

10. Large subunits of ribosome has mRNA--- 3

✓Which of the following are examples of monosaccharaides?__ Ribos,Glucoe ,fractose

✓which can not carry double bond____unsaturated fat

✓Power generation organelle of the cell is -------Mitochondria

✓Okazaki fragments are joined by ---- Ligase

✓How much water present in a cell ---- 70%

✓Bacteriophage destroys..... bacteria

✓Hiv is __ DNA/RNA

✓Energy in motion is___ kinetic

✓Ribosomes____attached to RER

✓Which step is not involve in pcr_____initiation

✓In meiosis parent cell produce _4__ daughter cells.

✓Polar aminoacid_____ glycine (Gly), serine (Ser), threonine (Thr), cysteine (Cys), tyrosine (Tyr), asparagine (Asn), and glutamine (Gln

✓Separation on SDS____charge and size

Pulling of sister chromatids occur in. .... Meiosis II

Which is monosaccharides.... Ribose

Which stabilize cell shape... Actin

Formation of NH3 molecule from H2 and N2 is carried out at ------- temperature. .....450 to 500 °C

Site on ribosome where changed tRNA lands with the help of transfer factor.....T site

Region where substrate bind to molecule called..... Binding site

Exampke of Nucleic acids... Both DNA, RNA

VNTR stands for.... Variable Number tendem repeats

DNA sugar is.... Deoxyribose

Bacteriophage destroy... Bacteria

Okazaki fragments are joined by ... Ligase

Spaces between doubles membranous structure of ER..... Lumen

A nucleotide is ---- Sugar and Nitrogenous base and phosphate group

Amino acid are linked together by ... Peptide bond

When an atom gives one electron to the other atom is called.... Ionic bond

Division of cytoplasm... Cytokinesis

Nuclear material disappear in ..... Prophase

RFLP stands for... Restriction fragments length polymorphism

Mcqs

 Which is prosthetic group.... Falvin

Person with extra y chromosome is..

A. Normal

B. Abnormal

C. May be normal or abnormal

D. None of these

Pulling of sister chromatids occur in. .... Meiosis II

Which is monosaccharides.... Ribose

Which stabilize cell shape... Actin

Formation of NH3 molecule from H2 and N2 is carried out at ------- temperature. .....450 to 500 °C

Site on ribosome where changed tRNA lands with the help of transfer factor.....T site

Region where substrate bind to molecule called..... Binding site

Example of Nucleic acids... Both DNA, RNA

VNTR stands for.... Variable Number tendem repeats

DNA sugar is.... Deoxyribose

Cells are small to. ..... maintain large surface area and volume.

 Hershey and Chase proposed that DNA is heredity material in-------- 1944

Okazaki fragments are joined by ---- Ligase

 Macromolecules of cell.... Four

 Polymerase use in PCR obtain from..... Thermus aquarius

Charge on DNA..... Negative

Taqman is probe present in ------- Real Time PCR

Which not occur in Mendel experiment pesium sativum.... Long life

1.ammonia is formed at ..... 450_500 temperature

2.okazaki fragments are joined by.... Ligase enzyme

3. at equilibrium delta G is..... 0

4. probability range is from ... 0 to 1

5.The nuclear membrane is continuous with--- Endoplasmic reticulum

6.The observable feature in the subject of genetics called _ Trait, Character & phenotype, All of these

7.Cell membrane expels particles by vesicle formation-------- Exocytosis

8.RNAs in large subunits of eukaryotic ribosome -------- 3

9.Difference between the alpha 1-4 glycosidic and beta 1-4 glycosidic bonds is on the basis of__ Size and Shape

10. Following has a major role in down syndrome___ Maternal age

11.polypeptide chains has___alpha helices, beta sheets, Both(both is correct option)