Question # 5 of 10 (Start time: 04:47:12 PM, 26 May 2021) Total Marks: 1

The point to the left of which the area is 35% is known as

Select the correct option

- 35th percentile
- Quartile
- 65/35 rule
- 35th value

STA642:QUIZ - 1

Quiz Start Time: 04:42 PM, 26 May 2021

Question # 4 of 10 (Start time: 04:45:55 PM, 26 May 2021)

Total Marks: 1

Covariance is denoted by

Select the correct option

○	C(X,Y)
○	CVR
○	Cov(X,Y)
○	CV

STA642:QUIZ - 1

Quiz Start Time: 04:30 PM, 26 May 2

Question # 3 of 10 (Start time: 04:33:18 PM, 26 May 2021)

Total Mark

If x and y are two real numbers then what is the relationship between the absolute value (the modulus) of |x+y| and the modulus of |x| and modulus of |y|?

Select the correct option

Reload Math Equati

- $|x+y| \leqslant |x| + |y|$
- $|x+y| \neq |x| + |y|$
- $|x+y| \geqslant |x| + |y|$
- $|x+y| = |x| + |y|$

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 04:30:54 PM, 26 May 2021) Total Marks: 1

Let X be a random variable with cumulative distribution function F(x).
If $\lim_{x \to -\infty}$ then lower limit of F(x) is

Select the correct option

Reload Math Equations

- $F(x) = 1$
- $F(x) = -\infty$
- $F(x) = -1$
- $F(x) = 0$

Click to Save Answer & Move to Next Question

4:24 81%

quiz.vu.edu.pk

MC200200242: AMNA ANWAR

Time Left 87 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 04:12 PM, 26 May 2021

Question # 6 of 10 (Start time: 04:23:37 PM, 26 May 2021)

Total Marks: 1

In a continuous case, what will be the value of CDF for all those x values that lies between 0 and 1?

Select the correct option

- F(x) = 0
- F(x) = 1
- F(x) = x
- F(x) = 0.5

Click to Save Answer & Move to Next Question

4:17 82%
quiz.vu.edu.pk

MC200200242: AMNA ANWAR

Time Left 86 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 04:12 PM, 26 May 2021

Question # 2 of 10 (Start time: 04:17:12 PM, 26 May 2021)

Total Marks: 1

As the random variables, X1 and X2 are continuous random variables, the difference of these random variables is

Select the correct option

- discrete random variable
- continuous random variable
- both continuous and discrete
- not existent

Click to Save Answer & Move to Next Question

4:20 82%
quiz.vu.edu.pk

MC200200242: AMNA ANWAR

Time Left 86 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 04:12 PM, 26 May 2021

Question # 3 of 10 (Start time: 04:19:31 PM, 26 May 2021)

Total Marks: 1

In Probability, CDF stands for

Select the correct option

- Central Distribution Function
- Complete Distribution Function
- Cumulative Deviation Function
- Cumulative Distribution Function



Click to Save Answer & Move to Next Question

12

40% 4:09 PM
quiz.vu.edu.pk/QuizQu

MC200200839: MUHAMMAD TARIQ

Time Left 87 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 03:59 PM, 26 May 2021

Question # 10 of 10 (Start time: 04:08:27 PM, 26 May 2021)

Total Marks: 1

What is the name of the following series?

$$f(x) = f(0) + f'(0)x + \frac{f''(0)}{2!}x^2 + \frac{f^{(3)}(0)}{3!}x^1 + \ldots + \frac{f^{(n)}(0)}{n!}x^n + \ldots$$

Select the correct option

Reload Math Equations

- Maclaurin series
- Exponential series
- Binomial series
- Taylor series

Click to Save Answer & Move to Next Question

41% 4:07 PM
quiz.vu.edu.pk/QuizQu

MC200200839: MUHAMMAD TARIQ

Time Left 87 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 03:59 PM, 26 May 2021

Question # 8 of 10 (Start time: 04:05:59 PM, 26 May 2021)

Total Marks: 1

In probability, PDF stands for

Select the correct option

- Probability Density Function
- Probability Deviation Function
- Probability Distribution Function
- Probability Discrete Function

Save & Move to Next Question

41% 4:05 PM
quiz.vu.edu.pk/QuizQu

MC200200839: MUHAMMAD TARIQ

Time Left 86 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 03:59 PM, 26 May 2021

Question # 7 of 10 (Start time: 04:04:47 PM, 26 May 2021)

Total Marks: 1

If random variable X is infinite then its expectation

Select the correct option

- minimum
- exist
- does not exist
- is finite

Save Answer & Move to Next Question

42% 4:02 PM
quiz.vu.edu.pk/QuizQu

MC200200839: MUHAMMAD TARIQ

Time Left 86 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 03:59 PM, 26 May 2021

Question # 4 of 10 (Start time: 04:01:34 PM, 26 May 2021)

Total Marks: 1

Joint probability distribution of two variables is called

Select the correct option

- Binomial distribution
- Multivariate distribution
- Bivariate distribution
- Normal Distribution

Save & Next

42% 4:01 PM
quiz.vu.edu.pk/QuizQu

MC200200839: MUHAMMAD TARIQ

Time Left 86 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 03:59 PM, 26 May 2021

Question # 3 of 10 (Start time: 04:00:27 PM, 26 May 2021)

Total Marks: 1

In a continuous case, what will be the value of CDF for all x values which are less than zero?

Select the correct option

- F(x) = 0
- F(x) = x
- F(x) = -1
- F(x) = 1

Save Answer & Move to Next Question

Quiz List | Quiz

quiz.vu.edu.pk/QuizQuestion.aspx?ver=400b58bd-d520-4b47-9c5e-ed99db1fd3e2

MC200204868: MUHAMMAD RIZWAN

STA642 QUIZ - 1

Question # 8 of 10 (Start time: 03:48:37 PM, 26 May 2021)

The correlation coefficient can be expressed as

Select the correct option

- $\frac{\sigma_1 \sigma_2}{\text{cov}(X, Y)}$
- $\frac{\text{cov}(X, Y)}{\bar{X}_1 \bar{X}_2}$
- $\frac{\text{cov}(X, Y)}{\sigma_1 \sigma_2}$
- $\frac{\text{cov}(X, Y)}{X_1 X_2}$

Quiz List | Quiz

quiz.vu.edu.pk/QuizQuestion.aspx?ver=8a7bab88-10a0-4c77-b379-4399a44813c3

MC200204868: MUHAMMAD RIZWAN

STA642 QUIZ - 1


Question # 7 of 10 (Start time: 03:47:12 PM, 26 May 2021)


$$E(X_3) = E[E(X_3|X_1)]$$

The above formula is sometimes known as :


Select the correct option

- law of double expectation
- law of iterated expectations
- law of variance
- law of second expectation



Quiz List
Quiz
quiz.vu.edu.pk/QuizQuestion.aspx?ver=08f6932e-24a2-4
MC200204868: MUHAMMAD RIZWAN
STA642:QUIZ - 1
Question # 5 of 10 (Start time: 03:45:14 PM, 26 May 2021)
K(t) is equal to
Select the correct option
log M(t)
M(t)
E(M(t))
Var (M(t))


Quiz List
Quiz
quiz.vu.edu.pk/QuizQuestion.aspx?ver=5372a2c9-0813-4dab-bb
MC200204868: MUHAMMAD RIZWAN
STA642:QUIZ - 1
Question # 4 of 10 (Start time: 03:43:57 PM, 26 May 2021)
The collection of all possible outcomes from an experiment is called
Select the correct option
Sample frame
Probability
Event
Sample Space

Scanned with CamScanner



Scanned with CamScanner



4G 4G 2:13 323 KB/s 53
quiz.vu.edu.pk/QuizQuest 2

Question # 3 of 10 (Start time: 02:13:01 PM, 26 May 2021)

The concept of the CDF, will always be _____

Select the correct option

- monotonically decreasing function
- monotonically increasing function ✓
- monotonically zig-zag function
- none of these

Click

4G 4G 2:17 324 KB/s 53

quiz.vu.edu.pk/QuizQuest 2

00203588: MUHAMMAD SOHAIL

42:QUIZ - 1

tion # 6 of 10 (Start time: 02:17:14 PM, 26 May 2021)

The expected value of e^{itX} is called

t the correct option

- Characteristic Function
- Cumulative Distribution Function
- Probability Density Function
- Moment Generating Function

4G 4G 2:19 371 KB/s 53
quiz.vu.edu.pk/QuizQuest 2

Question # 7 of 10 (Start time: 02:19:05 PM, 26 May 2021)

Toss a fair die; the possible values are 1, 2, 3, 4, 5, 6. Then probability is

Select the correct option

○	$P(X=x)=\frac{3}{6}$
○	$P(X=x)=\frac{1}{1+2+3+4+5+6}$
○	$P(X=x)=\frac{1}{6}$
○	$P(X=x)=\frac{6}{6}$

□ ○ ◁

4G 4G 2:20 377 KB/s 53
quiz.vu.edu.pk/QuizQuest 2

Question # 8 of 10 (Start time: 02:20:09 PM, 26 May 2021)

F(x) is often called simply the

Select the correct option

- frequency function
- negative function
- distribution function ✓
- probability function

4G 4G 2:23 372 KB/s 52

quiz.vu.edu.pk/QuizQuest 2

UHAMMAD SOHAIL

Time L

Quiz Start Time: 02:08 PM

(Start time: 02:23:01 PM, 26 May 2021)

In the continuous case of joint pdf $f_{X_1,X_2}(x_1, x_2)$, the marginal pdf of X_2 is found by integrating

ption

Reload M

Neither X_1 nor X_2

X_2

X_1

Both X_1 and X_2

Click to Save Answer & Move to Next Qu

(Start time: 02:25:21 PM, 26 May 2021)

The point to the left of which the area is 20% is known as

Select the correct option

- 20th value
- 80/20 rule
- Quartile
- 20th percentile

Quiz Start Time: 02:25 PM, 26 May 2021

Question # 3 of 10 (Start time: 02:27:13 PM, 26 May 2021)

Total Marks: 1

What will be the value of

$$F_{XY}(\infty, \infty)$$

Select the correct option

Reload Math Equations

- $F_{XY}(\infty, \infty) = 1$
- $F_{XY}(\infty, \infty) = 0$
- $F_{XY}(\infty, \infty) = \infty$
- $F_{XY}(\infty, \infty) = -\infty$

Quiz Start Time: 02:25 PM

Question # 6 of 10 (Start time: 02:30:31 PM, 26 May 2021)

The probability of an impossible event is

Select the correct option

- infinity
- 1/2
- 1
- 0

Scanned with CamScanner

4G 4G 2:21 375 KB/s 53

quiz.vu.edu.pk/QuizQuest 2

, 26 May 2021)

For all pdfs, the value of $F_x(\infty)$

1

$-\infty$

$+\infty$

0

Scanned with CamScanner

Quiz Start Time: 02:25 PM, 26 May 2021

Question # 7 of 10 (Start time: 02:31:33 PM, 26 May 2021)

Total Marks: 1

The sum of the first n natural numbers

Select the correct option

Reload Math Equations

- $n(n+2)$
- $n(n+1)$
- $\frac{n(n+2)}{2}$
- $\frac{n(n+1)}{2}$

Time Left 83

Quiz Start Time: 02:25 PM, 26 May 2021

Question # 8 of 10 (Start time: 02:32:32 PM, 26 May 2021)

Median is possible for which distribution?

Total Marks: 1

Select the correct option

- Continuous distribution only
- None of the given options
- Both Discrete and Continuous ✓
- Discrete distribution only

Question # 10 of 10 (Start time: 02:35:11 PM, 26 May 2021)

Total Marks: 1

The symbol $\varphi_x(t)$ is used to denote the

Select the correct option

Reload Math Equations

- Characteristic Function
- Moment Generating Function
- Cumulative Distribution Function
- Probability Density Function

89d9-5ee7-4cf1-95d7-2d55ffd092a8

New Tab

If $p(x) = \left(\frac{4!}{x!\,(4-x)!}\right)\left(\frac{1}{4}\right)^{x}\left(\frac{3}{4}\right)^{4-x}$ *then*

$p(1) = \frac{12}{256}$

$p(1) = \frac{54}{256}$

$p(1) = \frac{108}{256}$

$p(1) = \frac{81}{256}$

Question # 6 of 10 (Start time: 02:53:44 PM, 26 May 2021)

If random variable X is finite then its expectation

Select the correct option

- is finite
- exist
- does not exist
- is infinite

Search the web and Windows

30% 8:23 PM

Quiz
https://quiz.vu.edu.pk

MC200203376: MAAZ

Time Left 88 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 08:20 PM, 26 May 2021

Question # 4 of 10 (Start time: 08:23:40 PM, 26 May 2021) Total Marks: 1

For a data we find correlation coefficient. Now, we added a digit 5 in all the data values and then again computed the correlation. The new correlation coefficient _____.

Select the correct option

- will decrease
- will increase
- will remain same
- will increase by 5%

The conditional probability of event A, given event B, as

$$P(A|B) = \frac{P(A \cap B)}{P(B)}$$

$P(B) \neq 1$

$P(B) \neq 0$



$P(B) = 0$

$P(B) = 1$

Question # 8 of 10 (Start time: 02:56:19 PM, 26 May 2021)

For any distribution, if a higher moment exists, then _____.

Select the correct option

- all higher moments necessarily exists.
- very next higher moments necessarily exists
- all lower moments necessarily exists
- all lower moments may not exists

Search the web and Windows

Question # 9 of 10 (Start time: 02:57:15 PM, 26 May 2021)

Any experiment or process in which the outcome is _____ that is eligible to be called a random experiment.

Select the correct option

- ○ Fixed
- ○ Predictable
- ○ Certain
- ○ Unpredictable



Search the web and Windows

29% 8:25 PM

Quiz
https://quiz.vu.edu.pk

MC200203376: MAAZ

Time Left 88 sec(s)

STA642:QUIZ - 1

Quiz Start Time: 08:20 PM, 26 May 2021

Question # 5 of 10 (Start time: 08:25:32 PM, 26 May 2021)

Total Marks: 1

If we divide or multiply all the values of X by any constant and divide or multiply all the values of Y by any constant, it will not affect the coefficient of correlation.
This property is known as:

Select the correct option

- Coefficients of Correlation are dependent of Change of Scale
- Coefficients of Correlation are dependent of Change of Origin
- Coefficients of Correlation are independent of Change of Scale
- Coefficients of Correlation are independent of Change of Origin

9:17 PM

Quiz

MC200203745: AYYAZ SIDDIQUE

STA642:QUIZ - 1

Question # 1 of 10 (Start time: 09:16:56 PM, 26 May 2021)

If two variables X and Y are independent, coefficient of correlation between them will be

Select the correct option

- 0
- 100
- 1
- 2

Click to Save Answer & Move to Next Question

9:20 PM

Quiz

MC200203745: AYYAZ SIDDIQUE

STA642:QUIZ - 1

Question # 3 of 10 (Start time: 09:19:18 PM, 26 May 2021)

The point to the left of which the area is 20% is known as

Select the correct option

- ○ 80/20 rule
- ○ 20th percentile
- ○ 20th value
- ○ Quartile

Click to Save Answer & Move to Next Question

9:20 PM

Quiz

200203745: AYYAZ SIDDIQUE

642:QUIZ - 1

stion # 4 of 10 (Start time: 09:20:07 PM, 26 May 2021)

Consider the following formula.

$$\frac{E\left[(X-\mu_1)(X-\mu_2)\right]}{\sigma_1\sigma_2}$$

ct the correct option

- Correlation
- Covariance
- Joint Variance
- Joint Mean

Click to Save Answer & Move to Next Question

9:21 PM

Quiz

STA642:QUIZ - 1

Question # 5 of 10 (Start time: 09:20:55 PM, 26 May 2021)

The probability of a sure event is

Select the correct option

- 1
- 0
- infinity
- 1/2

Click to Save Answer & Move to Next Question

9:22 PM

Quiz

MC200203745: AYYAZ SIDDIQUE

STA642:QUIZ - 1

Question # 6 of 10 (Start time: 09:22:06 PM, 26 May 2021)

The point to the left of which the area is 70% is known as

Select the correct option

- 70th value
- Quartile
- 70th percentile
- 70/30 rule

Click to Save Answer & Move to Next Question

9:23 PM

Quiz

Question # 7 of 10 (Start time: 09:22:53 PM, 26 May 2021)

Central moment generating function is denoted by

Select the correct option

- C(t)
- CM
- CentMom
- C

Click to Save Answer & Move to Next Question

9:25 PM

Quiz

UE

Quiz Sta

:24:38 PM, 26 May 2021)

Let $X = (X_1, X_2)$ be a random vector.
Then the expected value of X exists if the expectation(s) of

X_1 and X_2 both exist



X_2 exist only

X_1 and X_2 does not matter

X_1 exist only

Click to Save Answer & Move to Next Question

9:26 PM

Quiz

MC200203745: AYYAZ SIDDIQUE

STA642:QUIZ - 1

Question # 10 of 10 (Start time: 09:25:27 PM, 26 May 2021)

Coefficient of Correlation is independent of Change of Scale. Symbolically, this property is shown as:

Select the correct option

○	$\rho_{U-V} = \rho_{XY}$
○	$\rho_{YX} = \rho_{XY}$
○	$\rho_{U+V} = \rho_{XY}$
○	$\rho_{UV} = \rho_{XY}$

Click to Save Answer & Move to Next Question

9:29 8.9 K/s 30
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 87 sec(s)

STA642 QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 1 of 10 (Start time: 09:29:25 PM, 26 May 2021)

Total Marks: 1

If $p(x) = \left(\frac{4!}{x!(4-x)!}\right)\left(\frac{1}{4}\right)^{x}\left(\frac{3}{4}\right)^{4-x}$ then

Select the correct option

Reload Math Equations

- $p(1) = \frac{108}{256}$
- $p(1) = \frac{12}{256}$
- $p(1) = \frac{54}{256}$
- $p(1) = \frac{81}{256}$

9:30 17.6 K/s 29
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 88 sec(s)

STA642.QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 2 of 10 (Start time: 09:30:04 PM, 26 May 2021)

Total Marks: 1

The Cumulative distribution graph for the discrete case is like a

Select the correct option

- staircase
- zig-zag
- straight line
- spiral

9:32 5.9 K/s 29
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 87 sec(s)

STA642.QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 4 of 10 (Start time: 09:32:55 PM, 26 May 2021)

Total Marks: 1

The joint probability distribution can be expressed in terms of a

Select the correct option

- all of above three options
- joint cumulative distribution function
- joint probability mass function
- joint probability density function

9:34 21.7 K/s 29
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 87 sec(s)

STA642 QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 5 of 10 (Start time: 09:34:22 PM, 26 May 2021)

Total Marks: 1

The quantile function is also called the

Select the correct option

- mod function
- inverse cumulative distribution function
- cumulative distribution function
- median function

LMS

9:36 20.1 K/s 29
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 87 sec(s)

STA642 QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 6 of 10 (Start time: 09:35:59 PM, 26 May 2021)

Total Marks: 1

The point to the left of which the area is 35% is known as

Select the correct option

- 35th value
- 35th percentile
- Quartile
- 65/35 rule

9:36 366 B/s 29
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 86 sec(s)

STA642.QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 7 of 10 (Start time: 09:36:42 PM, 26 May 2021)

Total Marks: 1

Jacobian transformation is denoted by

Select the correct option

- J(t)
- JCob
- J
- Jt

LMS

9:40 18.5 K/s 28

quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 85 sec(s)

STA642 QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 9 of 10 (Start time: 09:40:22 PM, 26 May 2021)

Total Marks: 1

For a function $x = \frac{1}{2\sqrt{y}}$, what will be the value of x for $y = 0.6$

Select the correct option

Reload Math Equations

- 0.42
- 1.65
- 0.65
- 0.2

LMS

9:41 23.6 K/s 28
quiz.vu.edu.pk/QuizQue: 5

MC200201181: TANVEER ABBAS

Time Left 88 sec(s)

STA642 QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 10 of 10 (Start time: 09:41:14 PM, 26 May 2021)

Total Marks: 1

If we subtract or add any constant in ALL values of X and Y, it will not affect the coefficient of correlation.
This property is known as:

Select the correct option

- Coefficients of Correlation are dependent of Change of Origin
- Coefficients of Correlation are dependent of Change of Scale
- Coefficients of Correlation are independent of Change of Scale
- Coefficients of Correlation are independent of Change of Origin

LMS

9:30

quiz.vu.edu.pk/QuizQue:

MC200201181: TANVEER ABBAS

Time Left 88 sec(s)

STA642 QUIZ - 1

Quiz Start Time: 09:29 PM, 26 May 2021

Question # 3 of 10 (Start time: 09:30:58 PM, 26 May 2021)

Total Marks: 1

Theoretically there can be _____ of decimal places after the decimals.

Select the correct option

- two number
- an infinite number
- fixed number
- finite number

Click to save your answer & Move to next Question