CS:610 Computer Network
Solved MCQS From Final term Paper
Muhammad Khalid (BSCS) 0314-517-53 86.

Q1: A system with redundant bridges might have a Problem with ___ in the system.
* Loop.

Q2: A Bridge can ___
* Do all the.

Q3: An interface for thin Ethernet must have an ___ connector, and must enerate Signals according to the ___ specification.
* BNC, 10 Base 2 .Page no. 21

Q4: A___ Relies on the hardware manufacturer to assign unique Physical address to each network interface.
* Static addressing Scheme (Page no. 34)

Q5: we use the term___ to refer to a measure to the Path that routing Software use when choosing a route.
* routing (Page. 330).

Q6: A Single networking technology is best for all needs.
* False (Page 81)

Q7: End-to-end delivery Service is connection oriented.
* False (Page no 101).

Q8: In the 1970s Large organization began to acquire networks. Each network in the organization formed island. Employees needed to choose a computer appropriate for each task. So they needed multiple screens/keyboards on computer.
* True (Page 81)

Q9: A single networking technology is best for all needs.
* False (Page 81) rep

Q10: ARP is almost always used to bind a ___ -bit address to a ___ -bit Ethernet address.
* 32, 48 (Page 98).

Q11: Although message exchange can be used to bind addresses, sending a request for each binding is hopelessly inefficient.
* True (Page no 99).

Q12: Whenever it handles a Packet, IP Software needs to separate the destination address into a ___ add ___ ?
* Prefix, Suffix (Page 87)

Q13: A multicast routing scheme in which the protocol software builds a delivery tree from a central Point is called ___ ?
* Core Based trees. Page(114). (CBT.)

Q14: One repeater ___, two repeaters ___ the maximum cable length limitation.
* Doubles, triple (Page 49).

Q15: Which method of Address Resolution Protocol is useful with any hardware? Were "T" Stands for Table lookup "C" for closed-from-Computation and "D" for Data Exchange?
* T (Page 97)

Q16: ____ uses distance vector approach to define routing.
* RIP . (Page 332)

Q17: The Process of using a routing table to select a next hop for a give datagram is called ____
* Routing or forwarding (Page 265)

Q18: Connectionless Service, Message-oriented Protocol, best effort delivery service, arbitrary interaction and operating System independent are the characteristics of ____ ?
* UDP (Page 110)

Q19: Connection-oriented Service, Point-to-Point, Complete reliability, Full-duplex, communication, Stream interface, Reliable connection, Startup and Graceful connection Shutdown are the Services Provided by ____ ?
* TCP (Page 123)

Q20: The General from of an IP datagram is with a header followed by data. The header contains information that controls were and how the datagram is to be sent.
True (Page 332)

Q21: The Save traffic, an EGP does not summarize routing information from the autonomous system before passing it to another autonomous system.
False (Page 329).

Q22: The number of connection needed for N computer in direct Point to Point Communication is equal to:
$(N2 - N)/2$ (Page 23).

Q23: When an application ____ data, it makes a copy of the data available to all other computer on the network.
Broadcasting (Search Google).

Q24: Ethernet uses a ____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
48 (Page 109)

Q25: A System with redundant bridges might have a problem with ____ in the System.
Loop

Q26: The Product of delay and throughput measures the ____ of data that can be present on the network.
volume (Page 80)

Q27: ARP is almost always used to bind a ____ bit IP address to a ____ bit Ethernet address.
32, 48 (Page 98)

828: Although message exchange can be used to bind addresses, sending a request for each binding is hopelessly inefficient.
True (Page 99)

829: Protocol addresses are abstractions provided by ____.
Software (Page 93).

Q30: Router that decrements TTL to ____ sends ICMP time exceeded message, with router's address as source address.
0 (Page 118).

Q31: ____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Network.
Flood-and-Prune (Page 143)

Q32: ____ uses distance vector approach to define routing.
RIP (Page 323 332) rep

Q33: ____ Protocols of TCP/IP layering model specify how to ensure reliable transfer.
Transport Layer (Page 84)

Q34: ____ is called an end-to-end Protocol because it provide a connection directly from an application on one computer to an application on a remote computer.
TCP (Page 241)

Q35: ___ of TCP/IP Layering model corresponds to basic network hardware.
Physical Layer (Page 84)

Q36: Most WAN systems include a mechanism that can be used to eliminate the common case of duplication routing is called ___.
Default route (Page 172)

Q37) A Bridge forwards or filters a frame by comparing the information in its address table to the frame's ___.
Layer 2 destination addresses.

Q38: An interface for thin Ethernet must have an ___ connector, and must generate signals according to the ___ specification.
BNC, 10 Base 2 (Page 201) reworded

Q39: A network uses a ___ arranges for computers to be connected in a closed loop.
Ring Topology (Page 25)

Q40: An ___ method, the network hardware designers specify how type information in included in the frame and the value used to identify various frame types.
Explicit frame types (Page 188)

Q41: UDP offers application programs a Message-oriented interface, applications can depend on protocol to preserve data boundaries
True (Page 120)

Q42: Computer networks are often called ___ because they use Packet technology.
Packet networks (Page 73)

Q43: FDDI can transmits data at a rate of ___.
100 million bits Per second (Page 31)

Q44: The time for acknowledgement to arrival of Packet depends on.
Distance to destination and current traffic conditions (Page 125).

Q45: TCP uses ___ mechanism to control the flow of data.
window (Page 126)

Q46: Reliability is the responsibility of the ___ layer.
Transport (Page 123)

Q47: Special types of addresses in IPv6 used for multiple destinations; Possible not at same site. Are known as ___
Multicast (Page 114)

Q48: In IPv6 the type of address used for collection of computers with same Prefix. Are known as ___.
Non of the given (Page 114)

Q49: To save traffic, an EGP does not summerize routing information from the autonomous system before passing it to another autonomous system.
False (Page 329)

Q50: The IP multicast abstraction allows an application running on an arbitrary computer to leave a multicast group at any time. While ____ application on a computer remain a member of a group.
A. one or more B. only one C. no, d. many
NOT sure.

Q51: Propagations multicast routing information differs dramatically from unicast route propagation?
True (Page 335)

Q52: on of the design goals for unicast route propagation is ____.
Stability (Page 3944)

Q53: In which method of Address Resolution Protocol the implimentation is more difficult? were "T" stands for Table lookup, "C" for Closed-from-computation and "D" for Data Exchange?
D (Page 92)

Q54: Find the class of the address.
111 1001101 01111011 00001111
E (Page 128)

Q55: Which method of Address Resolution Protocol resolution with minimum delay? were "T" stands for Table lookup, "C" for closed-form computation and "D" for Data exchange?
T, C (Page 97)

Q56: Find the class of the address.
~~10~~ 10100111 11011011 10001011 01101111.
B (Page 122)

Q57: The term self-identifying is used for classful IP addresses because the class of the addresses can be computed from the address ____
itself (Page 87)

Q58: Address mask defines how many bits of address are in suffix?
False (Page 103)

Q59: A single networking technology is best for all needs.
False (Page 81)

Q60: These Packets serve same Purpose on ____ as frames on ____.
internet, LAN (Page 101)

Q61: Protocol addresses are abstractions provided by ____
Software (Page 93)

Q62: ICMP message transport is acted upon by getting ICMP encrypted in IP.
True (Page 117)

Q63: Which of the following protocols allows the senders and receivers to enforce polices
BGP (Reference Book 347).

Q64: The Borders Gateway Protocol (BGP) uses ___ for all communication.
TCP.

Q65: ___ identies the application program that sent the data.
Source Port (Page 313)

Q66: ___ identifies which application program on receiving computer should receive the data.
Destination Port (Page 313).

Q67: ___ Protocols of TCP/IP layering model specify how to ensure reliable transfer.
Transport Layer (Page 84)

Q68: UDP and TCP are both ___ layer protocols
Transport (Page 101).

Q69: ___ Provides connectionless service.
UDP (Page 120)

Q70: ___ field of header indicates whether a datagram is a fragment or a complete datagram.
FLAGS.

Q71: ___ Places the boundary b/w the third and fourth octets.
Class C (Page 235)

Q72: ___ Places the boundary b/w the first and second octets.
Class A (Page 235)

Q73: An Internet Address (IP address) is a unique ___ binary number assigned to a host and used for all communication with host?
32 (Page 85)

Q74: The address ___ identifies the Physical network to which the computer is attached while the ___ identifies an individual computer on that network.
Prefix, Suffix (Page 85)

Q75: Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a ___ connectionless service paradigm (Page 112)

Q76: ___ computes shortest paths in a graph by using weight on edges as a measure of distance.
Dijkstra's algorithm (Page 112)

Q77: Formally named ___ informally known as the twisted Pair Ethernet or TP Ethernet.
10 Base T (Page 43)

Q78: The Gigabit Ethernet hardware operates at a rate of ___
1000 MbPS.

Q79: CRC can detect more errors than a simple checksum.
True (Page 80)

Q80: Hardware that calculates a CRC uses two simple components.
Shift register and XOR unit (Page 20)

Q81: In ___, network occupies the smallest area Like a room a floor a building,
LAN (Page 4)

Q82: In Point-to Point topology there are two topologies.
Star and tree. (Page 5)

Q83: Protocal addresses are abstractions Provided by ___ ?
Software (Page 93)

Q84: A network uses a ___ arranges for computer to be connected in a closed loop.
Ring Topology (Page 25)

Q85. Twice NAT is another variant of NAT. it is used with site that runs servers in this Process NAT box is connected to Domain Name.
True (Page 131)

Q86. In case TCP, retransmission, acknowledgment from a computer on LAN are expected to arrive within.
Millisecond.

Q87. UDP offers application Programs a message-oriented. Interface, applications can depend on Protocol to Preserve data boundaries.
True (Page 120)

Q88. IPv6 address consists of _____.
128 (Page 128

Q89. one of the design goals for unicast route Propagation is _____.
Stability (Page 344)

Q90. Information can flow in either or both direction b/w.
clients and servers (Page 344)

Q91. Router detects datagram ___ than network MTU.
Larger (Page 108) dep

Q92: —— includes a 32-bit address mask with each address, which allows the address to be classful, classless, or subnetted.
OSPF (Page 140)

Q93: — measures distance in network hops, where each network b/w the source and distination counts as single hop.
RIP (Page 138)

Q94: ICMP message transport is acted upon by getting encrypted in IP.
True (Page 112)

Q95: ~~Link~~ Like most application programs a client and server use a transport protocol to communicate.
True (Page 146)

Q96: mapping b/w Protocol address and a hardware is called Resolution.
True (Page 93)

Q97: Address mask defines how many bits of address are in suffix?
False (Page 103)

Q98: A single networking technology is best for all needs.
False (Page 81)

Q99: A routing table contains ____.
The routes ID of the next hope (Page 102)

Q100: ____ Provide Application to application communication it also called end to end communication.
TP (Page 49)

Q101: Router detects datagram ____ than network MTU and then it splists into pieces and pieces and each piece is ____ than outbound network MTU.
Larger, Smaller (Page 168)

Q102: The network with Throughput T and Delay D has a total ____ bits in transit at a time.
DXT (Page 203)

Q103: The maximum size of an Ethernet segment is ____.
500 meters.

Q104: Third field of the header consists of ____ bit Ethernet frame type.
16.

Q105: TCP ____ uses mechanism to control the flow of data.
window (Page 126)

Q106: A Computer needs a complete stack of Protocols to run either a client or a server.
True (Page 344)

Q107: Reconstruction of original datagram is called reassembly.
True — (Page 28)

Q108: The term Self-identifying is used for classful IP because the class of the address can be computed from the address itself (Page 87)

Q109: A computer attached to a give network can only communicate with other computer attached to the same network. Is this a problem with multiple networks?
True (Page 81)

Q110: address mask defines how bits of address are in suffix.
False (Page 103)

Q110: Next Header field in the base header defines types of header and it appears at end of fixed-size base header.
True (Page 112)

Q111: The length of time required to send a variable length packet is variable and does not require a complicated interrupt. scheme to detect completion of transmission
False (Page 72)

Q112: OSPF is based on ____
Link state routing

Q113: The Border Gateway Protocol (BGP) uses ___ for all communication TCP.

Q114: Which of the following are Interior routing Protocols?
RIP and OSPF.

Q115: ATM assigns each VC a ___ identifies that is divided two part to Produce a hierarchy.
24 bit (Page 67)

Q116: ___ is used for typical data application (where the data rate may be unknown and bursty) and allows use of whatever bandwidth is available at a give time.
Available Bit Rate (ABR) service (Page 71)

Q117: A ___ Relies on the hardware manufacturer to assign a unique Physic address to each network interface.
Static addressing scheme (Page 34)

The End?

"Thank You" "So" much"

0314.5175386

Q113: The Border Gateway Protocol (BGP) uses ___ for all communication TCP.

Q114: which of the following are interior routing Protocols?
RIP and OSPF.

Q115: ATM assigns each VC a ___ identifies that is divided two Part to Produce a hierarchy.
24-bit (Page 67)

Q116: ___ is used for typical data application (where the data rate may be unknown and bursty) and allows use of whatever bandwidth is available at a give time.
Available Bit Rate (ABR) service (Page 71)

Q117: A ___ Relies on the hardware manufacturer to assign a unique Physical address to each network interface.
Static addressing scheme (Page 34)

The End?

"Thank You" "So" much"

0314-5175386

السلام وعلیکم پیارے طالب علم!

I can Manage Your LMS All Activities including All Mid Term and Final Term Papers all assignment, quizzes And Gdbs in every Affordable fee

Result As Previous inshallah

Cons us:
What aal.
0314-517.53.86

0346-0551453


assignments quiz gdb mid final
Aoa koi b vu sub ke help ka la
whataap 0314-5175386