9:10 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 1 of 10 (Start time: 09:09:07 PM, 18 January 2024)

Relative frequency in population is known as

Select the correct option

○	Dispersion
○	Sampling
○	None of these
●	Probability

Solved by Muhammad Kashif(03064963933)

9:12 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 3 of 10 (Start time: 09:11:18 PM, 18 January 2024)

Box and Whisker Plot is also sometimes called:

Select the correct option

○	Box Whisker
○	Whisker Box
○	None of these
●	Box Plot

Solved by Muhammad Kashif(03064963933)

9:13 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) **Quiz Start Time: 0**

Question # 4 of 10 (Start time: 09:12:27 PM, 18 January 2024)

If a population is collection of all the elements of interest, than a_____ is a subset of the population.

Select the correct option

- ○ None of these
- ◉ Sample
- ○ People
- ○ Individuals

Click to Save Answer &

Solved by Muhammad Kashif(03064963933)

9:13 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 5 of 10 (Start time: 09:13:22 PM, 18 January 2024)

If an Event consists of exactly one outcome, it is called

Select the correct option

○	Simple complex event
○	None of these
○	Complex event
●	Simple Event

Solved by Muhammad Kashif(03064963933)

9:14 PM

vulms.vu.edu.pk/Quiz/QuizQu

BIO401 - Biostatistics (QUIZ # 02) **Quiz Start Ti**

Question # 6 of 10 (Start time: 09:13:47 PM, 18 January 2024)

A statistical technique used to determine the degree to which two variables are related is called

Select the correct option

- ○ Frequency
- ○ Relationship
- ○ None of these
- ◉ Correlation

Click to Save Ans

Solved by Muhammad Kashif(03064963933)

9:14 PM

vulms.vu.edu.pk/Quiz/QuizQ

1

BIO401 - Biostatistics (QUIZ # 02) Quiz Start Tim

Question # 7 of 10 (Start time: 09:14:14 PM, 18 January 2024)

Two or more events are said to be _____ , if the events do not have any outcomes in common.

Select the correct option

- ○ mutually inclusive
- ○ none of these
- ○ interdependent
- ◉ mutually exclusive

Click to Save Answ

Solved by Muhammad Kashif(03064963933)

9:16 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 8 of 10 (Start time: 09:14:50 PM, 18 January 2024)

Skewness can be of _____ types:

Select the correct option

○	1
○	2
◉	3
○	4

Solved by Muhammad Kashif(03064963933)

9:17 PM

vulms.vu.edu.pk/Quiz/QuizQ

BC220409246: AMNA IFTIKHAR

Time Left 53 sec(s)

BIO401 - Biostatistics (QUIZ # 02)

Quiz Start Time: 09:09 PM, 18 January 2024

Question # 9 of 10 (Start time: 09:16:17 PM, 18 January 2024)

Total Marks: 1

The _____ of A given B is equal to the probability of divided by the probability of B, provided the probability of B is not zero:

Select the correct option

Reload Math Equations

- Marginal probability
- Distribution
- Binomial distribution
- Conditional probability

Click to Save Answer & Move to Next Question

Solved by Muhammad Kashif(0306496[illegible]83)

9:17 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 10 of 10 (Start time: 09:17:11 PM, 18 January 2024)

Simple Correlation coefficient (r) is also called as _____

Select the correct option

○	Monto's correlation coefficient
○	Kumar's correlation coefficient
○	Taimura's correlation coefficient
●	Pearson's correlation coefficient

Solved by Muhammad Kashif(03064963933)

9:20 PM

vulms.vu.edu.pk/Quiz/QuizQ

BT406 - Research Methodology & Skill Enhancement (2nd Quiz)

Question # 1 of 8 (Start time: 09:19:57 PM, 18 January 2024)

Ethical committee reviews are important in researches that entail manipulating .....

Select the correct option

- (●) Humans
- ( ) None of the given options
- ( ) Both humans and animals
- ( ) Animals

Solved by Muhammad Kashif(03064963933)

1:24 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) Quiz Start Tin

Question # 2 of 10 (Start time: 01:23:34 PM, 19 January 2024)

An experiment or a trial, whose outcome can be classified as either a success or a failure, is called

Select the correct option

- ○ None of these
- ◉ Bernoulli Trial
- ○ Jacob Trial
- ○ Distribution Trial

Click to Save Answe

Solved by Muhammad Kashif(03064963933)

1:25 PM
vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 3 of 10 (Start time: 01:24:05 PM, 19 January 2024)

in the special rule of multiplication of probability, the events must be:

Select the correct option

- (●) Independent
- ( ) Mutually exclusive
- ( ) Non exclusive
- ( ) Empirical

Solved by Muhammad Kashif(03064963933)

1:25 PM
vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 4 of 10 (Start time: 01:25:27 PM, 19 January 2024)

If an Event consists of exactly one outcome, it is called

Select the correct option

- (●) Simple Event
- ( ) Complex event
- ( ) Simple complex event
- ( ) None of these

Solved by Muhammad Kashif(03064963933)

1:26 PM
vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 5 of 10 (Start time: 01:25:38 PM, 19 January 2024)

_____ is defined as departure from symmetry

Select the correct option

- ○ Mode
- ○ Mean
- ◉ Skewness
- ○ Probability

Solved By Muhammad Kashif(03064963933)

1:26 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 6 of 10 (Start time: 01:26:09 PM, 19 January 2024)

For symmetric data we prefer reporting Mean along with _____:

Select the correct option

- ○ Median
- ○ Mode
- ◉ Standard deviation
- ○ Dispersion

Solved by Muhammad Kashif(03064963933)

1:27 PM
vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 7 of 10 (Start time: 01:26:47 PM, 19 January 2024)

Relative frequency in population is known as

Select the correct option

◉	Probability
○	Dispersion
○	None of these
○	Sampling

Solved by Muhammad Kashif(03064963933)

1:28 PM
vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 8 of 10 (Start time: 01:27:56 PM, 19 January 2024)

Box and Whisker Plot is also sometimes called:

Select the correct option

◉	Box Plot
○	Box Whisker
○	Whisker Box
○	None of these

Solved by Muhammad Kashif(03064963933)

1:28 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) Qu

Question # 9 of 10 (Start time: 01:28:07 PM, 19 January 2024)

If a population is collection of all the elements of interest, than a_____ is a subset of the population.

Select the correct option

- (●) Sample
- ( ) Individuals
- ( ) None of these
- ( ) People

Click to S

Solved by Muhammad Kashif(03064963933)

1:29 PM

vulms.vu.edu.pk/Quiz/QuizQ

Time Left sec(s)

BIO401 - Biostatistics (QUIZ # 02) Quiz Start Time: 01:22 PM, 19 January 202

Question # 10 of 10 (Start time: 01:28:47 PM, 19 January 2024) Total Marks

The probability in which the numerator of the probability is a marginal total from a table and the denominator is the grand total from the table is called

Select the correct option

Reload Math Equations

- Denominator probability
- Marginal probability
- Border probability
- None of these

Click to Save Answer & Move to Next Question

Solved by Muhammad Kashif(0306496[illegible])

3:49 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 1 of 10 (Start time: 03:48:14 PM, 19 January 2024)

_____ estimates relationship between more than two variables.

Select the correct option

○	Binary correlation
●	Multiple correlation
○	Basic regression
○	Basic correlation

Solved by Muhammad Kashif(03064963933)

3:50 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) Quiz Start Time

Question # 2 of 10 (Start time: 03:49:36 PM, 19 January 2024)

Two or more events are said to be _____ , if the events do not have any outcomes in common.

Select the correct option

- ○ none of these
- ○ interdependent
- ◉ mutually exclusive
- ○ mutually inclusive

Click to Save Answer

Solved by Muhammad Kashif(03064963933)

3:50 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 3 of 10 (Start time: 03:50:20 PM, 19 January 2024)

For symmetric data we prefer reporting Mean along with _____:

Select the correct option

- (●) Standard deviation
- ( ) Median
- ( ) Mode
- ( ) Dispersion

Solved by Muhammad Kashif(03064963933)

3:51 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 4 of 10 (Start time: 03:50:54 PM, 19 January 2024)

_____ is independent of the scale of measurement:

Select the correct option

○	Standard deviation
●	Coefficient of variation
○	Dispersion
○	All

Solved by Muhammad Kashif(03064963933)

3:51 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 5 of 10 (Start time: 03:51:33 PM, 19 January 2024)

_____ is independent of the scale of measurement:

Select the correct option

- ○ All of these
- ◉ Coefficient of variation
- ○ Variation
- ○ Coefficient

Solved by Muhammad Kashif(03064963933)

3:52 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) Quiz

Question # 6 of 10 (Start time: 03:51:50 PM, 19 January 2024)

A statistical technique used to determine the degree to which two variables are related is called

Select the correct option

○	Relationship
○	None of these
○	Frequency
●	Correlation

Click to S

Solved by Muhammad Kashif(03064963933)

3:53 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 7 of 10 (Start time: 03:52:10 PM, 19 January 2024)

The range of a list is _____ if and only if all the data-points in the list are _____:

Select the correct option

- ○ 1, equal
- ○ 1, unequal
- ◉ 0, equal
- ○ 0, unequal

Solved by Muhammad Kashif(03064963933)

3:54 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 8 of 10 (Start time: 03:53:06 PM, 19 January 2024)

in the special rule of multiplication of probability, the events must be:

Select the correct option

- (●) Independent
- ( ) Empirical
- ( ) Mutually exclusive
- ( ) Non exclusive

Solved by Muhammad Kashif(03064963933)

3:54 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 9 of 10 (Start time: 03:54:11 PM, 19 January 2024)

Skewness can be of _____ types:

Select the correct option

○	4
○	2
◉	3
○	

Solved by Muhammad Kashif(03064963933)

3:55 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) Quiz Start Tim

Question # 10 of 10 (Start time: 03:54:46 PM, 19 January 2024)

The probability in which the numerator of the probability is a marginal total from a table and the denominator is t is called

Select the correct option

○	None of these
○	Denominator probability
○	Border probability
●	Marginal probability

Click to Save Answ

Solved by Muhammad Kashif(03064963933)

8:18 PM

vulms.vu.edu.pk/Quiz/QuizQu

BIO401 - Biostatistics (QUIZ # 02) Quiz

Question # 1 of 10 (Start time: 08:18:20 PM, 19 January 2024)

If a population is collection of all the elements of interest, than a_____ is a subset of the population.

Select the correct option

○	None of these
◉	Sample
○	Individuals
○	People

Click to Sc

Solved by Muhammad Kashif(03064963933)

8:18 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 2 of 10 (Start time: 08:18:31 PM, 19 January 2024)

Skewness can be of _____ types:

Select the correct option

○	1
●	3
○	2
○	4

Solved by Muhammad Kashif(03064963933)

8:19 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 3 of 10 (Start time: 08:18:40 PM, 19 January 2024)

The range of a list is _____ if and only if all the data-points in the list are _____:

Select the correct option

- ○ 0, unequal
- ◉ 0, equal
- ○ 1, unequal
- ○ 1, equal

Click t

Solved by Muhammad Kashif(03064963933)

8:19 PM
vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 4 of 10 (Start time: 08:19:26 PM, 19 January 2024)

_____ is independent of the scale of measurement:

Select the correct option

○	All
●	Coefficient of variation
○	Dispersion
○	Standard deviation

Solved by Muhammad Kashif(03064963933)

8:21 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 5 of 10 (Start time: 08:20:00 PM, 19 January 2024)

In kurtosis, numerical measures are made by:

Select the correct option

- ○ All
- ◉ Skewness
- ○ Median
- ○ Mode

Solved by Muhammad Kashif(03064963933)

8:22 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 6 of 10 (Start time: 08:21:23 PM, 19 January 2024)

in the special rule of multiplication of probability, the events must be:

Select the correct option

○	Mutually exclusive
○	Empirical
●	Independent
○	Non exclusive

Solved by Muhammad Kashif(03064963933)

8:23 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 7 of 10 (Start time: 08:22:37 PM, 19 January 2024)

Simple Correlation coefficient (r) is also called as _____

Select the correct option

○	Taimura's correlation coefficient
○	Monto's correlation coefficient
●	Pearson's correlation coefficient
○	Kumar's correlation coefficient

Solved by Muhammad Kashif(03064963933)

8:23 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) **Quiz Start**

Question # 8 of 10 (Start time: 08:23:06 PM, 19 January 2024)

Two or more events are said to be _____ , if the events do not have any outcomes in common.

Select the correct option

- ○ interdependent
- ◉ mutually exclusive
- ○ none of these
- ○ mutually inclusive

Click to Save An

Solved by Muhammad Kashif(03064963933)

8:24 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02)

Question # 9 of 10 (Start time: 08:23:15 PM, 19 January 2024)

For large "p" and small "n", the binomial distribution will be:

Select the correct option

○	Non-symmetric
○	Right skewed
●	Left skewed
○	Symmetric

Solved by Muhammad Kashif(03064963933)

8:24 PM

vulms.vu.edu.pk/Quiz/QuizQ

BIO401 - Biostatistics (QUIZ # 02) Quiz

Question # 10 of 10 (Start time: 08:24:11 PM, 19 January 2024)

A statistical technique used to determine the degree to which two variables are related is called

Select the correct option

○	None of these
○	Relationship
●	Correlation
○	Frequency

Click to Sa

Solved by Muhammad Kashif(03064963933)