ZOO103 Final term Paper Spring 2022

Time 11:00 Am, Date 25/09/2022

Attempted By M Zaman

Total Questions 53

Mcqs 40

Subjective 13

MCQS PART

1-***Karyology*** is description of size, shape and number of chromosomes

2-**Epigyne** or epigynum is the external genital structure of female spiders

3-European Starling In spring whole bird is glossy ***black*** without the mold of single feather

4-Typological species concept This concept was proposed by **Aristotle and Plato**

5-The abdomen of spiders has modified pairs of movable telescoping organs called **spinnerets** , which produce silk.

6-Systematic collection is a method of collecting valuable biological specimens and **preserving** them along with specimen documentations such as labels and notations.

7-The order of stink bug is **Hemiptera**.

8- the order of parasitoid wasp is **hymenoptera**

9-.75% present of **alcohol** is used for preservation

10-.Snakes and lizards shed their **scales** as skin case

11-Parametric tests are used for **Normal data**.

12-**ANOVA** stand for **Analysis of variance**.

13-For two sample t-test, the two populations must be independent and is….**same** for both.
14-**Spider** Most abundant natural predators

15-The abdomen is also known as the **opisthosoma**.

16-Thrips belongs to class **Insecta**.

17-Multistage Sampling is complicated form of **cluster sampling**

18-Data which is normally distributed and follow the normal curve is called **normal data**.

19-**Phlylatic gradualism** Evolution is a continuous process

20-order of whitefly **Hemiptera**

21-order of lady beetle **cleoptera**

22-class of spider **arachnida**

23-which is a part of reference.....***ISSUE NO***.

24-Fishes are **AMNIOTE**

25-p, q indicates **FREQUENCY OF ALLELES**

26- p2 q2 indicates **FREQUENCY OF GENOTYPE**.

27-**Taxon** • Defined by simpson (1961) as 'a group of real organisms recognized as a formal unit at any level of hierarchical classification'

28-Since they do not have antennae, spiders use specialized and **sensitive setae** on their legs to pick up scent, sounds, vibrations, and air currents

29-**Setae** are thick hairs which cover the legs, body, and pedipalps

SUBJECTIVE PART
1-Note on taxonomy of Green lacewings? 5marks
Green lacewings are an often under-appreciated group of beneficial insects.

• As with lady beetles, these natural enemies are important predators of many types of soft bodied insects and insect eggs.
The adult green lacewing is about 3/4 inch long, light green and has a delicate appearance with lacy wings.
• One unusual characteristic are its eyes, they look like two golden hemispheres.
• They are weak fliers and are commonly found near aphid colonies.

2-T.test requirements??

The conditions required to conduct a t-test include the measured values in ratio scale or interval scale, simple random extraction, homogeneity of variance, appropriate sample size, and normal distribution of data.

3-How silk gland secreted
The silk gland is the only organ where silk proteins are synthesized and secreted in the silkworm, Bombyx mori. Silk proteins are stored in the lumen of the silk gland for around eight days during the fifth instar. Determining their dynamic changes is helpful for clarifying the secretion mechanism of silk proteins.

4-Control of yellow stem borer
Destruction of weeds harbouring pests • Pulling out infested rice plant • Flooding the field after harvest • Stubble (short cut stalks) left after harvest should be • ploughed up and burn or submerged in water immediately after harvest • Crop rotation

5-Difference b/w Sample standard deviation and population standard deviation
• A sample standard deviation is a statistic. This means that it is calculated from only some of the individuals in a population.
• The population standard deviation is a parameter, which is a fixed value calculated from every individual in the population.

6-Epigyne: Females genetal organ is also present on ventral side of the abdomen. It is called epigyne.

7-Parasitoid
A parasitoid is an organism that has young that develop on or within another organism (the host), eventually killing it. • Parasitoids have characteristics of both predators and parasites.

8-Methods of using taxonomic keys

• Read introductory comments, format of the key, abbreviations etc before using key • Read both choices at each step of the key • Use glossary to find out the definition of any term your do not understood • Use a ruler if measurements are needed, do not guess • Examine several specimens of same species

9-characteristic of spiders 5

1. These characteristics include bodies divided into two tagmata (sections or segments),
2. Eight jointed legs,
3. No wings or antennae,
4. The presence of chelicerae and pedipalps,
5. Simple eyes, exoskeleton, which is periodically shed.

10-coutship behavior in lynx spider:

In a typical mating sequence of the green lynx spider, courtship lasted 11 minutes. Mating took 10 minutes, consisting of several copulations measured from the first approach of a male palpus to the female's epigynum until the final separation.

11-Phylum Echinodermata

• They are exclusively marine and are among the most common and widely distributed marine animals.

• Symmetry usually radial, nearly always pentamerous.

• Body shape globular, star-like, spherical, discoidal, or elongated.

• Water -vascular system of coelomic origin, including podia or tube feet for locomotion and usually with a madreporite. Sexes are usually dioecious with few exceptions.

• Gonads large and single or multiple; fertilization external, while few echinoderms are viviparous.

• Regeneration of lost parts, a peculiarity.

• A nervous system without a brain and with a circumoral ring and radial nerve.

• The excretory system is wanting.

• Respiratory organs include branchiae, tube-feet, respiratory tree, and bursae.

• Development is intermediate including characteristic larvae which undergo metamorphosis into the radially symmetrical adults.